



rinohtype

Reference Guide

Release 0.5.2

Contents

5	Chapter 1: rinoх
7	Chapter 2: Sphinx Builder
8	Legacy Configuration Variables
11	Chapter 3: Style Sheets
11	Included Style Sheets
11	Default Matcher
16	Element Style Classes
87	Chapter 4: Standard Document Templates
87	Article
89	Book
93	Chapter 5: API Documentation
93	Attribute (rinoх.attribute)
94	Color (rinoх.color)
94	Dimension (rinoх.dimension)
95	Document (rinoх.document)
96	Drawing Primitives (rinoх.draw)
97	Flowable (rinoх.flowable)
99	Fonts and Typefaces (rinoх.font)
101	Images and Figures (rinoх.image)
103	Index (rinoх.index)
103	Language (rinoх.language)
107	Number (rinoх.number)
108	Paper sizes (rinoх.paper)
109	Paragraph (rinoх.paragraph)
113	Cross-References and Fields (rinoх.reference)
114	Structure (rinoх.structure)
117	Strings (rinoх.strings)
117	Style (rinoх.style)
119	Tables (rinoх.table)

120 Templates (`rinohtype.template`)

129 Python Module Index

131 Index

Render a structured document to PDF.

```
usage: rinoh [-h] [-f FORMAT] [-o OPTION=VALUE] [-t NAME or FILENAME]
              [-s NAME or FILENAME] [-O FILENAME or DIRECTORY] [-p PAPER] [-i]
              [--list-templates] [--list-stylesheets] [--list-fonts
              [FILENAME]] [--list-formats] [--list-options FRONTEND] [--version] [--docs]
              [input]
```

input

the document to render

-h, --help

show this help message and exit

-f <format>, --format <format>

the format of the input file (default: autodetect)

-o <option=value>, --option <option=value>

options to be passed to the input file reader

-t <name or filename>, --template <name or filename>

the document template or template configuration file to use (default: article)

-s <name or filename>, --stylesheet <name or filename>

the style sheet used to style the document elements (default: the template's default)

-O <filename or directory>, --output <filename or directory>

write the PDF output to FILENAME or to an existing DIRECTORY with a filename derived from the input filename (default: the current working directory)

-p <paper>, --paper <paper>

the paper size to render to (default: the template's default)

-i, --install-resources

automatically install missing resources (fonts, templates, style sheets) from PyPI

--list-templates

list the installed document templates and exit

--list-stylesheets

list the installed style sheets and exit

--list-fonTs <filename>
list the installed fonts or, if FILENAME is given, write a PDF file displaying all the fonts

--list-formats
list the supported input formats and exit

--list-options <frontend>
list the options supported by the given frontend and exit

--version
show program's version number and exit

--docs
open the online documentation in the default browser

`rinoх.frontent.sphinx` is a Sphinx extension module. It provides a Sphinx builder with the name `rinoх`. The builder recognizes the following `conf.py` options. Of these, only `rinoх_documents` (or `latex_documents`) is required.

`rinoх_documents`

Determines which PDF documents to build. Its format is a list of dictionaries, one for each document to be generated. The supported keys for these dictionaries are listed below. Two of them are required:

`doc (required)`

String that specifies the name of the master document (typically `index`).

`target (required)`

The name of the target PDF file without the extension.

The following keys allow overriding the content included on the document's title page and page headers/footers (depending on the template and its configuration). The values for text content can be plain text or `StyledText`.

`logo (no default)`

Path (absolute or relative to the location of the `conf.py` file) to an image file, typically included on the title page.

`title (default: "project documentation")`

The title of the document.

`subtitle (default: "Release release")`

Subtitle of the document.

`author (default: "author")`

The document's author.

`date (default: determined from today and today_fmt)`

The document (build) date.

The remaining keys control what is included in the document and the document template (configuration) to use.

`toctree_only (default: False)`

Must be True or False. If true, the document itself is not included in the output, only the documents referenced by it via TOC trees.

`domain_indices (default: True)`

If true, generate domain-specific indices in addition to the general index. It is equivalent to the `html_domain_indices` and `latex_domain_indices` configuration variables.

`template (default: Book)`

Determines the template used to render the document. It takes:

- the filename of a template configuration file,
- a `TemplateConfiguration` instance,
- the name of an installed template (see `rinoх --list-templates`), or

- a DocumentTemplate subclass

`rinoх_documents` will also accept other keys than those listed above. These items will be available as document metadata and can be used in a custom document template.

Example:

```
rinoх_documents = [
    dict(doc='index', target='manual', toctree_only=False,
        template='manual.rtt', logo='logo.pdf'),
    dict(doc='ref', target='reference', title='Reference Manual',
        template='reference.rtt', stamp='DRAFT'),
]
```

`rinoх_targets`

Limits rendering to the specified set of targets. This variable accepts either a list of strings or a string containing comma-separated values. The target names should match those set in `rinoх_documents`.

To render only the ‘`manual`’ target, you can set the following in `conf.py`:

```
rinoх_targets = ['manual']
```

The same can be achieved from the command line using the by using the string form with `sphinx-build -D`:

```
spinx-build -b rinoх -D rinoх_targets="manual" source build
```

2.1 Legacy Configuration Variables

The configuration variables below are no longer supported. Instead, their functionality can now be configured per document in `rinoх_documents`.

`rinoх_template`

This configuration variable is no longer supported since the document template can be specified in `rinoх_documents` entries.

`rinoх_stylesheet`

This configuration variable is no longer supported since it is not obvious which style sheet will be used when the template configuration also specifies a style sheet. Please specify the style sheet to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book
stylesheet = my_stylesheet.rts
```

`rinoх_paper_size`

This configuration variable is no longer supported since it was not obvious which paper size was being used when the template configuration (`rinoх_template`) also specified a paper size. Please specify the `paper_size` to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book

[VARIABLES]
paper_size = A5
```

`rinoh_logo`

This configuration variable is no longer supported since the logo can be specified in the `rinoh_documents` entries.

`rinoh_domain_indices`

This configuration variable is no longer supported since the `domain_indices` can be specified in the `rinoh_documents` entries.

`rinoh_metadata`

This configuration variable is no longer supported. Metadata entries can now be added to `rinoh_documents` entries.

3.1 Included Style Sheets

These style sheets are included with rinohtype:

rinohtypesheets.**sphinx**

Mostly a copy of the LaTeX style included with Sphinx

Entry point name: sphinx

rinohtypesheets.**sphinx_article**

The Sphinx stylesheet adjusted for the article template

Entry point name: sphinx_article

rinohtypesheets.**sphinx_base14**

The Sphinx stylesheet, but using the fonts from the PDF core set (yielding smaller PDF files)

Entry point name: sphinx_base14

Additional style sheets can be installed from PyPI. The installed style sheets can be listed using
rinohtype --list-stylesheets.

3.2 Default Matcher

The default matcher provides the selectors for the styles used in the standard style sheets.

rinohtypesheets.**matcher**

The default matcher defines the following styles

- title page rule: HorizontalRuleStyle
- title page logo: FlowableStyle
- title page title: ParagraphStyle
- title page subtitle: ParagraphStyle
- title page author: ParagraphStyle
- title page date: ParagraphStyle
- title page extra: ParagraphStyle
- front matter section title: ParagraphStyle
- body matter chapter label: ParagraphStyle
- body matter chapter number: TextStyle
- body matter chapter title: ParagraphStyle
- fallback: TextStyle
- italic: TextStyle

- bold: TextStyle
- monospaced: TextStyle
- emphasis: TextStyle
- strong: TextStyle
- literal emphasis: TextStyle
- literal strong: TextStyle
- inline math: TextStyle
- quote: TextStyle
- file path: TextStyle
- keystrokes: TextStyle
- regular expression: TextStyle
- code with variable: TextStyle
- mail header: TextStyle
- MIME type: TextStyle
- newsgroup: TextStyle
- command: TextStyle
- make variable: TextStyle
- program: TextStyle
- man page: TextStyle
- window title: TextStyle
- UI control: TextStyle
- UI control accelerator: TextStyle
- menu cascade: TextStyle
- draft comment: TextStyle
- title reference: TextStyle
- error: TextStyle
- linked reference: ReferenceStyle
- external hyperlink: TextStyle
- broken hyperlink: TextStyle
- glossary inline definition: TextStyle
- body: ParagraphStyle
- code block: ParagraphStyle
- code block caption: CaptionStyle
- math block: ParagraphStyle
- attribution: ParagraphStyle
- centered: ParagraphStyle
- line block: ParagraphStyle
- block quote: GroupedFlowablesStyle
- chapter: SectionStyle
- heading level 1: HeadingStyle
- unnumbered heading level 1: HeadingStyle
- heading level 2: HeadingStyle
- unnumbered heading level 2: HeadingStyle
- heading level 3: HeadingStyle
- unnumbered heading level 3: HeadingStyle
- heading level 4: HeadingStyle
- unnumbered heading level 4: HeadingStyle
- heading level 5: HeadingStyle
- unnumbered heading level 5: HeadingStyle
- other heading levels: HeadingStyle
- appendix: SectionStyle
- appendix heading level 1: HeadingStyle
- appendix heading level 2: HeadingStyle

- appendix heading level 3: HeadingStyle
- appendix heading level 4: HeadingStyle
- appendix heading level 5: HeadingStyle
- title: ParagraphStyle
- prerequisites: GroupedFlowablesStyle
- prerequisites title: ParagraphStyle
- post requirement: GroupedFlowablesStyle
- abstract: GroupedFlowablesStyle
- abstract paragraph: ParagraphStyle
- example: GroupedFlowablesStyle
- example title: ParagraphStyle
- topic: GroupedFlowablesStyle
- topic title: ParagraphStyle
- rubric: ParagraphStyle
- sidebar: GroupedFlowablesStyle
- sidebar title: ParagraphStyle
- sidebar subtitle: ParagraphStyle
- list item label: ListItemLabelStyle
- list item body: GroupedFlowablesStyle
- list item paragraph: ParagraphStyle
- enumerated list: ListStyle
- enumerated list item: LabeledFlowableStyle
- enumerated list item label: ListItemLabelStyle
- nested enumerated list: ListStyle
- (table) enumerated list: ListStyle
- (table) enumerated list item: LabeledFlowableStyle
- (table) enumerated list item label: ListItemLabelStyle
- bulleted list: ListStyle
- compact bulleted list: ListStyle
- bulleted list item: LabeledFlowableStyle
- bulleted list item label: ListItemLabelStyle
- nested bulleted list: ListStyle
- (table) bulleted list: ListStyle
- (table) bulleted list item: LabeledFlowableStyle
- (table) bulleted list item label: ListItemLabelStyle
- steps list: ListStyle
- steps list title: ParagraphStyle
- steps list item: LabeledFlowableStyle
- steps list item label: ListItemLabelStyle
- unordered steps list: ListStyle
- unordered steps list title: ParagraphStyle
- unordered steps list item: LabeledFlowableStyle
- unordered steps list item label: ListItemLabelStyle
- choices list: ListStyle
- choices list item: LabeledFlowableStyle
- choices list item label: ListItemLabelStyle
- definition list: GroupedFlowablesStyle
- definition list item: LabeledFlowableStyle
- definition term: GroupedFlowablesStyle
- definition term paragraph: ParagraphStyle
- definition term classifier: TextStyle
- definition: GroupedFlowablesStyle
- definition paragraph: ParagraphStyle

- related links: GroupedFlowablesStyle
- related links section title: ParagraphStyle
- related links list: ListStyle
- related links list item: LabeledFlowableStyle
- related links list item label: ListItemLabelStyle
- related links list item paragraph: ReferencingParagraphStyle
- related link title reference: ReferenceStyle
- related link page reference: ReferenceStyle
- related link number reference: ReferenceStyle
- related link reference: ReferenceStyle
- versionmodified: TextStyle
- object description: LabeledFlowableStyle
- object signatures: GroupedFlowablesStyle
- object signature: ParagraphStyle
- object name: TextStyle
- additional name part: TextStyle
- object type: TextStyle
- object returns: TextStyle
- object parentheses: TextStyle
- object parameter list: TextStyle
- object parameter: TextStyle
- object parameter (no emphasis): TextStyle
- object brackets: TextStyle
- object optional parameter: TextStyle
- object annotation: TextStyle
- object description content: GroupedFlowablesStyle
- object description content paragraph: ParagraphStyle
- production list: GroupedFlowablesStyle
- production: LabeledFlowableStyle
- token name: ParagraphStyle
- token definition: ParagraphStyle
- field list: GroupedFlowablesStyle
- field list item: LabeledFlowableStyle
- field name: ParagraphStyle
- option list: GroupedFlowablesStyle
- option list item: LabeledFlowableStyle
- option: ParagraphStyle
- option string: TextStyle
- option argument: TextStyle
- admonition: AdmonitionStyle
- admonition title: ParagraphStyle
- admonition inline title: TextStyle
- attention admonition: AdmonitionStyle
- attention admonition title: ParagraphStyle
- attention admonition inline title: TextStyle
- caution admonition: AdmonitionStyle
- caution admonition title: ParagraphStyle
- caution admonition inline title: TextStyle
- danger admonition: AdmonitionStyle
- danger admonition title: ParagraphStyle
- danger admonition inline title: TextStyle
- error admonition: AdmonitionStyle
- error admonition title: ParagraphStyle

- error admonition inline title: TextStyle
- hint admonition: AdmonitionStyle
- hint admonition title: ParagraphStyle
- hint admonition inline title: TextStyle
- important admonition: AdmonitionStyle
- important admonition title: ParagraphStyle
- important admonition inline title: TextStyle
- note admonition: AdmonitionStyle
- note admonition title: ParagraphStyle
- note admonition inline title: TextStyle
- tip admonition: AdmonitionStyle
- tip admonition title: ParagraphStyle
- tip admonition inline title: TextStyle
- warning admonition: AdmonitionStyle
- warning admonition title: ParagraphStyle
- warning admonition inline title: TextStyle
- seealso admonition: AdmonitionStyle
- seealso admonition title: ParagraphStyle
- seealso admonition inline title: TextStyle
- header: ParagraphStyle
- footer: ParagraphStyle
- footnote marker: NoteMarkerStyle
- citation marker: NoteMarkerStyle
- footnote paragraph: ParagraphStyle
- footnote label: ParagraphStyle
- image: FlowableStyle
- inline image: InlineFlowableStyle
- figure: FigureStyle
- figure image: FlowableStyle
- figure caption: CaptionStyle
- figure legend: GroupedFlowablesStyle
- figure legend paragraph: ParagraphStyle
- table of contents section: SectionStyle
- table of contents title: HeadingStyle
- table of contents: TableOfContentsStyle
- local table of contents: TableOfContentsStyle
- toc level 1: TableOfContentsEntryStyle
- toc level 2: TableOfContentsEntryStyle
- toc level 3: TableOfContentsEntryStyle
- L3 toc level 3: TableOfContentsEntryStyle
- toc entry number reference field: ReferenceStyle
- list of figures section: SectionStyle
- list of figures: ListOfStyle
- list of figures entry: ListOfEntryStyle
- list of tables section: SectionStyle
- list of tables: ListOfStyle
- list of tables entry: ListOfEntryStyle
- table: TableStyle
- table with caption: TableWithCaptionStyle
- table caption: CaptionStyle
- choices table: TableStyle
- table cell: TableCellStyle
- table body cell background on even row: TableCellBackgroundColor

- table body cell background on odd row: TableCellBackgroundColor
- table body cell paragraph: ParagraphStyle
- table first column paragraph: ParagraphStyle
- table body cell list item number: ParagraphStyle
- table head cell: TableCellStyle
- table head cell paragraph: ParagraphStyle
- table cell left border: TableCellBorderStyle
- table cell top border: TableCellBorderStyle
- table cell right border: TableCellBorderStyle
- table cell bottom border: TableCellBorderStyle
- table top border: TableCellBorderStyle
- table bottom border: TableCellBorderStyle
- table left border: TableCellBorderStyle
- table right border: TableCellBorderStyle
- table head cell left border: TableCellBorderStyle
- table head cell right border: TableCellBorderStyle
- table head bottom border: TableCellBorderStyle
- table head left border: TableCellBorderStyle
- table head right border: TableCellBorderStyle
- table body top border: TableCellBorderStyle
- table body left border: TableCellBorderStyle
- table body right border: TableCellBorderStyle
- horizontal rule: HorizontalRuleStyle
- index: IndexStyle
- index section label: ParagraphStyle
- level 1 index entry: ParagraphStyle
- level 2 index entry: ParagraphStyle
- level 3 index entry: ParagraphStyle
- level 4 index entry: ParagraphStyle
- domain index entry name: TextStyle

3.3 Element Style Classes

These are the style classes corresponding to each type of document element. For each style class, the supported style attributes are listed along with the values that can be assigned to them in a style sheet.

draw.LineStyle	Style class for Line
draw.ShapeStyle	Style class for Shape
flowable.FlowableStyle	Style class for Flowable
flowable.LabeledFlowableStyle	Style class for LabeledFlowable
flowable.GroupedFlowablesStyle	Style class for GroupedFlowables
flowable.FloatStyle	Style class for Float
image.CaptionStyle	Style class for Caption
image.FigureStyle	Style class for Figure
index.IndexStyle	Style class for Index
paragraph.ParagraphStyle	Style class for Paragraph
text.TextStyle	Style class for Text
inline.InlineFlowableStyle	Style class for InlineFlowable
reference.ReferencingParagraphStyle	Style class for ReferencingParagraph
reference.NoteMarkerStyle	Style class for NoteMarker

structure.SectionStyle	Style class for Section
structure.HeadingStyle	Style class for Heading
structure.ListStyle	Style class for List
structure.ListItemLabelStyle	Style class for ListItemLabel
structure.TableOfContentsStyle	Style class for TableOfContents
structure.TableOfContentsEntryStyle	Style class for TableOfContentsEntry
structure.AdmonitionStyle	Style class for Admonition
structure.HorizontalRuleStyle	Style class for HorizontalRule
table.TableStyle	Style class for Table
table.TableCellStyle	Style class for TableCell
table.TableCellBorderStyle	Style class for TableCellBorder
table.TableCellBackgroundStyle	Style class for TableCellBackground

3.3.1 LineStyle

```
class rino.draw.LineStyle ( base=None, **attributes )
    Style class for Line

    stroke
        Width and color used to draw the line
        Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a
        comma (,)
        Default: 1pt, #000

    hide
        Suppress rendering this element (inherited from Style)
        Accepts Bool: true or false
        Default: false
```

3.3.2 ShapeStyle

```
class rino.draw.ShapeStyle ( base=None, **attributes )
    Style class for Shape

    fill_color
        Color to fill the shape
        Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA,
        #RGB or #RGBA)
        Default: #e5e5e5

    stroke
        Width and color used to draw the line (inherited from LineStyle)
        Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a
        comma (,)
        Default: 1pt, #000

    hide
        Suppress rendering this element (inherited from Style)
        Accepts Bool: true or false
        Default: false
```

3.3.3 FlowableStyle

```
class rinoh.flowable.FlowableStyle( base=None, **attributes )
    Style class for Flowable

    width
        Width to render the flowable at
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,
        cm, %, /2, /4)
        Default: auto

    horizontal_align
        Horizontal alignment of the flowable
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_right
        Right margin
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    padding
        Padding
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    padding_left
        Left padding
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    padding_right
        Right padding
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    padding_top
        Top padding
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

padding_bottom

Bottom padding

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.4 LabeledFlowableStyle

```
class rinoh.flowable.LabeledFlowableStyle ( base=None, **attributes )
    Style class for LabeledFlowable

    label_min_width
        Minimum label width
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 12pt

    label_max_width
        Maximum label width
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 80pt

    label_spacing
        Spacing between a label and the labeled flowable
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 3pt

    align_baselines
        Line up the baselines of the label and the labeled flowable
        Accepts Bool: true or false
        Default: true

    wrap_label
        Wrap the label at label_max_width
        Accepts Bool: true or false
        Default: false

    width
        Width to render the flowable at (inherited from FlowableStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: auto

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a

comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.5 GroupedFlowablesStyle

```
class rino.h.flowable.GroupedFlowablesStyle ( base=None, **attributes )
```

Style class for GroupedFlowables

width

Overrides the default set in FlowableStyle

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: fill

title

Title to precede the flowables

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

flowable_spacing

Spacing between flowables

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a

comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.6 FloatStyle

```
class rinoh.flowable.FloatStyle ( base=None, **attributes )
```

Style class for Float

float

Float the flowable to the top or bottom of the page

Accepts Bool: true or false

Default: false

width

Width to render the flowable at (inherited from FlowableStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: auto

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center
Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

margin_left

Left margin (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

margin_right

Right margin (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding

Padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_left

Left padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_right

Right padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_top

Top padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)
Accepts Bool: true or false
Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)
Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.7 CaptionStyle

```
class rino.h.image.CaptionStyle ( base=None, **attributes )
```

Style class for Caption

number_format

Overrides the default set in ParagraphStyle

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

numbering_level

Overrides the default set in ParagraphStyle

Accepts Integer: a natural number (positive integer)

Default: 1

width

Width to render the flowable at (inherited from ParagraphStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: fill

indent_first

Indentation of the first line of text (inherited from ParagraphStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0pt

line_spacing

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

Accepts LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

Default: default

text_align

Alignment of text to the margins (inherited from ParagraphStyle)

Accepts TextAlign: left, right, center, justify

Default: justify

tab_stops

List of tab positions (inherited from ParagraphStyle)

Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

Default: (no value)

number_separator

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: ':'

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`margin_left`

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`margin_right`

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`padding`

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`padding_left`

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`padding_right`

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`padding_top`

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`padding_bottom`

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`keep_with_next`

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

`border`

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

`border_left`

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

`border_right`

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

typeface

Typeface to set the text in (inherited from TextStyle)

Accepts Typeface: the name of a typeface. See `rinoh --list-fon`t for a list of the available typefaces.

Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)
Accepts FontSlant: upright, oblique, italic
Default: upright

font_width

Stretch of the characters (inherited from TextStyle)
Accepts FontWeight: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded
Default: 5

font_size

Height of characters (inherited from TextStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 10pt

font_color

Color of the font (inherited from TextStyle)
Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)
Default: #000

font_variant

Variant of the font (inherited from TextStyle)
Accepts FontVariant: normal, small capital, oldstyle figures
Default: normal

position

Vertical text position (inherited from TextStyle)
Accepts TextPosition: normal, superscript, subscript
Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)
Accepts Bool: true or false
Default: true

ligatures

Run letters together where possible (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from TextStyle)
Accepts Integer: a natural number (positive integer)
Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from TextStyle)

Accepts Locale: locale identifier in the <language ID>_<region ID> format
Default: en_US

before

Item to insert before this one (inherited from TextStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

after

Item to insert after this one (inherited from TextStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.8 FigureStyle

class rinoх.image.FigureStyle (base=None, **attributes)**

Style class for Figure

float

Float the flowable to the top or bottom of the page (inherited from FloatStyle)

Accepts Bool: true or false

Default: false

width

Width to render the flowable at (inherited from FlowableStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: auto

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)
Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)
Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)
Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)
Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)
Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)
Accepts Break: none, any, left, right
Default: None

hide

Suppress rendering this element (inherited from Style)
Accepts Bool: true or false
Default: false

title

Title to precede the flowables (inherited from GroupedFlowablesStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

flowable_spacing

Spacing between flowables (inherited from GroupedFlowablesStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

3.3.9 **IndexStyle**

```
class rinoх.index.IndexStyle ( base=None, **attributes )  
    Style class for Index
```

initials

Group index entries based on their first letter
Accepts Bool: true or false
Default: true

width

Width to render the flowable at (inherited from GroupedFlowablesStyle)
Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: fill

title

Title to precede the flowables (inherited from GroupedFlowablesStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

flowable_spacing

Spacing between flowables (inherited from GroupedFlowablesStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`padding_bottom`

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

`keep_with_next`

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

`border`

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

`border_left`

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

`border_right`

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

`border_top`

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

`border_bottom`

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

`background_color`

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

`page_break`

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

`hide`

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.10 ParagraphStyle

`class rinoh.paragraph.ParagraphStyle (base=None, **attributes)`

Style class for Paragraph

width

Overrides the default set in FlowableStyle

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: fill

indent_first

Indentation of the first line of text

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0pt

line_spacing

Spacing between the baselines of two successive lines of text

Accepts LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

Default: default

text_align

Alignment of text to the margins

Accepts TextAlign: left, right, center, justify

Default: justify

tab_stops

List of tab positions

Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

Default: (no value)

number_format

Overrides the default set in NumberStyle

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: None

number_separator

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label.

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: ':'

numbering_level

At which section level to restart numbering (positive: absolute, negative: relative)

Accepts Integer: a natural number (positive integer)

Default: (no value)

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

typeface

Typeface to set the text in (inherited from TextStyle)

Accepts Typeface: the name of a typeface. See rino --list-fs for a list of the available typefaces.

Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters (inherited from TextStyle)

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters (inherited from TextStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font (inherited from TextStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font (inherited from TextStyle)

Accepts FontVariant: normal, small capital, oldstyle figures

Default: normal

position

Vertical text position (inherited from TextStyle)

Accepts TextPosition: normal, superscript, subscript

Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)

Accepts Bool: true or false
Default: true

ligatures

Run letters together where possible (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from TextStyle)
Accepts Integer: a natural number (positive integer)
Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from TextStyle)
Accepts Locale: locale identifier in the <language ID>_<region ID> format
Default: en_US

before

Item to insert before this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

after

Item to insert after this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

3.3.11 TextStyle

```
class rinoх.text.TextStyle( base=None, **attributes )  
    Style class for Text
```

typeface

Typeface to set the text in
Accepts Typeface: the name of a typeface. See rinoх --list-fonts for a list of the available typefaces.
Default: Times

font_weight

Thickness of character outlines relative to their height
Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font

Accepts FontVariant: normal, small capital, oldstyle figures

Default: normal

position

Vertical text position

Accepts TextPosition: normal, superscript, subscript

Default: normal

kerning

Improve inter-letter spacing

Accepts Bool: true or false

Default: true

ligatures

Run letters together where possible

Accepts Bool: true or false

Default: true

hyphenate

Allow words to be broken over two lines

Accepts Bool: true or false

Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word

Accepts Integer: a natural number (positive integer)

Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US'

Accepts Locale: locale identifier in the <language ID>_<region ID> format

Default: en_US

before

Item to insert before this one (inherited from TextStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

after

Item to insert after this one (inherited from TextStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.12 InlineFlowableStyle

```
class rino.inline.InlineFlowableStyle ( base=None, **attributes )  
Style class for InlineFlowable
```

baseline

The location of the flowable's baseline relative to the bottom edge

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0pt

width

Width to render the flowable at (inherited from FlowableStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: auto

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)
Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)
Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)
Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)
Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)
Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)
Accepts Break: none, any, left, right
Default: None

hide

Suppress rendering this element (inherited from Style)
Accepts Bool: true or false
Default: false

before

Item to insert before this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

after

Item to insert after this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

3.3.13 ReferencingParagraphStyle

```
class rinoх.reference.ReferencingParagraphStyle ( base=None, **attributes )  
    Style class for ReferencingParagraph
```

text

The text content of this paragraph
Accepts ReferenceText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: '{TITLE}'

width

Width to render the flowable at (inherited from ParagraphStyle)
Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,

cm, %, /2, /4)

Default: fill

indent_first

Indentation of the first line of text (inherited from ParagraphStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0pt

line_spacing

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

Accepts LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

Default: default

text_align

Alignment of text to the margins (inherited from ParagraphStyle)

Accepts TextAlign: left, right, center, justify

Default: justify

tab_stops

List of tab positions (inherited from ParagraphStyle)

Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

Default: (no value)

number_format

How numbers are formatted (inherited from ParagraphStyle)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: None

number_separator

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: ':'

numbering_level

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from ParagraphStyle)

Accepts Integer: a natural number (positive integer)

Default: (no value)

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

typeface

Typeface to set the text in (inherited from TextStyle)

Accepts Typeface: the name of a typeface. See rino --list-fs for a list of the available typefaces.

Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters (inherited from TextStyle)

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters (inherited from TextStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font (inherited from TextStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font (inherited from TextStyle)

Accepts FontVariant: normal, small capital, oldstyle figures

Default: normal

position

Vertical text position (inherited from TextStyle)

Accepts TextPosition: normal, superscript, subscript

Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)

Accepts Bool: true or false

Default: true

ligatures

Run letters together where possible (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from

`TextStyle`
Accepts Integer: a natural number (positive integer)
Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from `TextStyle`)
Accepts Locale: locale identifier in the <language ID>_<region ID> format
Default: en_US

before

Item to insert before this one (inherited from `InlineStyle`)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

after

Item to insert after this one (inherited from `InlineStyle`)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

hide

Suppress rendering this element (inherited from `Style`)
Accepts Bool: true or false
Default: false

3.3.14 NoteMarkerStyle

class rino.h.reference.NoteMarkerStyle (base=None, **attributes)
Style class for NoteMarker

type

Overrides the default set in `ReferenceStyle`
Accepts ReferenceType: reference, number, title, page, custom
Default: number

link

Create a hyperlink to the reference target (inherited from `ReferenceStyle`)
Accepts Bool: true or false
Default: true

quiet

If the given reference type does not existfor the target, resolve to an empty stringinstead of making a fuss about it (inherited from `ReferenceStyle`)
Accepts Bool: true or false
Default: false

typeface

Typeface to set the text in (inherited from `TextStyle`)
Accepts Typeface: the name of a typeface. See `rinoh --list-fs` for a list of the available typefaces.
Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters (inherited from TextStyle)

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters (inherited from TextStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font (inherited from TextStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font (inherited from TextStyle)

Accepts FontVariant: normal, small capital, oldstyle figures

Default: normal

position

Vertical text position (inherited from TextStyle)

Accepts TextPosition: normal, superscript, subscript

Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)

Accepts Bool: true or false

Default: true

ligatures

Run letters together where possible (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from

TextStyle)
Accepts Integer: a natural number (positive integer)
Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from TextStyle)
Accepts Locale: locale identifier in the <language ID>_<region ID> format
Default: en_US

before

Item to insert before this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

after

Item to insert after this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

number_format

How numbers are formatted (inherited from NumberStyle)
Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman
Default: number

label_prefix

Text to prepend to the label (inherited from LabelStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)
Accepts Bool: true or false
Default: false

hide

Suppress rendering this element (inherited from Style)
Accepts Bool: true or false
Default: false

3.3.15 SectionStyle

```
class rino.h.structure.SectionStyle ( base=None, **attributes )
    Style class for Section

    show_in_toc
        List this section in the table of contents
        Accepts Bool: true or false
        Default: true

    width
        Width to render the flowable at (inherited from GroupedFlowablesStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,
        cm, %, /2, /4)
        Default: fill

    title
        Title to precede the flowables (inherited from GroupedFlowablesStyle)
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string
        is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text
        string' (style name)
        Default: (no value)

    flowable_spacing
        Spacing between flowables (inherited from GroupedFlowablesStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_right
        Right margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    padding
        Padding (inherited from FlowableStyle)
```

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.16 HeadingStyle

class rinostructure.HeadingStyle (base=None, **attributes)

Style class for Heading

keep_with_next

Overrides the default set in FlowableStyle

Accepts Bool: true or false

Default: true

numbering_level

Overrides the default set in ParagraphStyle

Accepts Integer: a natural number (positive integer)

Default: -1

width

Width to render the flowable at (inherited from ParagraphStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: fill

indent_first

Indentation of the first line of text (inherited from ParagraphStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0pt

line_spacing

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

Accepts LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

Default: default

text_align

Alignment of text to the margins (inherited from ParagraphStyle)

Accepts TextAlign: left, right, center, justify

Default: justify

tab_stops

List of tab positions (inherited from ParagraphStyle)

Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

Default: (no value)

number_format

How numbers are formatted (inherited from ParagraphStyle)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: None

number_separator

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: ':'

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

typeface

Typeface to set the text in (inherited from TextStyle)

Accepts Typeface: the name of a typeface. See rino --list-fs for a list of the available typefaces.

Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters (inherited from TextStyle)

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters (inherited from TextStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font (inherited from TextStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font (inherited from TextStyle)

Accepts FontVariant: normal, small capital, oldstyle figures
Default: normal

position

Vertical text position (inherited from TextStyle)
Accepts TextPosition: normal, superscript, subscript
Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)
Accepts Bool: true or false
Default: true

ligatures

Run letters together where possible (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from TextStyle)
Accepts Integer: a natural number (positive integer)
Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from TextStyle)
Accepts Locale: locale identifier in the <language ID>_<region ID> format
Default: en_US

before

Item to insert before this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

after

Item to insert after this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

hide

Suppress rendering this element (inherited from Style)
Accepts Bool: true or false
Default: false

3.3.17 ListStyle

```
class rinoh.structure.ListStyle ( base=None, **attributes )
    Style class for List

    ordered
        This list is ordered or unordered
        Accepts Bool: true or false
        Default: false

    bullet
        Bullet to use in unordered lists
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string
        is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text
        string' (style name)
        Default: '•'

    width
        Width to render the flowable at (inherited from GroupedFlowablesStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,
        cm, %, /2, /4)
        Default: fill

    title
        Title to precede the flowables (inherited from GroupedFlowablesStyle)
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string
        is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text
        string' (style name)
        Default: (no value)

    flowable_spacing
        Spacing between flowables (inherited from GroupedFlowablesStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a

comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

number_format

How numbers are formatted (inherited from NumberStyle)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

3.3.18 ListItemLabelStyle

```
class rinostructure.ListItemLabelStyle ( base=None, **attributes )
```

Style class for ListItemLabel

width

Width to render the flowable at (inherited from ParagraphStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: fill

indent_first

Indentation of the first line of text (inherited from ParagraphStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0pt

line_spacing

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

Accepts LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

Default: default

text_align

Alignment of text to the margins (inherited from ParagraphStyle)

Accepts TextAlign: left, right, center, justify

Default: justify

tab_stops

List of tab positions (inherited from ParagraphStyle)

Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

Default: (no value)

number_format

How numbers are formatted (inherited from ParagraphStyle)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: None

number_separator

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: ''

numbering_level

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from ParagraphStyle)

Accepts Integer: a natural number (positive integer)

Default: (no value)

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

typeface

Typeface to set the text in (inherited from TextStyle)

Accepts Typeface: the name of a typeface. See `rinoh --list-fs` for a list of the available typefaces.

Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters (inherited from TextStyle)

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters (inherited from TextStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font (inherited from TextStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font (inherited from TextStyle)

Accepts FontVariant: normal, small capital, oldstyle figures

Default: normal

position

Vertical text position (inherited from TextStyle)

Accepts TextPosition: normal, superscript, subscript

Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)

Accepts Bool: true or false

Default: true

ligatures

Run letters together where possible (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from TextStyle)

Accepts Integer: a natural number (positive integer)

Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from TextStyle)

Accepts Locale: locale identifier in the <language ID>_<region ID> format

Default: en_US

before

Item to insert before this one (inherited from InlineStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

after

Item to insert after this one (inherited from InlineStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.19 TableOfContentsStyle

```
class rinostructure.TableOfContentsStyle ( base=None, **attributes )
```

Style class for TableOfContents

depth

The number of section levels to include in the table of contents

Accepts Integer: a natural number (positive integer)

Default: 3

width

Width to render the flowable at (inherited from GroupedFlowablesStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: fill

title

Title to precede the flowables (inherited from GroupedFlowablesStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string

is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

flowable_spacing

Spacing between flowables (inherited from GroupedFlowablesStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)
Accepts HorizontalAlignment: left, right, center
Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

margin_left

Left margin (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

margin_right

Right margin (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding

Padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_left

Left padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_right

Right padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_top

Top padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

indent_first

Indentation of the first line of text (inherited from ParagraphStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0pt

line_spacing

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

Accepts LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

Default: default

text_align

Alignment of text to the margins (inherited from ParagraphStyle)

Accepts TextAlign: left, right, center, justify

Default: justify

tab_stops

List of tab positions (inherited from ParagraphStyle)

Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

Default: (no value)

number_format

How numbers are formatted (inherited from ParagraphStyle)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: None

number_separator

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: ':'

numbering_level

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from ParagraphStyle)

Accepts Integer: a natural number (positive integer)

Default: (no value)

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

typeface

Typeface to set the text in (inherited from TextStyle)

Accepts Typeface: the name of a typeface. See rino --list-fs for a list of the available typefaces.

Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters (inherited from TextStyle)

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters (inherited from TextStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font (inherited from TextStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font (inherited from TextStyle)

Accepts FontVariant: normal, small capital, oldstyle figures

Default: normal

position

Vertical text position (inherited from TextStyle)

Accepts TextPosition: normal, superscript, subscript

Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)

Accepts Bool: true or false

Default: true

ligatures

Run letters together where possible (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)
Accepts Bool: true or false
Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from TextStyle)
Accepts Integer: a natural number (positive integer)
Default: 2

hyphen_lang

Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from TextStyle)
Accepts Locale: locale identifier in the <language ID>_<region ID> format
Default: en_US

before

Item to insert before this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

after

Item to insert after this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

3.3.20 TableOfContentsEntryStyle

```
class rinostructure.TableOfContentsEntryStyle( base=None, **attributes )
```

Style class for TableOfContentsEntry

text

Overrides the default set in ReferencingParagraphStyle
Accepts ReferenceText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: '{NUMBER}' '\t' '{TITLE}' '\t' '{PAGE}'

width

Width to render the flowable at (inherited from ParagraphStyle)
Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: fill

indent_first

Indentation of the first line of text (inherited from ParagraphStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0pt

line_spacing

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

Accepts LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

Default: default

text_align

Alignment of text to the margins (inherited from ParagraphStyle)

Accepts TextAlign: left, right, center, justify

Default: justify

tab_stops

List of tab positions (inherited from ParagraphStyle)

Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

Default: (no value)

number_format

How numbers are formatted (inherited from ParagraphStyle)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: None

number_separator

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: ''

numbering_level

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from ParagraphStyle)

Accepts Integer: a natural number (positive integer)

Default: (no value)

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

label_prefix

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

label_suffix

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

custom_label

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

typeface

Typeface to set the text in (inherited from TextStyle)

Accepts Typeface: the name of a typeface. See rinh --list-fonts for a list of the available typefaces.

Default: Times

font_weight

Thickness of character outlines relative to their height (inherited from TextStyle)

Accepts FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

Default: 500

font_slant

Slope style of the font (inherited from TextStyle)

Accepts FontSlant: upright, oblique, italic

Default: upright

font_width

Stretch of the characters (inherited from TextStyle)

Accepts FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

Default: 5

font_size

Height of characters (inherited from TextStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 10pt

font_color

Color of the font (inherited from TextStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: #000

font_variant

Variant of the font (inherited from TextStyle)

Accepts FontVariant: normal, small capital, oldstyle figures

Default: normal

position

Vertical text position (inherited from TextStyle)

Accepts TextPosition: normal, superscript, subscript

Default: normal

kerning

Improve inter-letter spacing (inherited from TextStyle)

Accepts Bool: true or false

Default: true

ligatures

Run letters together where possible (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphenate

Allow words to be broken over two lines (inherited from TextStyle)

Accepts Bool: true or false

Default: true

hyphen_chars

Minimum number of characters in a hyphenated part of a word (inherited from

TextStyle
Accepts Integer: a natural number (positive integer)
Default: 2

hyphen_lang
Language to use for hyphenation. Accepts locale codes such as 'en_US' (inherited from TextStyle)
Accepts Locale: locale identifier in the <language ID>_<region ID> format
Default: en_US

before
Item to insert before this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

after
Item to insert after this one (inherited from TextStyle)
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

hide
Suppress rendering this element (inherited from Style)
Accepts Bool: true or false
Default: false

3.3.21 AdmonitionStyle

```
class rinostructure.AdmonitionStyle ( base=None, **attributes )  
    Style class for Admonition  
  
inline_title  
    Show the admonition's title inline with the body text, if possible  
    Accepts Bool: true or false  
    Default: true  
  
width  
    Width to render the flowable at (inherited from GroupedFlowablesStyle)  
    Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,  
    cm, %, /2, /4)  
    Default: fill  
  
title  
    Title to precede the flowables (inherited from GroupedFlowablesStyle)  
    Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string  
    is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text  
    string' (style name)  
    Default: (no value)  
  
flowable_spacing  
    Spacing between flowables (inherited from GroupedFlowablesStyle)  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
```

Default: 0

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.22 HorizontalRuleStyle

```
class rinostructure.HorizontalRuleStyle( base=None, **attributes )
```

Style class for HorizontalRule

width

Width to render the flowable at (inherited from FlowableStyle)

Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,

`cm, %, /2, /4)`

Default: auto

horizontal_align

Horizontal alignment of the flowable (inherited from FlowableStyle)

Accepts HorizontalAlignment: left, right, center

Default: left

space_above

Vertical space preceding the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

stroke

Width and color used to draw the line (inherited from LineStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: 1pt, #000

3.3.23 TableStyle

```
class rino.h.table.TableStyle ( base=None, **attributes )  
    Style class for Table  
  
    column_widths  
        Absolute or relative widths of each column  
        Accepts ColumnWidths: a whitespace-delimited list of column widths; Dimensions  
        (absolute width), integers (relative width) and/or 'auto' (automatic width)  
        Default: none  
  
    split_minimum_rows  
        The minimum number of rows to display when the table is split across pages  
        Accepts Integer: a natural number (positive integer)  
        Default: (no value)  
  
    repeat_head  
        Repeat the head when the table is split across pages  
        Accepts Bool: true or false  
        Default: false  
  
    width  
        Width to render the flowable at (inherited from FlowableStyle)  
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,  
        cm, %, /2, /4)  
        Default: auto  
  
    horizontal_align  
        Horizontal alignment of the flowable (inherited from FlowableStyle)  
        Accepts HorizontalAlignment: left, right, center  
        Default: left  
  
    space_above  
        Vertical space preceding the flowable (inherited from FlowableStyle)  
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
        Default: 0  
  
    space_below  
        Vertical space following the flowable (inherited from FlowableStyle)  
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
        Default: 0  
  
    margin_left  
        Left margin (inherited from FlowableStyle)  
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
        Default: 0  
  
    margin_right  
        Right margin (inherited from FlowableStyle)  
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
        Default: 0  
  
    padding  
        Padding (inherited from FlowableStyle)  
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
```

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color
Color of the area within the flowable's borders (inherited from FlowableStyle)
Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)
Default: none

page_break
Type of page break to insert before rendering this flowable (inherited from FlowableStyle)
Accepts Break: none, any, left, right
Default: None

hide
Suppress rendering this element (inherited from Style)
Accepts Bool: true or false
Default: false

3.3.24 TableCellStyle

```
class rinoth.table.TableCellStyle( base=None, **attributes )
    Style class for TableCell

vertical_align
    Vertical alignment of the cell contents within the available space
    Accepts VerticalAlign: top, middle, bottom
    Default: middle

width
    Width to render the flowable at (inherited from GroupedFlowablesStyle)
    Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm,
    cm, %, /2, /4)
    Default: fill

title
    Title to precede the flowables (inherited from GroupedFlowablesStyle)
    Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string
    is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text
    string' (style name)
    Default: (no value)

flowable_spacing
    Spacing between flowables (inherited from GroupedFlowablesStyle)
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 0

horizontal_align
    Horizontal alignment of the flowable (inherited from FlowableStyle)
    Accepts HorizontalAlignment: left, right, center
    Default: left

space_above
    Vertical space preceding the flowable (inherited from FlowableStyle)
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 0
```

space_below

Vertical space following the flowable (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_left

Left margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

margin_right

Right margin (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding

Padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_left

Left padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_right

Right padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_top

Top padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

padding_bottom

Bottom padding (inherited from FlowableStyle)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 0

keep_with_next

Keep this flowable and the next on the same page (inherited from FlowableStyle)

Accepts Bool: true or false

Default: false

border

Border surrounding the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_left

Border left of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_right

Border right of the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_top

Border above the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

border_bottom

Border below the flowable (inherited from FlowableStyle)

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

background_color

Color of the area within the flowable's borders (inherited from FlowableStyle)

Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

Default: none

page_break

Type of page break to insert before rendering this flowable (inherited from FlowableStyle)

Accepts Break: none, any, left, right

Default: None

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.25 TableCellBorderStyle

```
class rinoth.table.TableCellBorderStyle ( base=None, **attributes )
```

Style class for TableCellBorder

stroke

Overrides the default set in LineStyle

Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

Default: none

hide

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

3.3.26 TableCellBackgroundStyle

```
class rinohtable.TableCellBackgroundStyle ( base=None, **attributes )  
    Style class for TableCellBackground  
  
    fill_color  
        Overrides the default set in ShapeStyle  
        Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA,  
        #RGB or #RGBA)  
        Default: none  
  
    stroke  
        Overrides the default set in LineStyle  
        Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by a  
        comma (,)  
        Default: none  
  
    hide  
        Suppress rendering this element (inherited from Style)  
        Accepts Bool: true or false  
        Default: false
```

Standard Document Templates

4

Rinohtype includes a number of document templates. These are configurable and therefore should cater for most documents.

4.1 Article

The article template consists of a title page, an optional table of contents and the body text. By default, it uses a single numbering style for all pages and the same template for even and odd pages.

```
class rinohtype.templates.article.Article ( document_tree, configuration=None, backend=None )
```

stylesheet
Overrides the default set in DocumentTemplate
Accepts StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file (with the .rts extension)
Default: sphinx_article (= rinohtype.stylesheets.sphinx_article)

table_of_contents
Show or hide the table of contents
Accepts Bool: true or false
Default: true

abstract_location
Where to place the abstract
Accepts AbstractLocation: title, front matter
Default: front matter

parts
Overrides the default set in DocumentTemplate
Accepts PartsList: a space-separated list of document part template names
Default: title front_matter contents

language
The main language of the document (inherited from DocumentTemplate)
Accepts Language: the code of one of the supported languages
Default: EN (English)

strings
Strings to override standard element names (inherited from DocumentTemplate)
Accepts Strings: strings need to be entered in INI sections named after the StringCollection subclasses
Default: none

```
title
    base: None
    Type
        TitlePartTemplate

front_matter
    base: None
    Type
        ArticleFrontMatter

contents
    base: None
    Type
        ContentsPartTemplate

page
    base: None
    Overrides these defaults:
        • page_size = ${paper_size}

    Type
        PageTemplate

title_page
    base: page
    Overrides these defaults:
        • top_margin = 8cm

    Type
        TitlePageTemplate

front_matter_page
    base: page
    Type
        PageTemplate

contents_page
    base: page
    Type
        PageTemplate

Configuration
    alias of rinoh.template.ArticleConfiguration

ConfigurationFile
    alias of rinoh.template.ArticleConfigurationFile

class rinoh.templates.article.AbstractLocation
    Where to place the article's abstract
    Accepts: title, front matter
```

4.2 Book

The book template consists of a title page, the table of contents, the body text and an index. The front matter pages are numbered using lowercase roman numerals. The template uses different templates for even and odd pages.

```
class rino.templates.book.Book ( document_tree, configuration=None, backend=None )
```

stylesheet
Overrides the default set in DocumentTemplate
Accepts StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file (with the .rts extension)
Default: sphinx (= rino.stylesheets.sphinx)

parts
Overrides the default set in DocumentTemplate
Accepts PartsList: a space-separated list of document part template names
Default: title front_matter contents back_matter

language
The main language of the document (inherited from DocumentTemplate)
Accepts Language: the code of one of the supported languages
Default: EN (English)

strings
Strings to override standard element names (inherited from DocumentTemplate)
Accepts Strings: strings need to be entered in INI sections named after the StringCollection subclasses
Default: none

cover
base: None
Overrides these defaults:

- drop_if_empty = False
- page_number_format = None
- end_at_page = left

Type
FixedDocumentPartTemplate

title
base: None
Overrides these defaults:

- page_number_format = number
- end_at_page = left

Type
TitlePartTemplate

front_matter
base: None
Overrides these defaults:

- flowables = [TableOfContentsSection(), ListOfFiguresSection(), ListOfTablesSection()]

- page_number_format = lowercase roman
- end_at_page = left

Type

FixedDocumentPartTemplate

contents

base: None

Overrides these defaults:

- page_number_format = number
- end_at_page = left

Type

ContentsPartTemplate

back_matter

base: None

Overrides these defaults:

- page_number_format = number
- end_at_page = left

Type

BackMatterTemplate

page

base: None

Overrides these defaults:

- page_size = \$(paper_size)
- left_margin = 1in
- right_margin = 1in
- top_margin = 1in
- bottom_margin = 1in

Type

PageTemplate

cover_page

base: page

Type

PageTemplate

title_page

base: page

Type

TitlePageTemplate

front_matter_page

base: page

Overrides these defaults:

- header_footer_distance = 0
- header_text = None

Type

PageTemplate

front_matter_right_page

base: front_matter_page

Overrides these defaults:

- footer_text = '\t' '\t' '{PAGE_NUMBER}'
- chapter_header_text = None
- chapter_footer_text = '\t' '\t' '{PAGE_NUMBER}'
- chapter_title_height = 2.5in
- chapter_title_flowables = []

Type

PageTemplate

front_matter_left_page

base: front_matter_page

Overrides these defaults:

- footer_text = '{PAGE_NUMBER}'

Type

PageTemplate

contents_page

base: page

Overrides these defaults:

- header_footer_distance = 0

Type

PageTemplate

contents_right_page

base: contents_page

Overrides these defaults:

- header_text = '\t' '\t' '{DOCUMENT_TITLE}' ', ' '{DOCUMENT_SUBTITLE}'
- footer_text = '{SECTION_NUMBER(2)}' ' ' '{SECTION_TITLE(2)}' '\t' '\t' '{PAGE_NUMBER}'
- chapter_header_text = None
- chapter_footer_text = '\t' '\t' '{PAGE_NUMBER}'
- chapter_title_height = 2.4in
- chapter_title_flowables = [,]

Type

PageTemplate

contents_left_page

base: contents_page

Overrides these defaults:

- header_text = '{DOCUMENT_TITLE}' ', ' '{DOCUMENT_SUBTITLE}'
- footer_text = '{PAGE_NUMBER}' '\t' '\t' '{SectionTitles.chapter}' ' ' '{SECTION_NUMBER(1)}' ' '{SECTION_TITLE(1)}'

Type

PageTemplate

back_matter_page

base: page

Overrides these defaults:

- columns = 2
- header_footer_distance = 0

Type

PageTemplate

back_matter_right_page

base: back_matter_page

Overrides these defaults:

- header_text = '\t' '\t' '{DOCUMENT_TITLE}' , ' '{DOCUMENT_SUBTITLE}'
- footer_text = '{SECTION_TITLE(1)}' '\t' '\t' '{PAGE_NUMBER}'
- chapter_header_text = None
- chapter_footer_text = '\t' '\t' '{PAGE_NUMBER}'
- chapter_title_height = 2.5in
- chapter_title_flowables = [`<rinoh.paragraph.Paragraph object at 0x7f01124c89d0>`]

Type

PageTemplate

back_matter_left_page

base: back_matter_page

Overrides these defaults:

- header_text = '{DOCUMENT_TITLE}' , ' '{DOCUMENT_SUBTITLE}'
- footer_text = '{PAGE_NUMBER}' '\t' '\t' '{SECTION_TITLE(1)}'

Type

PageTemplate

Configuration

alias of `rinoh.template.BookConfiguration`

ConfigurationFile

alias of `rinoh.template.BookConfigurationFile`

API Documentation

5

Note

The API documentation is still incomplete.

5.1 Attribute (rinoh.attribute)

```
class rinoh.attribute.AcceptNoneAttributeType
    Accepts 'none' (besides other values)
```

```
class rinoh.attribute.OptionSet
    Accepts the values listed in values
    Accepts:
```

```
class rinoh.attribute.Attribute ( accepted_type, default_value, description )
    Descriptor used to describe a style attribute
```

```
class rinoh.attribute.OverrideDefault ( default_value )
    Overrides the default value of an attribute defined in a superclass
```

```
class rinoh.attribute.AttributesDictionary ( base=None, **attributes )
```

```
class rinoh.attribute.RuleSet ( name, base=None, source=None, **kwargs )
```

```
class rinoh.attribute.RuleSetFile ( filename, base=None, source=None, **kwargs )
```

```
property location
    Textual representation of this source
```

```
property root
    Directory path for resolving paths relative to this source
```

```
class rinoh.attribute.Bool
    Expresses a binary choice
```

```
class rinoh.attribute.Integer
    Accepts natural numbers
```

```
exception rinoh.attribute.ParseError
```

5.2 Color (rinoh.color)

```
class rinoh.color.Color ( red, green, blue, alpha=1 )
    Color defined by component values

    Parameters
        • red (float) – red component (0 .. 1)
        • blue (float) – blue component (0 .. 1)
        • green (float) – green component (0 .. 1)
        • alpha (float) – opacity (0 .. 1)

    property rgba

    classmethod parse_string ( string, source )

    classmethod doc_format ( )

class rinoh.color.HexColor ( string )
    Color defined as a hexadecimal string

    Parameters
        string (str) – #RGBA or #RRGGBBAA (# and A are optional)

class rinoh.color.Gray ( luminance, alpha=1 )
    Shade of gray

    Parameters
        • luminance (float) – brightness (0 .. 1)
        • alpha (float) – opacity (0 .. 1)
```

5.3 Dimension (rinoh.dimension)

Classes for expressing dimensions: lengths, widths, line thickness, etc.

Each dimension is expressed in terms of a unit. Several common units are defined here as constants. To create a new dimension, multiply number with a unit:

```
height = 100*PT
width = 50*PERCENT
```

Fractional dimensions are evaluated within the context they are defined in. For example, the width of a Flowable is evaluated with respect to the total width available to it.

```
class rinoh.dimension.Dimension ( value=0, unit=None )
    A simple dimension

    Parameters
        • value (int or float) – the magnitude of the dimension
        • unit (DimensionUnit) – the unit this dimension is expressed in. Default: PT.

    grow ( value )
        Grow this dimension (in-place)
        The value is interpreted as a magnitude expressed in the same unit as this dimension.
```

Parameters

value (int or float) – the amount to add to the magnitude of this dimension

Returns

Dimension – this (growed) dimension itself

rinoh.dimension.PT = DimensionUnit(1.0, 'pt')

PostScript points

rinoh.dimension.PICA = DimensionUnit(12.0, 'pc')

computer pica

rinoh.dimension.INCH = DimensionUnit(72.0, 'in')

imperial/US inch

rinoh.dimension.MM = DimensionUnit(2.8346456692913384, 'mm')

millimeter

rinoh.dimension.CM = DimensionUnit(28.346456692913385, 'cm')

centimeter

rinoh.dimension.PERCENT = FractionUnit(100, '%')

fraction of 100

rinoh.dimension.QUARTERS = FractionUnit(4, '/4')

fraction of 4

5.4 Document (rinoh.document)

class rinoh.document.DocumentTree (flowables, options=None)

Holds the document's contents as a tree of flowables

Parameters

- flowables (list[Flowable]) – the list of top-level flowables
- source_root (Path) – path used to locate images and include in logging and error and warnings.
- options (Reader) – frontend-specific options

class rinoh.document.Document (document_tree, stylesheet, language, strings=None, backend=None)

Renders a document tree to pages

Parameters

- document_tree (DocumentTree) – a tree of the document's contents
- stylesheet (StyleSheet) – style sheet used to style document elements
- language (Language) – the language to use for standard strings
- strings (Strings) – overrides localized strings provided by language
- backend – the backend used for rendering the document

render (filename_root=None, file=None)

Render the document repeatedly until the output no longer changes due to cross-references that need some iterations to converge.

5.4.1 Pages

class rinoх.document.Page (document_part, number, paper, orientation='portrait')

A single page in a document.

A Page is a Container, so other containers can be added as children.

Parameters

- document_part (DocumentPart) – the document part this page is part of
- number (int) – the 1-based index of this page in the document part
- paper (Paper) – determines the dimensions of this page
- orientation (PageOrientation) – the orientation of this page

property page

Returns the page itself.

render ()

Render the contents of this container to its canvas.

Note that the rendered contents need to be placed on the parent container's canvas before they become visible.

place ()

Place this container's canvas onto the parent container's canvas.

class rinoх.document.PageOrientation

Accepts: portrait, landscape

class rinoх.document.PageType

Accepts: left, right, any

5.5 Drawing Primitives (rinoх.draw)

class rinoх.draw.Stroke (width, color)

The display properties of a line

Parameters

- width (Dimension) – the width of the line
- color (Color) – the color of the line

class rinoх.draw.Line (start, end, style=None, parent=None)

Draws a line

Parameters

- start (2-tuple) – coordinates for the start point of the line
- end (2-tuple) – coordinates for the end point of the line

style_class

alias of rinoх.draw.LineStyle

class rinoх.draw.Shape (style=None, parent=None)

Base class for closed shapes

style_class

alias of rinoх.draw.ShapeStyle

```
class rino.draw.Polygon ( points, style=None, parent=None )
class rino.draw.Rectangle ( bottom_left, width, height, style=None, parent=None )
```

5.6 Flowable (rino.flowable)

```
class rino.flowable.Flowable ( align=None, width=None, id=None, style=None, parent=None, source=None )
```

A document element that can be “flowed” into a container on the page.

A flowable can adapt to the width of the container, or it can horizontally align itself in the container.

Parameters

- align (HorizontalAlignment) – horizontal alignment of the flowable
- width (FlowableWidth or DimensionBase) – the width of the flowable.

```
class rino.flowable.FlowableState ( flowable, _initial=True )
```

Stores a flowable’s rendering state, which can be copied.

This enables saving the rendering state at certain points in the rendering process, so rendering can later be resumed at those points, if needed.

5.6.1 No-Output Flowables

These flowables do not directly place anything on the page. All except DummyFlowable do have side-effects however. Some of these side-effects affect the rendering of the document in an indirect way.

```
class rino.flowable.DummyFlowable ( id=None, parent=None )
```

A flowable that does not directly place anything on the page.

Subclasses can produce side-effects to affect the output in another way.

```
class rino.flowable.AnchorFlowable ( id=None, parent=None )
```

A dummy flowable that registers a destination anchor.

Places a destination for the flowable’s ID at the current cursor position.

```
class rino.flowable.SetMetadataFlowable ( parent=None, **metadata )
```

A dummy flowable that stores metadata in the document.

The metadata is passed as keyword arguments. It will be available to other flowables during the rendering stage.

```
class rino.flowable.WarnFlowable ( message, parent=None )
```

A dummy flowable that emits a warning during the rendering stage.

Parameters

message (str) – the warning message to emit

```
class rino.flowable.PageBreak ( page_break='any' )
```

5.6.2 Labeled Flowables

```
class rino.flowable.LabeledFlowable ( label, flowable, id=None, style=None, parent=None )
```

A flowable with a label.

The flowable and the label are rendered side-by-side. If the label exceeds the label_max_width style attribute value, the flowable is rendered below the label.

Parameters

- `label` (Flowable) – the label for the flowable
- `flowable` (Flowable) – the flowable to label

`style_class`

alias of `rinoх.flowable.LabeledFlowableStyle`

`prepare (flowable_target)`

Determine number labels and register references with the document

`render (container, last_descender, state, label_column_width=None, space_below=0, **kwargs)`

Renders the flowable's content to container, with the flowable's top edge lining up with the container's cursor. descender is the descender height of the preceding line or None.

```
class rinoх.flowable.LabeledFlowableState (flowable, content_flowable_state, _initial=True )
```

5.6.3 Grouping Flowables

```
class rinoх.flowable.GroupedFlowables ( align=None, width=None, id=None, style=None, parent=None, source=None )
```

Groups a list of flowables and renders them one below the other.

Makes sure that a flowable for which `keep_with_next` is enabled is not separated from the flowable that follows it.

Subclasses should implement `flowables()`.

`style_class`

alias of `rinoх.flowable.GroupedFlowablesStyle`

`flowables (container)`

Generator yielding the Flowables to group

`render (container, descender, state, first_line_only=False, **kwargs)`

Renders the flowable's content to container, with the flowable's top edge lining up with the container's cursor. descender is the descender height of the preceding line or None.

```
class rinoх.flowable.GroupedFlowablesState ( groupedflowables, flowables, first_flowable_state=None, _initial=True, _index=0 )
```

```
class rinoх.flowable.StaticGroupedFlowables ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )
```

Groups a static list of flowables.

Parameters

`flowables` (iterable[Flowable]) – the flowables to group

`flowables (container)`

Generator yielding the Flowables to group

`build_document (flowable_target)`

Set document metadata and populate front and back matter

`prepare (flowable_target)`

Determine number labels and register references with the document

```
class rinoх.flowable.GroupedLabeledFlowables ( align=None, width=None, id=None, style=None, parent=None, source=None )
```

Groups a list of labeled flowables, lining them up.

```
render ( container, descender, state, **kwargs )
```

Renders the flowable's content to container, with the flowable's top edge lining up with the container's cursor. descender is the descender height of the preceding line or None.

5.6.4 Floating Flowables

```
class rinoх.flowable.Float ( align=None, width=None, id=None, style=None, parent=None, source=None )
```

A flowable that can optionally be placed elsewhere on the page.

If this flowable's float style attribute is set to True, it is not flowed in line with the surrounding flowables, but it is instead flowed into another container pointed to by the former's Container.float_space attribute.

This is typically used to place figures and tables at the top or bottom of a page, instead of in between paragraphs.

```
flow ( container, last_descender, state=None, **kwargs )
```

Flow this flowable into container and return the vertical space consumed.

The flowable's contents are preceded by a vertical space with a height as specified in its style's space_above attribute. Similarly, the flowed content is followed by a vertical space with a height given by the space_below style attribute.

5.6.5 Styling Properties

```
class rinoх.flowable.HorizontalAlignment
```

Controls horizontal placement

Accepts: left, right, center

```
class rinoх.flowable.FlowableWidth
```

Controls the width of a flowable

Accepts: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

5.7 Fonts and Typefaces (rinoх.font)

Classes for fonts and typefaces.

```
class rinoх.font.Font ( filename, weight, slant, width )
```

A collection of glyphs in a particular style

This is a base class for classes that parse different font formats. See rinoх.font.type1 and rinoх.font.opentype.

Parameters

- filename (str) – filename of the font file to load
- weight (FontWeight) – weight of the font
- slant (FontSlant) – slant of the font
- width (FontWidth) – width of the font

```
encoding
```

If no encoding is set for the Font, glyphs are addressed by glyph ID (and thus support

more than 256 glyphs).

get_glyph (*char, variant*)

Return the glyph for a particular character

If the glyph of requested font variant is not present in the font, the normal variant is returned instead. If that is not present either, an exception is raised.

Parameters

- *char* (str of length 1) – the character for which to find the glyph
- *variant* (FontVariant) – the variant of the glyph to return

Returns

GlyphMetrics – the requested glyph

Raises

MissingGlyphException – when the requested glyph is not present in the font

get_ligature (*glyph, successor_glyph*)

Return the ligature to replace the given glyphs

If no ligature is defined in the font for the given glyphs, return None.

Parameters

- *glyph* (GlyphMetrics) – the first of the glyphs to combine
- *successor_glyph* (GlyphMetrics) – the second of the glyphs to combine

Returns

GlyphMetrics or None – the ligature to replace the given glyphs

get_kerning (*a, b*)

Look up the kerning for two glyphs

Parameters

- *a* (GlyphMetrics) – the first of the glyphs
- *b* (GlyphMetrics) – the second of the glyphs

Returns

float – the kerning value in font units

class rinoh.font.Typeface (*name, *fonts*)

A set of fonts that share common design features

The fonts collected in a typeface differ in weight, width and/or slant.

Parameters

**fonts* (Font) – the fonts that make up this typeface

fonts ()

Generator yielding all fonts of this typeface

Yields

Font – the next font in this typeface

get_font (*weight=400, slant='upright', width=5*)

Return the font matching or closest to the given style

If a font with the given weight, slant and width is available, return it. Otherwise, return the font that is closest in style.

Parameters

- *weight* (FontWeight) – weight of the font
- *slant* (FontSlant) – slant of the font

- width (FontWidth) – width of the font

Returns

Font – the requested font

class rinoх.font.style.FontWeight

Accepts: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

class rinoх.font.style.FontSlant

Accepts: upright, oblique, italic

class rinoх.font.style.FontWidth

Accepts: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

class rinoх.font.style.FontVariant

Accepts: normal, small capital, oldstyle figures

class rinoх.font.style.TextPosition

Accepts: normal, superscript, subscript

5.8 Images and Figures (rinoх.image)

class rinoх.image.Image (*filename_or_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *limit_width*=*rinoh.dimension.Fraction object*, *align*=None, *id*=None, *style*=None, *parent*=None, *source*=None)

class rinoх.image.InlineImage (*filename_or_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *baseline*=None, *id*=None, *style*=None, *parent*=None, *source*=None)

arguments

alias of rinoх.image_INLINEImageArgs

class rinoх.image.BackgroundImage (*filename_or_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *limit_width*=*rinoh.dimension.Fraction object*, *align*=None, *id*=None, *style*=None, *parent*=None, *source*=None)

Image to place in the background of a page

Takes the same arguments as Image.

arguments

alias of rinoх.image.ImageArgs

class rinoх.image.ImageArgs (*base*=None, ***attributes*)

limit_width

Limit the image width when none of scale, width and height are given and the image would be wider than the container

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 100%

align

How to align the image within the page

Accepts HorizontalAlignment: left, right, center

Default: left

file_or_filename

Path to the image file (inherited from ImageArgsBase)

Accepts ImagePath: path to an image file enclosed in quotes

Default: none

scale

Scaling factor for the image (inherited from ImageArgsBase)

Accepts Scale: fit, fill or a float larger than 0

Default: fit

width

The width to scale the image to (inherited from ImageArgsBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: none

height

The height to scale the image to (inherited from ImageArgsBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: none

dpi

Overrides the DPI value set in the image (inherited from ImageArgsBase)

Accepts Integer: a natural number (positive integer)

Default: (no value)

rotate

Angle in degrees to rotate the image (inherited from ImageArgsBase)

Accepts Integer: a natural number (positive integer)

Default: (no value)

class rinoх.image.Scale

Scaling factor for images

Can be a numerical value where a value of 1 keeps the image's original size or one of values.

Accepts: fit, fill or a float larger than 0

class rinoх.image.Caption (content, custom_label=None, align=None, width=None, id=None, style=None, parent=None, source=None)**style_class**

alias of rinoх.image.CaptionStyle

class rinoх.image.Figure (flowables, align=None, width=None, id=None, style=None, parent=None, source=None)**style_class**

alias of rinoх.image.FigureStyle

class rinoх.image.ListOfFiguresSection**list_class**

alias of rinoх.image.ListOfFigures

class rinoх.image.ListOfFigures (local=False, id=None, style=None, parent=None)

5.9 Index (rinoh.index)

```
class rinoh.index.IndexSection ( title=None, flowables=None, style=None )

class rinoh.index.Index ( id=None, style=None, parent=None )

    style_class
        alias of rinoh.index.IndexStyle

    flowables ( container )
        Generator yielding the Flowables to group

class rinoh.index.IndexLabel ( content, custom_label=None, align=None, width=None, id=None,
    style=None, parent=None, source=None )

class rinoh.index.IndexTerm ( *levels )

class rinoh.index.InlineIndexTarget ( index_terms, *args, **kwargs )

    to_string ( flowable_target )
        Return the text content of this styled text.

class rinoh.index.IndexTarget ( index_terms, parent=None )

    flow ( container, last_descender, state=None, **kwargs )
        Flow this flowable into container and return the vertical space consumed.
        The flowable's contents are preceded by a vertical space with a height as specified in its
        style's space_above attribute. Similarly, the flowed content is followed by a vertical
        space with a height given by the space_below style attribute.
```

5.10 Language (rinoh.language)

```
class rinoh.language.Language ( code, name )
    Collects localized strings for a particular language

    Parameters
        • code (str) – short code identifying the language
        • name (str) – native name of the language
```

```
languages
    Dictionary mapping codes to Languages
```

The following languages are supported:

rinoh.language.EN = Language('en', 'English')

Localized strings for English

SectionTitles

Contents

Table of Contents

List_of_figures

List of Figures

List_of_tables
List of Tables
Chapter
 Chapter
Index
 Index
AdmonitionTitles
Attention
 Attention!
Caution
 Caution!
Danger
 !DANGER!
Error
 Error
Hint
 Hint
Important
 Important
Note
 Note
Tip Tip
Warning
 Warning
Seealso
 See also

rinoh.language.FR = Language('fr', 'Français')
Localized strings for Français
SectionTitles
Contents
 Table des Matières
List_of_figures
 Liste des Figures
List_of_tables
 Liste des Tableaux
Chapter
 Chapitre
Index
 Index
AdmonitionTitles

Attention
Attention!
Caution
Prudence!
Danger
!DANGER!
Error
Erreur
Hint
Conseil
Important
Important
Note
Note
Tip Astuce
Warning
Avertissement
Seealso
Voir aussi

rinoh.language.IT = Language('it', 'Italiano')
Localized strings for Italiano
SectionTitles
Contents
Contenuti
List_of_figures
Elenco delle Figure
List_of_tables
Elenco delle Tabelle
Chapter
Capitolo
Index
Indice
AdmonitionTitles
Attention
Attenzione!
Caution
Prudenza!
Danger
!PERICOLO!
Error
Errore

Hint
Consiglio
Important
Importante
Note
Nota
Tip Suggerimento
Warning
Avvertimento
Seealso
Vedi anche

rinoh.language.**NL** = Language('nl', 'Nederlands')
Localized strings for Nederlands
SectionTitles
Contents
Inhoudsopgave
List_of_figures
Lijst van Figuren
List_of_tables
Lijst van Tabellen
Chapter
Hoofdstuk
Index
Index
AdmonitionTitles
Attention
Opgelet!
Caution
Pas op!
Danger
!GEVAAR!
Error
Fout
Hint
Hint
Important
Belangrijk
Note
Noot
Tip Tip

Warning

Waarschuwing

Seealso

Zie ook

`rinoh.language.PL = Language('pl', 'Polski')`

Localized strings for Polski

SectionTitles

Contents

Spis Treści

List_of_figures

Spis Ilustracji

List_of_tables

Spis Tabel

Chapter

Rozdział

Index

Skorowidz

AdmonitionTitles

Attention

Uwaga!

Caution

Ostrożnie!

Danger

!NIEBEZPIECZEŃSTWO!

Error

Błąd

Hint

Wskazówka

Important

Ważne

Note

Notatka

Tip Porada

Warning

Ostrzeżenie

Seealso

Zobacz również

5.11 Number (rinoh.number)

Functions for formatting numbers:

- `format_number()`: Format a number according to a given style.

`class rinoх.number.NumberFormat`

How (or if) numbers are displayed

Instead of a numbering format, it's possible to supply a custom label (StyledText) to show instead of the number.

Accepts: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

`class rinoх.number.NumberStyle (base=None, **attributes)`

Style class for Number

`number_format`

How numbers are formatted

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

`label_prefix`

Text to prepend to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

`label_suffix`

Text to append to the label (inherited from LabelStyle)

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

`custom_label`

Use a custom label if specified (inherited from LabelStyle)

Accepts Bool: true or false

Default: false

`hide`

Suppress rendering this element (inherited from Style)

Accepts Bool: true or false

Default: false

`class rinoх.number.Label (custom_label=None)`

Mixin class that formats a label

Parameters

`custom_label` (StyledText) – a frontend can supply a custom label to use instead of an automatically determined label (typically a number)

`rinoh.number.format_number (number, format)`

Format number according the given format (NumberFormat)

5.12 Paper sizes (`rinoh.paper`)

The Paper class and a number of predefined paper formats.

```
class rinoх.paper.Paper ( name, width, height )
    Defines a paper size.

    Parameters
        • name (str) – the name of this paper type
        • width (Dimension) – the (portrait) width of this paper type
        • height (Dimension) – the (portrait) height of this paper type
```

```
rinoh.paper.A0 = Paper('A0', width=841*MM, height=1189*MM)
rinoh.paper.A1 = Paper('A1', width=594*MM, height=841*MM)
rinoh.paper.A2 = Paper('A2', width=420*MM, height=594*MM)
rinoh.paper.A3 = Paper('A3', width=297*MM, height=420*MM)
rinoh.paper.A4 = Paper('A4', width=210*MM, height=297*MM)
rinoh.paper.A5 = Paper('A5', width=148*MM, height=210*MM)
rinoh.paper.A6 = Paper('A6', width=105*MM, height=148*MM)
rinoh.paper.A7 = Paper('A7', width=74*MM, height=105*MM)
rinoh.paper.A8 = Paper('A8', width=52*MM, height=74*MM)
rinoh.paper.A9 = Paper('A9', width=37*MM, height=52*MM)
rinoh.paper.A10 = Paper('A10', width=26*MM, height=37*MM)
rinoh.paper.LETTER = Paper('letter', width=8.5*INCH, height=11*INCH)
rinoh.paper.LEGAL = Paper('legal', width=8.5*INCH, height=14*INCH)
rinoh.paper.JUNIOR_LEGAL = Paper('junior legal', width=8*INCH, height=5*INCH)
rinoh.paper.LEDGER = Paper('ledger', width=17*INCH, height=11*INCH)
rinoh.paper.TABLOID = Paper('tabloid', width=11*INCH, height=17*INCH)
```

5.13 Paragraph (rinoх.paragraph)

```
class rinoх.paragraph.ParagraphBase ( custom_label=None, align=None, width=None, id=None,
style=None, parent=None, source=None )
    Base class for paragraphs
    A paragraph holds styled text and other line elements to be flowed into a container.

    style_class
        alias of rinoх.paragraph.ParagraphStyle

    prepare ( flowable_target )
        Determine number labels and register references with the document

    render ( container, descender, state, space_below=0, first_line_only=False )
        Typeset the paragraph
        The paragraph is typeset in the given container starting below the current cursor position of the container. When the end of the container is reached, the rendering state is preserved to continue setting the rest of the paragraph when this method is called with
```

a new container.

Parameters

- `container` (`Container`) – the container to render to
- `descender` (float or `None`) – descender height of the preceding line
- `state` (`ParagraphState`) – the state where rendering will continue
- `first_line_only` (bool) – typeset only the first line

```
class rinoh.paragraph.Paragraph ( content, custom_label=None, align=None, width=None, id=None, style=None, parent=None, source=None )
```

```
class rinoh.paragraph.ParagraphState ( paragraph, words, nested_flowable_state=None, _first_word=None, _initial=True )
```

5.13.1 Styled Text (rinoh.text)

```
class rinoh.text.StyledText ( id=None, style=None, parent=None, source=None )
```

Base class for text that has a `TextStyle` associated with it.

```
to_string ( flowable_target )
```

Return the text content of this styled text.

```
is_script ( container )
```

Returns True if this styled text is super/subscript.

```
script_level ( container )
```

Nesting level of super/subscript.

```
height ( container )
```

Font size after super/subscript size adjustment.

```
y_offset ( container )
```

Vertical baseline offset (up is positive).

```
property items
```

The list of items in this `StyledText`.

```
style_class
```

alias of `rinoh.text.TextStyle`

```
class rinoh.text.SingleStyledText ( text, style=None, parent=None, source=None )
```

Text with a single style applied

```
class rinoh.text.MixedStyledText ( text_or_items, id=None, style=None, parent=None, source=None )
```

Concatenation of styled text

Parameters

- `text_or_items` (str, `StyledText` or iterable of these) – mixed styled text
- `style` – see `Styled`
- `parent` – see `DocumentElement`

```
prepare ( flowable_target )
```

Determine number labels and register references with the document

```
append ( item )
```

Append item (`StyledText` or str) to the end of this mixed-styled text.

The parent of item is set to this mixed-styled text.

property items

The list of items in this StyledText.

copy (parent=None)

Return a shallow copy of the list.

class rinoх.text.Locale

Selects a language

5.13.2 Inline Elements (rinoх.inline)

class rinoх.inline_INLINEFlowable (baseline=None, id=None, style=None, parent=None, source=None)

style_class

alias of rinoх.inline.InlineFlowableStyle

5.13.3 Styling Properties

class rinoх.paragraph.TextAlign

Text justification

Accepts: left, right, center, justify

Line Spacing

class rinoх.paragraph.LineSpacing

Base class for line spacing types

Line spacing is defined as the distance between the baselines of two consecutive lines of text in a paragraph.

advance (line, last_descender, container)

Return the distance between the descender of the previous line and the baseline of the current line.

class rinoх.paragraph.DefaultSpacing

The default line spacing as specified by the font.

advance (line, last_descender, container)

Return the distance between the descender of the previous line and the baseline of the current line.

class rinoх.paragraph.ProportionalSpacing (factor)

Line spacing proportional to the line height

Parameters

factor (float) – amount by which the line height is multiplied to obtain the line spacing

advance (line, last_descender, container)

Return the distance between the descender of the previous line and the baseline of the current line.

class rinoх.paragraph.FixedSpacing (pitch, minimum=ProportionalSpacing(1.0))

Fixed line spacing, with optional minimum spacing

Parameters

- `pitch` (Dimension) – the distance between the baseline of two consecutive lines of text
- `minimum` (LineSpacing) – the minimum line spacing to prevent lines with large fonts (or inline elements) from overlapping; set to `None` if no minimum is required, set to `None`

advance (*line, last_descender, container*)

Return the distance between the descender of the previous line and the baseline of the current line.

class rinoх.paragraph.Leading (leading)

Line spacing determined by the space in between two lines

Parameters

`leading` (Dimension) – the space between the bottom of a line and the top of the next line of text

advance (*line, last_descender, container*)

Return the distance between the descender of the previous line and the baseline of the current line.

The following standard line spacings have been predefined:

riноh.paragraph.DEFAULT = DefaultSpacing()

The default line spacing as specified by the font.

riноh.paragraph.STANDARD = ProportionalSpacing(1.2)

Line spacing of 1.2 times the line height.

riноh.paragraph.SINGLE = ProportionalSpacing(1.0)

Line spacing equal to the line height (no leading).

riноh.paragraph.DOUBLE = ProportionalSpacing(2.0)

Line spacing of double the line height.

Tabulation

class rinoх.paragraph.TabAlign

Alignment of text with respect to a tab stop

Accepts: left, right, center

class rinoх.paragraph.TabStop (position, align='left', fill=None)

Horizontal position for aligning text of successive lines

Parameters

- `position` (Dimension or Fraction) – tab stop position
- `align` (TabAlign) – the alignment of text with respect to the tab stop position
- `fill` (str) – string pattern to fill the empty tab space with

get_position (line_width)

Return the absolute position of this tab stop.

class rinoх.paragraph.TabStopList (iterable=(), /)

List of tab stop positions (with alignment and fill string)

5.13.4 Rendering Internals

```
class rinoх.paragraph.Glyph ( glyph, width, char )  
class rinoх.paragraph.GlyphsSpan ( span, chars_to_glyphs, glyphs_and_widths=[] )
```

5.13.5 Miscellaneous Internals

```
class rinoх.paragraph.HyphenatorStore
```

5.14 Cross-References and Fields (rinoх.reference)

```
class rinoх.reference.Reference ( target_id, *args, **kwargs )  
class rinoх.reference.ReferenceField ( type=None, custom_title=None, style=None, parent=None, source=None )  
class rinoх.reference.ReferenceText ( id=None, style=None, parent=None, source=None )  
class rinoх.reference.ReferenceType  
    Accepts: reference, number, title, page, custom  
class rinoх.reference.ReferencingParagraph ( target_id_or_flowable, id=None, style=None, parent=None )  
    style_class  
        alias of rinoх.reference.ReferencingParagraphStyle  
    target_style ( document )  
        Filter selection on the style attribute of the target flowable  
    target_has_class ( document )  
        Filter selection on a class of the target flowable  
    target_has_classes ( document )  
        Filter selection on a set of classes of the target flowable  
    target_is_of_type ( document )  
        Filter selection on the type of the target flowable  
class rinoх.reference.Note ( flowable, id=None, style=None, parent=None )  
class rinoх.reference.RegisterNote ( note, parent=None )  
    prepare ( flowable_target )  
        Determine number labels and register references with the document  
class rinoх.reference.NoteMarkerBase ( custom_label=None, **kwargs )  
    style_class  
        alias of rinoх.reference.NoteMarkerStyle  
    prepare ( flowable_target )  
        Determine number labels and register references with the document
```

```

class rinoх.reference.NoteMarkerByID (target_id, *args, **kwargs)

class rinoх.reference.NoteMarkerWithNote (referenceable, type='number', **kwargs)

    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoх.reference.Field (type, id=None, style=None, parent=None, source=None)

```

5.15 Structure (rinoх.structure)

5.15.1 Sections

```

class rinoх.structure.Section (flowables, align=None, width=None, id=None, style=None,
parent=None, source=None)
    A subdivision of a document
    A section usually has a heading associated with it, which is optionally numbered.

class rinoх.structure.Heading (content, custom_label=None, align=None, width=None, id=None,
style=None, parent=None, source=None)
    The title for a section
    Parameters
        title (StyledText) – this heading's text
    style_class
        alias of rinoх.structure.HeadingStyle
    prepare (container)
        Determine number labels and register references with the document
    flow (container, last_descender, state=None, **kwargs)
        Flow this flowable into container and return the vertical space consumed.
        The flowable's contents are preceded by a vertical space with a height as specified in its
        style's space_above attribute. Similarly, the flowed content is followed by a vertical
        space with a height given by the space_below style attribute.

class rinoх.structure.SectionTitles (**strings)
    Collection of localized titles for common sections
    contents
        Title for the table of contents section
        Type
            String
    list_of_figures
        Title for the list of figures section
        Type
            String
    list_of_tables
        Title for the list of tables section

```

Type	
String	
chapter	Label for top-level sections
Type	
String	
index	Title for the index section
Type	
String	

5.15.2 Lists

```
class rinoх.structure.List ( list_items, start_index=1, id=None, style=None, parent=None )

style_class
alias of rinoх.structure.ListStyle

class rinoх.structure.DefinitionList ( flowables, align=None, width=None, id=None, style=None,
parent=None, source=None )
```

5.15.3 Table of Contents

```
class rinoх.structure.TableOfContentsSection

class rinoх.structure.TableOfContents ( local=False, id=None, style=None, parent=None )

style_class
alias of rinoх.structure.TableOfContentsStyle

flowables ( container )
Generator yielding the Flowables to group

class rinoх.structure.TableOfContentsEntry ( flowable, id=None, style=None, parent=None )

style_class
alias of rinoх.structure.TableOfContentsEntryStyle
```

5.15.4 Admonitions

```
class rinoх.structure.Admonition ( flowables, title=None, type=None, id=None, style=None,
parent=None )

style_class
alias of rinoх.structure.AdmonitionStyle

flowables ( container )
Generator yielding the Flowables to group

class rinoх.structure.AdmonitionTitles ( **strings )
Collection of localized titles for common admonitions
```

attention
Title for attention admonitions
Type
String

caution
Title for caution admonitions
Type
String

danger
Title for danger admonitions
Type
String

error
Title for error admonitions
Type
String

hint
Title for hint admonitions
Type
String

important
Title for important admonitions
Type
String

note
Title for note admonitions
Type
String

tip
Title for tip admonitions
Type
String

warning
Title for warning admonitions
Type
String

seealso
Title for see-also admonitions
Type
String

5.15.5 Horizontal Rule

```
class rinoх.structure.HorizontalRule ( align=None, width=None, id=None, style=None, parent=None, source=None )  
    style_class  
        alias of rinoх.structure.HorizontalRuleStyle  
  
    render ( container, descender, state, **kwargs )  
        Renders the flowable's content to container, with the flowable's top edge lining up  
        with the container's cursor. descender is the descender height of the preceding line or  
        None.
```

5.16 Strings (rinoх.strings)

```
class rinoх.strings.String ( description )  
    Descriptor used to describe a configurable string  
  
    Parameters  
        description (str) – a short description for this string  
  
class rinoх.strings.StringCollection ( **strings )  
    A collection of related configurable strings  
  
    Subclasses  
        • AdmonitionTitles  
        • SectionTitles  
        • UserStrings  
  
class rinoх.strings.UserStrings ( **strings )  
    Collection of user-specified strings  
    Unlike other string collections, these are not limited to a predefined set.  
    Attributes:  
  
class rinoх.strings.Strings ( *string_collections )  
    Stores several StringCollections  
  
class rinoх.strings.StringField ( strings_class, key, style=None, parent=None, source=None )  
    Styled text that will be substituted with a configured string  
    The displayed string is either the localized string as determined by the language set for the  
    document or the user-supplied string passed to the TemplateConfiguration.
```

5.17 Style (rinoх.style)

```
class rinoх.style.Styled ( id=None, style=None, parent=None, source=None )  
    A document element who's style can be configured.  
  
    Parameters  
        style (str, Style) – the style to associate with this element. If style is a string, the corre-  
        sponding style is lookup up in the document's style sheet by means of selectors.
```

style_class

The Style subclass that corresponds to this Styled subclass.

property has_id

Filter selection on an ID of this Styled

property has_class

Filter selection on a class of this Styled

property has_classes

Filter selection on a set of classes of this Styled

class rino.style.Style (base=None, **attributes)

Dictionary storing style attributes.

The style attributes associated with this Style are specified as class attributes of type Attribute.

Style attributes can also be accessed as object attributes.

hide

Suppress rendering this element

Accepts Bool: true or false

Default: false

5.17.1 Style Sheet

class rino.style.StyleSheet (name, matcher=None, base=None, source=None, description=None, pygments_style=None, **user_options)

Dictionary storing a collection of related styles by name.

Styles stored in a StyleSheet can refer to their base style by name.

Parameters

- name (str) – a label for this style sheet
- matcher (StyledMatcher) – the matcher providing the selectors the styles contained in this style sheet map to. If no matcher is given and base is specified, the base's matcher is used. If base is not set, the default matcher is used.
- base (StyleSheet or str) – the style sheet to extend
- description (str) – a short string describing this style sheet
- pygments_style (str) – the Pygments style to use for styling code blocks

get_selector (name)

Find a selector mapped to a style in this or a base style sheet.

Parameters

name (str) – a style name

Returns

Selector – the selector mapped to the style name

Raises

KeyError – if the style name was not found in this or a base style sheet

class rino.style.StyleSheetFile (filename, base=None, source=None, **kwargs)

Loads styles defined in a .rts file (INI format).

Parameters

filename (str) – the path to the style sheet file

StyleSheetFile takes the same optional arguments as StyleSheet. These can also be specified in the [STYLESHEET] section of the style sheet file. If an argument is specified in both places, the one passed as an argument overrides the one specified in the style sheet file.

class rinoх.style.StyledMatcher (*mapping_or_iterable=None, **kwargs*)

Dictionary mapping labels to selectors.

This matcher can be initialized in the same way as a dict by passing a mapping, an iterable and/or keyword arguments.

update (***F [, E]*) → None. Update D from dict/iterable E and F.

If E is present and has a .keys() method, then does: for k in E: D[k] = E[k] If E is present and lacks a .keys() method, then does: for k, v in E: D[k] = v In either case, this is followed by: for k in F: D[k] = F[k]

5.18 Tables (rinoх.table)

class rinoх.table.Table (*body, head=None, align=None, width=None, column_widths=None, id=None, style=None, parent=None*)

style_class

alias of rinoх.table.TableStyle

prepare (*flowable_target*)

Determine number labels and register references with the document

render (*container, last_descender, state, space_below=0, **kwargs*)

Renders the flowable's content to container, with the flowable's top edge lining up with the container's cursor. descender is the descender height of the preceding line or None.

class rinoх.table.TableWithCaption (*flowables, align=None, width=None, id=None, style=None, parent=None, source=None*)

style_class

alias of rinoх.table.TableWithCaptionStyle

class rinoх.table.TableSection (*rows, style=None, parent=None*)

prepare (*flowable_target*)

Determine number labels and register references with the document

class rinoх.table.TableHead (*rows, style=None, parent=None*)

class rinoх.table.TableBody (*rows, style=None, parent=None*)

class rinoх.table.TableRow (*cells, style=None, parent=None*)

prepare (*flowable_target*)

Determine number labels and register references with the document

get_rowspanned_columns ()

Return a dictionary mapping column indices to the number of columns spanned.

```

class rinohtable.TableCell (flowables, rowspan=1, colspan=1, id=None, style=None, parent=None)
    style_class
        alias of rinohtable.TableCellStyle

class rinohtable.TableCellBorder (rendered_cell, cell_height, position, style=None)
    style_class
        alias of rinohtable.TableCellBorderStyle

class rinohtable.TableCellBackground (bottom_left, width, height, style=None, parent=None)
    style_class
        alias of rinohtable.TableCellBackgroundStyle

class rinohtable.VerticalAlign
    Accepts: top, middle, bottom

class rinohtable.ListOfTables (local=False, id=None, style=None, parent=None)
class rinohtable.ListOfTablesSection
    list_class
        alias of rinohtable.ListOfTables

```

5.19 Templates (rinohtemplate)

Document templates are created by subclassing DocumentTemplate, just like the Chapter 4 shipped with rinohtype.

```

class rinohtemplate.DocumentTemplate (document_tree, configuration=None, backend=None)
    Template for documents
    Parameters
        • document_tree (DocumentTree) – a tree of the document's contents
        • configuration (TemplateConfiguration) – configuration for this template
        • backend – the backend used for rendering the document

language
    The main language of the document
    Accepts Language: the code of one of the supported languages
    Default: EN (English)

strings
    Strings to override standard element names
    Accepts Strings: strings need to be entered in INI sections named after the StringCollection subclasses
    Default: none

stylesheet
    The stylesheet to use for styling document elements
    Accepts StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file (with the .rts extension)
    Default: sphinx (= rinohtemplate.stylesheets.sphinx)

```

parts

The parts making up this document

Accepts PartsList: a space-separated list of document part template names

Default: (empty list)

Configuration

alias of rinoth.template.DocumentTemplateConfiguration

ConfigurationFile

alias of rinoth.template.DocumentTemplateConfigurationFile

Document templates can be customized by setting values for the configuration attributes defined in a DocumentTemplate subclass in a TemplateConfiguration. An template configuration can be passed as configuration on template instantiation. However, it is better to make use of the document method, however.

class rinoth.template.TemplateConfiguration (name, base=None, source=None, template=None, description=None, **options)

Stores a configuration for a DocumentTemplate

Parameters

- name (str) – a label for this template configuration
- base (TemplateConfiguration) – the template configuration to extend
- template (DocumentTemplateMeta or str) – the document template to configure
- description (str) – a short string describing this style sheet
- **options – configuration values for the configuration attributes defined by the document template

template = None

The DocumentTemplate subclass to configure

document (document_tree, backend=None)

Create a DocumentTemplate object based on the given document tree and this template configuration

Parameters

- document_tree (DocumentTree) – tree of the document's contents
- backend – the backend to use when rendering the document

class rinoth.template.PartsList (*parts)

Stores the names of the document part templates making up a document

Parameters

*parts (list[str]) – the names of the document parts

5.19.1 Document Parts

class rinoth.template.DocumentPart (template, document, flowables)

Part of a document.

Parameters

- template (DocumentPartTemplate) – the template that determines the contents and style of this document part
- document (Document) – the document this part belongs to
- flowables (list[Flowable]) – the flowables to render in this document part

configuration_class
alias of rinoх.template.DocumentPartTemplate

add_page (page)
Append page (Page) to this DocumentPart.

new_page (page_number, new_chapter, **kwargs)
Called by render() with the Chain`s that need more :class:`Container`s. This method should create a new :class:`Page` which contains a container associated with chain.

The document part templates which are listed by name in DocumentTemplate.parts are looked up as attributes of the DocumentTemplate subclass. They are instances of DocumentPartTemplate subclasses:

class rinoх.template.DocumentPartTemplate (base=None, **attributes)

A template that produces a document part

The document part is created given a set of flowables, and page templates. The latter are looked up in the TemplateConfiguration where this part template was.

page_number_format

The format for page numbers in this document part. If it is different from the preceding part's number format, numbering restarts at 1

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

end_at_page

The type of page to end this document part on

Accepts PageType: left, right, any

Default: any

drop_if_empty

Exclude this part from the document if it is empty (no flowables)

Accepts Bool: true or false

Default: true

The following document part templates are used in the standard document templates:

class rinoх.template.TitlePartTemplate (base=None, **attributes)

The title page of a document.

drop_if_empty

Overrides the default set in DocumentPartTemplate

Accepts Bool: true or false

Default: false

page_number_format

The format for page numbers in this document part. If it is different from the preceding part's number format, numbering restarts at 1 (inherited from DocumentPartTemplate)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

end_at_page

The type of page to end this document part on (inherited from DocumentPartTemplate)

Accepts PageType: left, right, any

Default: any

class rinoх.template.ContentsPartTemplate (base=None, **attributes)

The body of a document.

Renders all of the content present in the DocumentTree passed to the DocumentTemplate.

page_number_format

The format for page numbers in this document part. If it is different from the preceding part's number format, numbering restarts at 1 (inherited from DocumentPartTemplate)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

end_at_page

The type of page to end this document part on (inherited from DocumentPartTemplate)

Accepts PageType: left, right, any

Default: any

drop_if_empty

Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)

Accepts Bool: true or false

Default: true

class rinoх.template.FixedDocumentPartTemplate (base=None, **attributes)

A document part template that renders a fixed list of flowables

flowables

The list of flowables to include in this document part

Accepts FlowablesList: Python source code that represents a list of Flowables

Default: []

page_number_format

The format for page numbers in this document part. If it is different from the preceding part's number format, numbering restarts at 1 (inherited from DocumentPartTemplate)

Accepts NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

end_at_page

The type of page to end this document part on (inherited from DocumentPartTemplate)

Accepts PageType: left, right, any

Default: any

drop_if_empty

Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)

Accepts Bool: true or false

Default: true

5.19.2 Page Templates

The document templates make use of page templates:

```
class rinohtemplate.PageTemplate( base=None, **attributes )
```

header_footer_distance
Distance of the header and footer to the content area
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 14pt

columns
The number of columns for the body text
Accepts Integer: a natural number (positive integer)
Default: 1

column_spacing
The spacing between columns
Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 1cm

header_text
The text to place in the page header
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: '{SECTION_NUMBER(1)}' ' '{SECTION_TITLE(1)}'

footer_text
The text to place in the page footer
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: '\t' '{PAGE_NUMBER}' '/' '{NUMBER_OF_PAGES}'

chapter_header_text
The text to place in the header on a page that starts a new chapter
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

chapter_footer_text
The text to place in the footer on a page that starts a new chapter
Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
Default: (no value)

chapter_title_flowables
Generator that yields the flowables to represent the chapter title
Accepts FlowablesList: Python source code that represents a list of Flowables
Default: none

chapter_title_height
The height of the container holding the chapter title

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
Default: 150pt

page_size

The format of the pages in the document (inherited from PageTemplateBase)

Accepts Paper: the name of a Section 5.12 or <width> * <height> where width and height are Dimensions

Default: A4

page_orientation

The orientation of pages in the document (inherited from PageTemplateBase)

Accepts PageOrientation: portrait, landscape

Default: portrait

left_margin

The margin size on the left of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

right_margin

The margin size on the right of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

top_margin

The margin size at the top of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

bottom_margin

The margin size at the bottom of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

background

An image to place in the background of the page (inherited from PageTemplateBase)

Accepts BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

Default: none

after_break_background

An image to place in the background after a page break (inherited from PageTemplateBase)

Accepts BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

Default: none

```
class rinohtemplate.TitlePageTemplate ( base=None, **attributes )
```

show_date

Show or hide the document's date

Accepts Bool: true or false

Default: true

show_author

Show or hide the document's author

Accepts Bool: true or false

Default: true

extra

Extra text to include on the title page below the title

Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

page_size

The format of the pages in the document (inherited from PageTemplateBase)

Accepts Paper: the name of a Section 5.12 or <width> * <height> where width and height are Dimensions

Default: A4

page_orientation

The orientation of pages in the document (inherited from PageTemplateBase)

Accepts PageOrientation: portrait, landscape

Default: portrait

left_margin

The margin size on the left of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

right_margin

The margin size on the right of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

top_margin

The margin size at the top of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

bottom_margin

The margin size at the bottom of the page (inherited from PageTemplateBase)

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

background

An image to place in the background of the page (inherited from PageTemplateBase)

Accepts BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

Default: none

after_break_background

An image to place in the background after a page break (inherited from PageTemplateBase)

Accepts BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

Default: none

The base class for these collects the common options:

```
class rinohtemplate.PageTemplateBase ( base=None, **attributes )
```

page_size

The format of the pages in the document

Accepts Paper: the name of a Section 5.12 or <width> * <height> where width and height are Dimensions

Default: A4

page_orientation

The orientation of pages in the document

Accepts PageOrientation: portrait, landscape

Default: portrait

left_margin

The margin size on the left of the page

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

right_margin

The margin size on the right of the page

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

top_margin

The margin size at the top of the page

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

bottom_margin

The margin size at the bottom of the page

Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

Default: 3cm

background

An image to place in the background of the page

Accepts BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

Default: none

after_break_background

An image to place in the background after a page break

Accepts BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

Default: none

Python Module Index

r

rinoh

- rinoh.attribute, 93
- rinoh.color, 94
- rinoh.dimension, 94
- rinoh.document, 95
- rinoh.draw, 96
- rinoh.flowable, 97
- rinoh.font, 99
- rinoh.font.style, 101
- rinoh.image, 101
- rinoh.index, 103
- rinoh.inline, 111
- rinoh.language, 103
- rinoh.number, 107
- rinoh.paper, 108
- rinoh.paragraph, 109
- rinoh.reference, 113
- rinoh.strings, 117
- rinoh.structure, 114
- rinoh.style, 117
- rinoh.stylesheets, 11
- rinoh.table, 119
- rinoh.template, 120
- rinoh.templates.article, 87
- rinoh.templates.book, 89
- rinoh.text, 110

Index

Symbols

- docs
 - rinoh command line option, 6
- format <format>
 - rinoh command line option, 5
- help
 - rinoh command line option, 5
- install-resources
 - rinoh command line option, 5
- list-fonts <filename>
 - rinoh command line option, 6
- list-formats
 - rinoh command line option, 6
- list-options <frontend>
 - rinoh command line option, 6
- list-stylesheets
 - rinoh command line option, 5
- list-templates
 - rinoh command line option, 5
- option <option=value>
 - rinoh command line option, 5
- output <filename or directory>
 - rinoh command line option, 5
- paper <paper>
 - rinoh command line option, 5
- stylesheet <name or filename>
 - rinoh command line option, 5
- template <name or filename>
 - rinoh command line option, 5
- version
 - rinoh command line option, 6
- f <format>
 - rinoh command line option, 5
- h
 - rinoh command line option, 5
- i
 - rinoh command line option, 5
- O <filename or directory>
 - rinoh command line option, 5
- o <option=value>
 - rinoh command line option, 5
- p <paper>

```
    rino command line option, 5
-s <name or filename>
    rino command line option, 5
-t <name or filename>
    rino command line option, 5
```

A

A0 (in module rino.paper), 109
A1 (in module rino.paper), 109
A10 (in module rino.paper), 109
A2 (in module rino.paper), 109
A3 (in module rino.paper), 109
A4 (in module rino.paper), 109
A5 (in module rino.paper), 109
A6 (in module rino.paper), 109
A7 (in module rino.paper), 109
A8 (in module rino.paper), 109
A9 (in module rino.paper), 109
abstract_location (rino.templates.article.Article attribute), 87
AbstractLocation (class in rino.templates.article), 88
AcceptNoneAttributeType (class in rino.attribute), 93
add_page() (rino.template.DocumentPart method), 122
Admonition (class in rino.structure), 115
AdmonitionStyle (class in rino.structure), 76
AdmonitionTitles (class in rino.structure), 115
advance() (rino.paragraph.DefaultSpacing method), 111
advance() (rino.paragraph.FixedSpacing method), 112
advance() (rino.paragraph.Leading method), 112
advance() (rino.paragraph.LineSpacing method), 111
advance() (rino.paragraph.ProportionalSpacing method), 111
after (rino.image.CaptionStyle attribute), 31
after (rino.inline.InlineFlowableStyle attribute), 44
after (rino.paragraph.ParagraphStyle attribute), 40
after (rino.reference.NoteMarkerStyle attribute), 51
after (rino.reference.ReferencingParagraphStyle attribute), 49
after (rino.structure.HeadingStyle attribute), 58
after (rino.structure.ListItemLabelStyle attribute), 66
after (rino.structure.TableOfContentsEntryStyle attribute), 76
after (rino.structure.TableOfContentsStyle attribute), 71
after (rino.text.TextStyle attribute), 42
after_break_background (rino.template.PageTemplate attribute), 125
after_break_background (rino.template.PageTemplateBase attribute), 127
after_break_background (rino.template.TitlePageTemplate attribute), 126
align (rino.image.ImageArgs attribute), 101
align_baselines (rino.flowable.LabeledFlowableStyle attribute), 20
AnchorFlowable (class in rino.flowable), 97
append() (rino.text.MixedStyledText method), 110
arguments (rino.image.BackgroundImage attribute), 101
arguments (rino.image.InlineImage attribute), 101
Article (class in rino.templates.article), 87
attention (rino.structure.AdmonitionTitles attribute), 116
Attribute (class in rino.attribute), 93
AttributesDictionary (class in rino.attribute), 93

B

back_matter (rino.templates.book.Book attribute), 90
back_matter_left_page (rino.templates.book.Book attribute), 92

back_matter_page (rinoh.templates.book.Book attribute), 92
back_matter_right_page (rinoh.templates.book.Book attribute), 92
background (rinoh.template.PageTemplate attribute), 125
background (rinoh.template.PageTemplateBase attribute), 127
background (rinoh.template.TitlePageTemplate attribute), 126
background_color (rinoh.flowable.FloatStyle attribute), 26
background_color (rinoh.flowable.FlowableStyle attribute), 19
background_color (rinoh.flowable.GroupedFlowablesStyle attribute), 24
background_color (rinoh.flowable.LabeledFlowableStyle attribute), 22
background_color (rinoh.image.CaptionStyle attribute), 29
background_color (rinoh.image.FigureStyle attribute), 33
background_color (rinoh.index.IndexStyle attribute), 35
background_color (rinoh.inline.InlineFlowableStyle attribute), 44
background_color (rinoh.paragraph.ParagraphStyle attribute), 38
background_color (rinoh.reference.ReferencingParagraphStyle attribute), 47
background_color (rinoh.structure.AdmonitionStyle attribute), 78
background_color (rinoh.structure.HeadingStyle attribute), 56
background_color (rinoh.structure.HorizontalRuleStyle attribute), 80
background_color (rinoh.structure.ListItemLabelStyle attribute), 64
background_color (rinoh.structure.ListStyle attribute), 61
background_color (rinoh.structure.SectionStyle attribute), 54
background_color (rinoh.structure.TableOfContentsEntryStyle attribute), 74
background_color (rinoh.structure.TableOfContentsStyle attribute), 68
background_color (rinoh.table.TableCellStyle attribute), 85
background_color (rinoh.table.TableStyle attribute), 83
BackgroundImage (class in rinoh.image), 101
baseline (rinoh.inline.InlineFlowableStyle attribute), 42
before (rinoh.image.CaptionStyle attribute), 31
before (rinoh.inline.InlineFlowableStyle attribute), 44
before (rinoh.paragraph.ParagraphStyle attribute), 40
before (rinoh.reference.NoteMarkerStyle attribute), 51
before (rinoh.reference.ReferencingParagraphStyle attribute), 49
before (rinoh.structure.HeadingStyle attribute), 58
before (rinoh.structure.ListItemLabelStyle attribute), 66
before (rinoh.structure.TableOfContentsEntryStyle attribute), 76
before (rinoh.structure.TableOfContentsStyle attribute), 71
before (rinoh.text.TextStyle attribute), 42
Book (class in rinoh.templates.book), 89
Bool (class in rinoh.attribute), 93
border (rinoh.flowable.FloatStyle attribute), 25
border (rinoh.flowable.FlowableStyle attribute), 19
border (rinoh.flowable.GroupedFlowablesStyle attribute), 23
border (rinoh.flowable.LabeledFlowableStyle attribute), 21
border (rinoh.image.CaptionStyle attribute), 28
border (rinoh.image.FigureStyle attribute), 32
border (rinoh.index.IndexStyle attribute), 35
border (rinoh.inline.InlineFlowableStyle attribute), 43
border (rinoh.paragraph.ParagraphStyle attribute), 38
border (rinoh.reference.ReferencingParagraphStyle attribute), 46
border (rinoh.structure.AdmonitionStyle attribute), 78
border (rinoh.structure.HeadingStyle attribute), 56
border (rinoh.structure.HorizontalRuleStyle attribute), 80
border (rinoh.structure.ListItemLabelStyle attribute), 63
border (rinoh.structure.ListStyle attribute), 60
border (rinoh.structure.SectionStyle attribute), 53
border (rinoh.structure.TableOfContentsEntryStyle attribute), 73
border (rinoh.structure.TableOfContentsStyle attribute), 68
border (rinoh.table.TableCellStyle attribute), 84

border (rinoh.table.TableStyle attribute), 82
border_bottom (rinoh.flowable.FloatStyle attribute), 26
border_bottom (rinoh.flowable.FlowableStyle attribute), 19
border_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 24
border_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 22
border_bottom (rinoh.image.CaptionStyle attribute), 29
border_bottom (rinoh.image.FigureStyle attribute), 33
border_bottom (rinoh.index.IndexStyle attribute), 35
border_bottom (rinoh.inline.InlineFlowableStyle attribute), 44
border_bottom (rinoh.paragraph.ParagraphStyle attribute), 38
border_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 47
border_bottom (rinoh.structure.AdmonitionStyle attribute), 78
border_bottom (rinoh.structure.HeadingStyle attribute), 56
border_bottom (rinoh.structure.HorizontalRuleStyle attribute), 80
border_bottom (rinoh.structure.ListItemLabelStyle attribute), 64
border_bottom (rinoh.structure.ListStyle attribute), 61
border_bottom (rinoh.structure.SectionStyle attribute), 53
border_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 74
border_bottom (rinoh.structure.TableOfContentsStyle attribute), 68
border_bottom (rinoh.table.TableCellStyle attribute), 85
border_bottom (rinoh.table.TableStyle attribute), 82
border_left (rinoh.flowable.FloatStyle attribute), 26
border_left (rinoh.flowable.FlowableStyle attribute), 19
border_left (rinoh.flowable.GroupedFlowablesStyle attribute), 23
border_left (rinoh.flowable.LabeledFlowableStyle attribute), 21
border_left (rinoh.image.CaptionStyle attribute), 28
border_left (rinoh.image.FigureStyle attribute), 32
border_left (rinoh.index.IndexStyle attribute), 35
border_left (rinoh.inline.InlineFlowableStyle attribute), 43
border_left (rinoh.paragraph.ParagraphStyle attribute), 38
border_left (rinoh.reference.ReferencingParagraphStyle attribute), 46
border_left (rinoh.structure.AdmonitionStyle attribute), 78
border_left (rinoh.structure.HeadingStyle attribute), 56
border_left (rinoh.structure.HorizontalRuleStyle attribute), 80
border_left (rinoh.structure.ListItemLabelStyle attribute), 64
border_left (rinoh.structure.ListStyle attribute), 60
border_left (rinoh.structure.SectionStyle attribute), 53
border_left (rinoh.structure.TableOfContentsEntryStyle attribute), 73
border_left (rinoh.structure.TableOfContentsStyle attribute), 68
border_left (rinoh.table.TableCellStyle attribute), 84
border_left (rinoh.table.TableStyle attribute), 82
border_right (rinoh.flowable.FloatStyle attribute), 26
border_right (rinoh.flowable.FlowableStyle attribute), 19
border_right (rinoh.flowable.GroupedFlowablesStyle attribute), 24
border_right (rinoh.flowable.LabeledFlowableStyle attribute), 21
border_right (rinoh.image.CaptionStyle attribute), 28
border_right (rinoh.image.FigureStyle attribute), 32
border_right (rinoh.index.IndexStyle attribute), 35
border_right (rinoh.inline.InlineFlowableStyle attribute), 43
border_right (rinoh.paragraph.ParagraphStyle attribute), 38
border_right (rinoh.reference.ReferencingParagraphStyle attribute), 47
border_right (rinoh.structure.AdmonitionStyle attribute), 78
border_right (rinoh.structure.HeadingStyle attribute), 56
border_right (rinoh.structure.HorizontalRuleStyle attribute), 80
border_right (rinoh.structure.ListItemLabelStyle attribute), 64
border_right (rinoh.structure.ListStyle attribute), 60
border_right (rinoh.structure.SectionStyle attribute), 53
border_right (rinoh.structure.TableOfContentsEntryStyle attribute), 74

border_right (rinoh.structure.TableOfContentsStyle attribute), 68
border_right (rinoh.table.TableCellStyle attribute), 85
border_right (rinoh.table.TableStyle attribute), 82
border_top (rinoh.flowable.FloatStyle attribute), 26
border_top (rinoh.flowable.FlowableStyle attribute), 19
border_top (rinoh.flowable.GroupedFlowablesStyle attribute), 24
border_top (rinoh.flowable.LabeledFlowableStyle attribute), 21
border_top (rinoh.image.CaptionStyle attribute), 29
border_top (rinoh.image.FigureStyle attribute), 32
border_top (rinoh.index.IndexStyle attribute), 35
border_top (rinoh.inline.InlineFlowableStyle attribute), 43
border_top (rinoh.paragraph.ParagraphStyle attribute), 38
border_top (rinoh.reference.ReferencingParagraphStyle attribute), 47
border_top (rinoh.structure.AdmonitionStyle attribute), 78
border_top (rinoh.structure.HeadingStyle attribute), 56
border_top (rinoh.structure.HorizontalRuleStyle attribute), 80
border_top (rinoh.structure.ListItemLabelStyle attribute), 64
border_top (rinoh.structure.ListStyle attribute), 60
border_top (rinoh.structure.SectionStyle attribute), 53
border_top (rinoh.structure.TableOfContentsEntryStyle attribute), 74
border_top (rinoh.structure.TableOfContentsStyle attribute), 68
border_top (rinoh.table.TableCellStyle attribute), 85
border_top (rinoh.table.TableStyle attribute), 82
bottom_margin (rinoh.template.PageTemplate attribute), 125
bottom_margin (rinoh.template.PageTemplateBase attribute), 127
bottom_margin (rinoh.template.TitlePageTemplate attribute), 126
build_document() (rinoh.flowable.StaticGroupedFlowables method), 98
bullet (rinoh.structure.ListStyle attribute), 59

C

Caption (class in rinoh.image), 102
CaptionStyle (class in rinoh.image), 26
caution (rinoh.structure.AdmonitionTitles attribute), 116
chapter (rinoh.structure.SectionTitles attribute), 115
chapter_footer_text (rinoh.template.PageTemplate attribute), 124
chapter_header_text (rinoh.template.PageTemplate attribute), 124
chapter_title_flowables (rinoh.template.PageTemplate attribute), 124
chapter_title_height (rinoh.template.PageTemplate attribute), 124
CM (in module rinoh.dimension), 95
Color (class in rinoh.color), 94
column_spacing (rinoh.template.PageTemplate attribute), 124
column_widths (rinoh.table.TableStyle attribute), 81
columns (rinoh.template.PageTemplate attribute), 124
Configuration (rinoh.template.DocumentTemplate attribute), 121
Configuration (rinoh.templates.article.Article attribute), 88
Configuration (rinoh.templates.book.Book attribute), 92
configuration_class (rinoh.template.DocumentPart attribute), 122
ConfigurationFile (rinoh.template.DocumentTemplate attribute), 121
ConfigurationFile (rinoh.templates.article.Article attribute), 88
ConfigurationFile (rinoh.templates.book.Book attribute), 92
contents (rinoh.structure.SectionTitles attribute), 114
contents (rinoh.templates.article.Article attribute), 88
contents (rinoh.templates.book.Book attribute), 90
contents_left_page (rinoh.templates.book.Book attribute), 91
contents_page (rinoh.templates.article.Article attribute), 88
contents_page (rinoh.templates.book.Book attribute), 91
contents_right_page (rinoh.templates.book.Book attribute), 91

ContentsPartTemplate (class in rinoh.template), 123
copy() (rinoh.text.MixedStyledText method), 111
cover (rinoh.templates.book.Book attribute), 89
cover_page (rinoh.templates.book.Book attribute), 90
custom_label (rinoh.image.CaptionStyle attribute), 29
custom_label (rinoh.number.NumberStyle attribute), 108
custom_label (rinoh.paragraph.ParagraphStyle attribute), 39
custom_label (rinoh.reference.NoteMarkerStyle attribute), 51
custom_label (rinoh.reference.ReferencingParagraphStyle attribute), 47
custom_label (rinoh.structure.HeadingStyle attribute), 57
custom_label (rinoh.structure.ListItemLabelStyle attribute), 64
custom_label (rinoh.structure.ListStyle attribute), 61
custom_label (rinoh.structure.TableOfContentsEntryStyle attribute), 74
custom_label (rinoh.structure.TableOfContentsStyle attribute), 70

D

danger (rinoh.structure.AdmonitionTitles attribute), 116
DEFAULT (in module rinoh.paragraph), 112
DefaultSpacing (class in rinoh.paragraph), 111
DefinitionList (class in rinoh.structure), 115
depth (rinoh.structure.TableOfContentsStyle attribute), 66
Dimension (class in rinoh.dimension), 94
doc_format() (rinoh.color.Color class method), 94
Document (class in rinoh.document), 95
document() (rinoh.template.TemplateConfiguration method), 121
DocumentPart (class in rinoh.template), 121
DocumentPartTemplate (class in rinoh.template), 122
DocumentTemplate (class in rinoh.template), 120
DocumentTree (class in rinoh.document), 95
DOUBLE (in module rinoh.paragraph), 112
dpi (rinoh.image.ImageArgs attribute), 102
drop_if_empty (rinoh.template.ContentsPartTemplate attribute), 123
drop_if_empty (rinoh.template.DocumentPartTemplate attribute), 122
drop_if_empty (rinoh.template.FixedDocumentPartTemplate attribute), 123
drop_if_empty (rinoh.template.TitlePartTemplate attribute), 122
DummyFlowable (class in rinoh.flowable), 97

E

EN (in module rinoh.language), 103
encoding (rinoh.font.Font attribute), 99
end_at_page (rinoh.template.ContentsPartTemplate attribute), 123
end_at_page (rinoh.template.DocumentPartTemplate attribute), 122
end_at_page (rinoh.template.FixedDocumentPartTemplate attribute), 123
end_at_page (rinoh.template.TitlePartTemplate attribute), 122
error (rinoh.structure.AdmonitionTitles attribute), 116
extra (rinoh.template.TitlePageTemplate attribute), 126

F

Field (class in rinoh.reference), 114
Figure (class in rinoh.image), 102
FigureStyle (class in rinoh.image), 31
file_or_filename (rinoh.image.ImageArgs attribute), 102
fill_color (rinoh.draw.ShapeStyle attribute), 17
fill_color (rinoh.table.TableCellBackgroundStyle attribute), 86
FixedDocumentPartTemplate (class in rinoh.template), 123
FixedSpacing (class in rinoh.paragraph), 111
Float (class in rinoh.flowable), 99

float (rinoh.flowable.FloatStyle attribute), 24
float (rinoh.image.FigureStyle attribute), 31
FloatStyle (class in rinoh.flowable), 24
flow() (rinoh.flowable.Float method), 99
flow() (rinoh.index.IndexTarget method), 103
flow() (rinoh.structure.Heading method), 114
Flowable (class in rinoh.flowable), 97
flowable_spacing (rinoh.flowable.GroupedFlowablesStyle attribute), 22
flowable_spacing (rinoh.image.FigureStyle attribute), 33
flowable_spacing (rinoh.index.IndexStyle attribute), 34
flowable_spacing (rinoh.structure.AdmonitionStyle attribute), 76
flowable_spacing (rinoh.structure.ListStyle attribute), 59
flowable_spacing (rinoh.structure.SectionStyle attribute), 52
flowable_spacing (rinoh.structure.TableOfContentsStyle attribute), 67
flowable_spacing (rinoh.table.TableCellStyle attribute), 83
flowables (rinoh.template.FixedDocumentPartTemplate attribute), 123
flowables() (rinoh.flowable.GroupedFlowables method), 98
flowables() (rinoh.flowable.StaticGroupedFlowables method), 98
flowables() (rinoh.index.Index method), 103
flowables() (rinoh.structure.Admonition method), 115
flowables() (rinoh.structure.TableOfContents method), 115
FlowableState (class in rinoh.flowable), 97
FlowableStyle (class in rinoh.flowable), 18
FlowableWidth (class in rinoh.flowable), 99
Font (class in rinoh.font), 99
font_color (rinoh.image.CaptionStyle attribute), 30
font_color (rinoh.paragraph.ParagraphStyle attribute), 39
font_color (rinoh.reference.NoteMarkerStyle attribute), 50
font_color (rinoh.reference.ReferencingParagraphStyle attribute), 48
font_color (rinoh.structure.HeadingStyle attribute), 57
font_color (rinoh.structure.ListItemLabelStyle attribute), 65
font_color (rinoh.structure.TableOfContentsEntryStyle attribute), 75
font_color (rinoh.structure.TableOfContentsStyle attribute), 70
font_color (rinoh.text.TextStyle attribute), 41
font_size (rinoh.image.CaptionStyle attribute), 30
font_size (rinoh.paragraph.ParagraphStyle attribute), 39
font_size (rinoh.reference.NoteMarkerStyle attribute), 50
font_size (rinoh.reference.ReferencingParagraphStyle attribute), 48
font_size (rinoh.structure.HeadingStyle attribute), 57
font_size (rinoh.structure.ListItemLabelStyle attribute), 65
font_size (rinoh.structure.TableOfContentsEntryStyle attribute), 75
font_size (rinoh.structure.TableOfContentsStyle attribute), 70
font_size (rinoh.text.TextStyle attribute), 41
font_slant (rinoh.image.CaptionStyle attribute), 30
font_slant (rinoh.paragraph.ParagraphStyle attribute), 39
font_slant (rinoh.reference.NoteMarkerStyle attribute), 50
font_slant (rinoh.reference.ReferencingParagraphStyle attribute), 48
font_slant (rinoh.structure.HeadingStyle attribute), 57
font_slant (rinoh.structure.ListItemLabelStyle attribute), 65
font_slant (rinoh.structure.TableOfContentsEntryStyle attribute), 75
font_slant (rinoh.structure.TableOfContentsStyle attribute), 70
font_slant (rinoh.text.TextStyle attribute), 41
font_variant (rinoh.image.CaptionStyle attribute), 30
font_variant (rinoh.paragraph.ParagraphStyle attribute), 39
font_variant (rinoh.reference.NoteMarkerStyle attribute), 50
font_variant (rinoh.reference.ReferencingParagraphStyle attribute), 48
font_variant (rinoh.structure.HeadingStyle attribute), 57
font_variant (rinoh.structure.ListItemLabelStyle attribute), 65

font_variant (rinoh.structure.TableOfContentsEntryStyle attribute), 75
font_variant (rinoh.structure.TableOfContentsStyle attribute), 70
font_variant (rinoh.text.TextStyle attribute), 41
font_weight (rinoh.image.CaptionStyle attribute), 29
font_weight (rinoh.paragraph.ParagraphStyle attribute), 39
font_weight (rinoh.reference.NoteMarkerStyle attribute), 50
font_weight (rinoh.reference.ReferencingParagraphStyle attribute), 48
font_weight (rinoh.structure.HeadingStyle attribute), 57
font_weight (rinoh.structure.ListItemLabelStyle attribute), 65
font_weight (rinoh.structure.TableOfContentsEntryStyle attribute), 75
font_weight (rinoh.structure.TableOfContentsStyle attribute), 70
font_weight (rinoh.text.TextStyle attribute), 40
font_width (rinoh.image.CaptionStyle attribute), 30
font_width (rinoh.paragraph.ParagraphStyle attribute), 39
font_width (rinoh.reference.NoteMarkerStyle attribute), 50
font_width (rinoh.reference.ReferencingParagraphStyle attribute), 48
font_width (rinoh.structure.HeadingStyle attribute), 57
font_width (rinoh.structure.ListItemLabelStyle attribute), 65
font_width (rinoh.structure.TableOfContentsEntryStyle attribute), 75
font_width (rinoh.structure.TableOfContentsStyle attribute), 70
font_width (rinoh.text.TextStyle attribute), 41
fonts() (rinoh.font.Typeface method), 100
FontSlant (class in rinoh.font.style), 101
FontVariant (class in rinoh.font.style), 101
FontWeight (class in rinoh.font.style), 101
FontWidth (class in rinoh.font.style), 101
footer_text (rinoh.template.PageTemplate attribute), 124
format_number() (in module rinoh.number), 108
FR (in module rinoh.language), 104
front_matter (rinoh.templates.article.Article attribute), 88
front_matter (rinoh.templates.book.Book attribute), 89
front_matter_left_page (rinoh.templates.book.Book attribute), 91
front_matter_page (rinoh.templates.article.Article attribute), 88
front_matter_page (rinoh.templates.book.Book attribute), 90
front_matter_right_page (rinoh.templates.book.Book attribute), 91

G

get_font() (rinoh.font.Typeface method), 100
get_glyph() (rinoh.font.Font method), 100
get_kerning() (rinoh.font.Font method), 100
get_ligature() (rinoh.font.Font method), 100
get_position() (rinoh.paragraph.TabStop method), 112
get_rowspanned_columns() (rinoh.table.TableRow method), 119
get_selector() (rinoh.style.StyleSheet method), 118
Glyph (class in rinoh.paragraph), 113
GlyphsSpan (class in rinoh.paragraph), 113
Gray (class in rinoh.color), 94
GroupedFlowables (class in rinoh.flowable), 98
GroupedFlowablesState (class in rinoh.flowable), 98
GroupedFlowablesStyle (class in rinoh.flowable), 22
GroupedLabeledFlowables (class in rinoh.flowable), 99
grow() (rinoh.dimension.Dimension method), 94

H

has_class() (rinoh.style.Styled property), 118
has_classes() (rinoh.style.Styled property), 118
has_id() (rinoh.style.Styled property), 118

header_footer_distance (`rinoh.template.PageTemplate` attribute), 124
header_text (`rinoh.template.PageTemplate` attribute), 124
Heading (class in `rinoh.structure`), 114
HeadingStyle (class in `rinoh.structure`), 54
height (`rinoh.image.ImageArgs` attribute), 102
height() (`rinoh.text.StyledText` method), 110
HexColor (class in `rinoh.color`), 94
hide (`rinoh.draw.LineStyle` attribute), 17
hide (`rinoh.draw.ShapeStyle` attribute), 17
hide (`rinoh.flowable.FloatStyle` attribute), 26
hide (`rinoh.flowable.FlowableStyle` attribute), 19
hide (`rinoh.flowable.GroupedFlowablesStyle` attribute), 24
hide (`rinoh.flowable.LabeledFlowableStyle` attribute), 22
hide (`rinoh.image.CaptionStyle` attribute), 31
hide (`rinoh.image.FigureStyle` attribute), 33
hide (`rinoh.index.IndexStyle` attribute), 35
hide (`rinoh.inline.InlineFlowableStyle` attribute), 44
hide (`rinoh.number.NumberStyle` attribute), 108
hide (`rinoh.paragraph.ParagraphStyle` attribute), 38
hide (`rinoh.reference.NoteMarkerStyle` attribute), 51
hide (`rinoh.reference.ReferencingParagraphStyle` attribute), 49
hide (`rinoh.structure.AdmonitionStyle` attribute), 78
hide (`rinoh.structure.HeadingStyle` attribute), 58
hide (`rinoh.structure.HorizontalRuleStyle` attribute), 80
hide (`rinoh.structure.ListItemLabelStyle` attribute), 66
hide (`rinoh.structure.ListStyle` attribute), 61
hide (`rinoh.structure.SectionStyle` attribute), 54
hide (`rinoh.structure.TableOfContentsEntryStyle` attribute), 76
hide (`rinoh.structure.TableOfContentsStyle` attribute), 68
hide (`rinoh.style.Style` attribute), 118
hide (`rinoh.table.TableCellBackgroundStyle` attribute), 86
hide (`rinoh.table.TableCellBorderStyle` attribute), 85
hide (`rinoh.table.TableCellStyle` attribute), 85
hide (`rinoh.table.TableStyle` attribute), 83
hide (`rinoh.text.TextStyle` attribute), 42
hint (`rinoh.structure.AdmonitionTitles` attribute), 116
horizontal_align (`rinoh.flowable.FloatStyle` attribute), 24
horizontal_align (`rinoh.flowable.FlowableStyle` attribute), 18
horizontal_align (`rinoh.flowable.GroupedFlowablesStyle` attribute), 22
horizontal_align (`rinoh.flowable.LabeledFlowableStyle` attribute), 20
horizontal_align (`rinoh.image.CaptionStyle` attribute), 27
horizontal_align (`rinoh.image.FigureStyle` attribute), 31
horizontal_align (`rinoh.index.IndexStyle` attribute), 34
horizontal_align (`rinoh.inline.InlineFlowableStyle` attribute), 42
horizontal_align (`rinoh.paragraph.ParagraphStyle` attribute), 37
horizontal_align (`rinoh.reference.ReferencingParagraphStyle` attribute), 45
horizontal_align (`rinoh.structure.AdmonitionStyle` attribute), 77
horizontal_align (`rinoh.structure.HeadingStyle` attribute), 55
horizontal_align (`rinoh.structure.HorizontalRuleStyle` attribute), 79
horizontal_align (`rinoh.structure.ListItemLabelStyle` attribute), 62
horizontal_align (`rinoh.structure.ListStyle` attribute), 59
horizontal_align (`rinoh.structure.SectionStyle` attribute), 52
horizontal_align (`rinoh.structure.TableOfContentsEntryStyle` attribute), 72
horizontal_align (`rinoh.structure.TableOfContentsStyle` attribute), 67
horizontal_align (`rinoh.table.TableCellStyle` attribute), 83
horizontal_align (`rinoh.table.TableStyle` attribute), 81
HorizontalAlignment (class in `rinoh.flowable`), 99
HorizontalRule (class in `rinoh.structure`), 117

HorizontalRuleStyle (class in `rinoh.structure`), 78
hyphen_chars (`rinoh.image.CaptionStyle` attribute), 30
hyphen_chars (`rinoh.paragraph.ParagraphStyle` attribute), 40
hyphen_chars (`rinoh.reference.NoteMarkerStyle` attribute), 50
hyphen_chars (`rinoh.reference.ReferencingParagraphStyle` attribute), 48
hyphen_chars (`rinoh.structure.HeadingStyle` attribute), 58
hyphen_chars (`rinoh.structure.ListItemLabelStyle` attribute), 66
hyphen_chars (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75
hyphen_chars (`rinoh.structure.TableOfContentsStyle` attribute), 71
hyphen_chars (`rinoh.text.TextStyle` attribute), 41
hyphen_lang (`rinoh.image.CaptionStyle` attribute), 30
hyphen_lang (`rinoh.paragraph.ParagraphStyle` attribute), 40
hyphen_lang (`rinoh.reference.NoteMarkerStyle` attribute), 51
hyphen_lang (`rinoh.reference.ReferencingParagraphStyle` attribute), 49
hyphen_lang (`rinoh.structure.HeadingStyle` attribute), 58
hyphen_lang (`rinoh.structure.ListItemLabelStyle` attribute), 66
hyphen_lang (`rinoh.structure.TableOfContentsEntryStyle` attribute), 76
hyphen_lang (`rinoh.structure.TableOfContentsStyle` attribute), 71
hyphen_lang (`rinoh.text.TextStyle` attribute), 41
hyphenate (`rinoh.image.CaptionStyle` attribute), 30
hyphenate (`rinoh.paragraph.ParagraphStyle` attribute), 40
hyphenate (`rinoh.reference.NoteMarkerStyle` attribute), 50
hyphenate (`rinoh.reference.ReferencingParagraphStyle` attribute), 48
hyphenate (`rinoh.structure.HeadingStyle` attribute), 58
hyphenate (`rinoh.structure.ListItemLabelStyle` attribute), 66
hyphenate (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75
hyphenate (`rinoh.structure.TableOfContentsStyle` attribute), 71
hyphenate (`rinoh.text.TextStyle` attribute), 41
HyphenatorStore (class in `rinoh.paragraph`), 113

|
Image (class in `rinoh.image`), 101
ImageArgs (class in `rinoh.image`), 101
important (`rinoh.structure.AdmonitionTitles` attribute), 116
INCH (in module `rinoh.dimension`), 95
indent_first (`rinoh.image.CaptionStyle` attribute), 27
indent_first (`rinoh.paragraph.ParagraphStyle` attribute), 36
indent_first (`rinoh.reference.ReferencingParagraphStyle` attribute), 45
indent_first (`rinoh.structure.HeadingStyle` attribute), 54
indent_first (`rinoh.structure.ListItemLabelStyle` attribute), 62
indent_first (`rinoh.structure.TableOfContentsEntryStyle` attribute), 72
indent_first (`rinoh.structure.TableOfContentsStyle` attribute), 68
Index (class in `rinoh.index`), 103
index (`rinoh.structure.SectionTitles` attribute), 115
IndexLabel (class in `rinoh.index`), 103
IndexSection (class in `rinoh.index`), 103
IndexStyle (class in `rinoh.index`), 33
IndexTarget (class in `rinoh.index`), 103
IndexTerm (class in `rinoh.index`), 103
initials (`rinoh.index.IndexStyle` attribute), 33
inline_title (`rinoh.structure.AdmonitionStyle` attribute), 76
InlineFlowable (class in `rinoh.inline`), 111
InlineFlowableStyle (class in `rinoh.inline`), 42
InlineImage (class in `rinoh.image`), 101
InlineIndexTarget (class in `rinoh.index`), 103
input
 `rinoh` command line option, 5

Integer (class in `rinoh.attribute`), 93
`is_script()` (`rinoh.text.StyledText` method), 110
IT (in module `rinoh.language`), 105
`items()` (`rinoh.text.MixedStyledText` property), 111
`items()` (`rinoh.text.StyledText` property), 110

J

`JUNIOR_LEGAL` (in module `rinoh.paper`), 109

K

`keep_with_next` (`rinoh.flowable.FloatStyle` attribute), 25
`keep_with_next` (`rinoh.flowable.FlowableStyle` attribute), 19
`keep_with_next` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23
`keep_with_next` (`rinoh.flowable.LabeledFlowableStyle` attribute), 21
`keep_with_next` (`rinoh.image.CaptionStyle` attribute), 28
`keep_with_next` (`rinoh.image.FigureStyle` attribute), 32
`keep_with_next` (`rinoh.index.IndexStyle` attribute), 35
`keep_with_next` (`rinoh.inline.InlineFlowableStyle` attribute), 43
`keep_with_next` (`rinoh.paragraph.ParagraphStyle` attribute), 37
`keep_with_next` (`rinoh.reference.ReferencingParagraphStyle` attribute), 46
`keep_with_next` (`rinoh.structure.AdmonitionStyle` attribute), 77
`keep_with_next` (`rinoh.structure.HeadingStyle` attribute), 54
`keep_with_next` (`rinoh.structure.HorizontalRuleStyle` attribute), 79
`keep_with_next` (`rinoh.structure.ListItemLabelStyle` attribute), 63
`keep_with_next` (`rinoh.structure.ListStyle` attribute), 60
`keep_with_next` (`rinoh.structure.SectionStyle` attribute), 53
`keep_with_next` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 73
`keep_with_next` (`rinoh.structure.TableOfContentsStyle` attribute), 68
`keep_with_next` (`rinoh.table.TableCellStyle` attribute), 84
`keep_with_next` (`rinoh.table.TableStyle` attribute), 82
`kerning` (`rinoh.image.CaptionStyle` attribute), 30
`kerning` (`rinoh.paragraph.ParagraphStyle` attribute), 39
`kerning` (`rinoh.reference.NoteMarkerStyle` attribute), 50
`kerning` (`rinoh.reference.ReferencingParagraphStyle` attribute), 48
`kerning` (`rinoh.structure.HeadingStyle` attribute), 58
`kerning` (`rinoh.structure.ListItemLabelStyle` attribute), 65
`kerning` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75
`kerning` (`rinoh.structure.TableOfContentsStyle` attribute), 70
`kerning` (`rinoh.text.TextStyle` attribute), 41

L

`Label` (class in `rinoh.number`), 108
`label_max_width` (`rinoh.flowable.LabeledFlowableStyle` attribute), 20
`label_min_width` (`rinoh.flowable.LabeledFlowableStyle` attribute), 20
`label_prefix` (`rinoh.image.CaptionStyle` attribute), 29
`label_prefix` (`rinoh.number.NumberStyle` attribute), 108
`label_prefix` (`rinoh.paragraph.ParagraphStyle` attribute), 38
`label_prefix` (`rinoh.reference.NoteMarkerStyle` attribute), 51
`label_prefix` (`rinoh.reference.ReferencingParagraphStyle` attribute), 47
`label_prefix` (`rinoh.structure.HeadingStyle` attribute), 57
`label_prefix` (`rinoh.structure.ListItemLabelStyle` attribute), 64
`label_prefix` (`rinoh.structure.ListStyle` attribute), 61
`label_prefix` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 74
`label_prefix` (`rinoh.structure.TableOfContentsStyle` attribute), 69
`label_spacing` (`rinoh.flowable.LabeledFlowableStyle` attribute), 20
`label_suffix` (`rinoh.image.CaptionStyle` attribute), 29
`label_suffix` (`rinoh.number.NumberStyle` attribute), 108

label_suffix (rinoh.paragraph.ParagraphStyle attribute), 38
label_suffix (rinoh.reference.NoteMarkerStyle attribute), 51
label_suffix (rinoh.reference.ReferencingParagraphStyle attribute), 47
label_suffix (rinoh.structure.HeadingStyle attribute), 57
label_suffix (rinoh.structure.ListItemLabelStyle attribute), 64
label_suffix (rinoh.structure.ListStyle attribute), 61
label_suffix (rinoh.structure.TableOfContentsEntryStyle attribute), 74
label_suffix (rinoh.structure.TableOfContentsStyle attribute), 69
LabeledFlowable (class in rinoh.flowable), 97
LabeledFlowableState (class in rinoh.flowable), 98
LabeledFlowableStyle (class in rinoh.flowable), 20
Language (class in rinoh.language), 103
language (rinoh.template.DocumentTemplate attribute), 120
language (rinoh.templates.article.Article attribute), 87
language (rinoh.templates.book.Book attribute), 89
languages (rinoh.language.Language attribute), 103
Leading (class in rinoh.paragraph), 112
LEDGER (in module rinoh.paper), 109
left_margin (rinoh.template.PageTemplate attribute), 125
left_margin (rinoh.template.PageTemplateBase attribute), 127
left_margin (rinoh.template.TitlePageTemplate attribute), 126
LEGAL (in module rinoh.paper), 109
LETTER (in module rinoh.paper), 109
ligatures (rinoh.image.CaptionStyle attribute), 30
ligatures (rinoh.paragraph.ParagraphStyle attribute), 40
ligatures (rinoh.reference.NoteMarkerStyle attribute), 50
ligatures (rinoh.reference.ReferencingParagraphStyle attribute), 48
ligatures (rinoh.structure.HeadingStyle attribute), 58
ligatures (rinoh.structure.ListItemLabelStyle attribute), 65
ligatures (rinoh.structure.TableOfContentsEntryStyle attribute), 75
ligatures (rinoh.structure.TableOfContentsStyle attribute), 71
ligatures (rinoh.text.TextStyle attribute), 41
limit_width (rinoh.image.ImageArgs attribute), 101
Line (class in rinoh.draw), 96
line_spacing (rinoh.image.CaptionStyle attribute), 27
line_spacing (rinoh.paragraph.ParagraphStyle attribute), 36
line_spacing (rinoh.reference.ReferencingParagraphStyle attribute), 45
line_spacing (rinoh.structure.HeadingStyle attribute), 54
line_spacing (rinoh.structure.ListItemLabelStyle attribute), 62
line_spacing (rinoh.structure.TableOfContentsEntryStyle attribute), 72
line_spacing (rinoh.structure.TableOfContentsStyle attribute), 69
LineSpacing (class in rinoh.paragraph), 111
LineStyle (class in rinoh.draw), 17
link (rinoh.reference.NoteMarkerStyle attribute), 49
List (class in rinoh.structure), 115
list_class (rinoh.image.ListOfFiguresSection attribute), 102
list_class (rinoh.table.ListOfTablesSection attribute), 120
list_of_figures (rinoh.structure.SectionTitles attribute), 114
list_of_tables (rinoh.structure.SectionTitles attribute), 114
ListItemLabelStyle (class in rinoh.structure), 61
ListOfFigures (class in rinoh.image), 102
ListOfFiguresSection (class in rinoh.image), 102
ListOfTables (class in rinoh.table), 120
ListOfTablesSection (class in rinoh.table), 120
LineStyle (class in rinoh.structure), 59
Locale (class in rinoh.text), 111
location() (rinoh.attribute.RuleSetFile property), 93

M

margin_left (rinoh.flowable.FloatStyle attribute), 25
margin_left (rinoh.flowable.FlowableStyle attribute), 18
margin_left (rinoh.flowable.GroupedFlowablesStyle attribute), 23
margin_left (rinoh.flowable.LabeledFlowableStyle attribute), 20
margin_left (rinoh.image.CaptionStyle attribute), 28
margin_left (rinoh.image.FigureStyle attribute), 31
margin_left (rinoh.index.IndexStyle attribute), 34
margin_left (rinoh.inline.InlineFlowableStyle attribute), 42
margin_left (rinoh.paragraph.ParagraphStyle attribute), 37
margin_left (rinoh.reference.ReferencingParagraphStyle attribute), 46
margin_left (rinoh.structure.AdmonitionStyle attribute), 77
margin_left (rinoh.structure.HeadingStyle attribute), 55
margin_left (rinoh.structure.HorizontalRuleStyle attribute), 79
margin_left (rinoh.structure.ListItemLabelStyle attribute), 63
margin_left (rinoh.structure.ListStyle attribute), 59
margin_left (rinoh.structure.SectionStyle attribute), 52
margin_left (rinoh.structure.TableOfContentsEntryStyle attribute), 73
margin_left (rinoh.structure.TableOfContentsStyle attribute), 67
margin_left (rinoh.table.TableCellStyle attribute), 84
margin_left (rinoh.table.TableStyle attribute), 81
margin_right (rinoh.flowable.FloatStyle attribute), 25
margin_right (rinoh.flowable.FlowableStyle attribute), 18
margin_right (rinoh.flowable.GroupedFlowablesStyle attribute), 23
margin_right (rinoh.flowable.LabeledFlowableStyle attribute), 21
margin_right (rinoh.image.CaptionStyle attribute), 28
margin_right (rinoh.image.FigureStyle attribute), 32
margin_right (rinoh.index.IndexStyle attribute), 34
margin_right (rinoh.inline.InlineFlowableStyle attribute), 43
margin_right (rinoh.paragraph.ParagraphStyle attribute), 37
margin_right (rinoh.reference.ReferencingParagraphStyle attribute), 46
margin_right (rinoh.structure.AdmonitionStyle attribute), 77
margin_right (rinoh.structure.HeadingStyle attribute), 55
margin_right (rinoh.structure.HorizontalRuleStyle attribute), 79
margin_right (rinoh.structure.ListItemLabelStyle attribute), 63
margin_right (rinoh.structure.ListStyle attribute), 60
margin_right (rinoh.structure.SectionStyle attribute), 52
margin_right (rinoh.structure.TableOfContentsEntryStyle attribute), 73
margin_right (rinoh.structure.TableOfContentsStyle attribute), 67
margin_right (rinoh.table.TableCellStyle attribute), 84
margin_right (rinoh.table.TableStyle attribute), 81
matcher (in module rinoh.stylesheets), 11
MixedStyledText (class in rinoh.text), 110
MM (in module rinoh.dimension), 95
module
 rinoh.attribute, 93
 rinoh.color, 94
 rinoh.dimension, 94
 rinoh.document, 95
 rinoh.draw, 96
 rinoh.flowable, 97
 rinoh.font, 99
 rinoh.font.style, 101
 rinoh.image, 101
 rinoh.index, 103
 rinoh.inline, 111
 rinoh.language, 103

rinoh.number, 107
rinoh.paper, 108
rinoh.paragraph, 109
rinoh.reference, 113
rinoh.strings, 117
rinoh.structure, 114
rinoh.style, 117
rinoh.stylesheets, 11
rinoh.table, 119
rinoh.template, 120
rinoh.templates.article, 87
rinoh.templates.book, 89
rinoh.text, 110

N

new_page() (rinoh.template.DocumentPart method), 122
NL (in module rinoh.language), 106
Note (class in rinoh.reference), 113
note (rinoh.structure.AdmonitionTitles attribute), 116
NoteMarkerBase (class in rinoh.reference), 113
NoteMarkerByID (class in rinoh.reference), 114
NoteMarkerStyle (class in rinoh.reference), 49
NoteMarkerWithNote (class in rinoh.reference), 114
number_format (rinoh.image.CaptionStyle attribute), 26
number_format (rinoh.number.NumberStyle attribute), 108
number_format (rinoh.paragraph.ParagraphStyle attribute), 36
number_format (rinoh.reference.NoteMarkerStyle attribute), 51
number_format (rinoh.reference.ReferencingParagraphStyle attribute), 45
number_format (rinoh.structure.HeadingStyle attribute), 55
number_format (rinoh.structure.ListItemLabelStyle attribute), 62
number_format (rinoh.structure.ListStyle attribute), 61
number_format (rinoh.structure.TableOfContentsEntryStyle attribute), 72
number_format (rinoh.structure.TableOfContentsStyle attribute), 69
number_separator (rinoh.image.CaptionStyle attribute), 27
number_separator (rinoh.paragraph.ParagraphStyle attribute), 36
number_separator (rinoh.reference.ReferencingParagraphStyle attribute), 45
number_separator (rinoh.structure.HeadingStyle attribute), 55
number_separator (rinoh.structure.ListItemLabelStyle attribute), 62
number_separator (rinoh.structure.TableOfContentsEntryStyle attribute), 72
number_separator (rinoh.structure.TableOfContentsStyle attribute), 69
NumberFormat (class in rinoh.number), 108
numbering_level (rinoh.image.CaptionStyle attribute), 26
numbering_level (rinoh.paragraph.ParagraphStyle attribute), 36
numbering_level (rinoh.reference.ReferencingParagraphStyle attribute), 45
numbering_level (rinoh.structure.HeadingStyle attribute), 54
numbering_level (rinoh.structure.ListItemLabelStyle attribute), 62
numbering_level (rinoh.structure.TableOfContentsEntryStyle attribute), 72
numbering_level (rinoh.structure.TableOfContentsStyle attribute), 69
NumberStyle (class in rinoh.number), 108

O

OptionSet (class in rinoh.attribute), 93
ordered (rinoh.structure.ListStyle attribute), 59
OverrideDefault (class in rinoh.attribute), 93

P

padding (rinoh.flowable.FloatStyle attribute), 25

padding (rinoh.flowable.FlowableStyle attribute), 18
padding (rinoh.flowable.GroupedFlowablesStyle attribute), 23
padding (rinoh.flowable.LabeledFlowableStyle attribute), 21
padding (rinoh.image.CaptionStyle attribute), 28
padding (rinoh.image.FigureStyle attribute), 32
padding (rinoh.index.IndexStyle attribute), 34
padding (rinoh.inline.InlineFlowableStyle attribute), 43
padding (rinoh.paragraph.ParagraphStyle attribute), 37
padding (rinoh.reference.ReferencingParagraphStyle attribute), 46
padding (rinoh.structure.AdmonitionStyle attribute), 77
padding (rinoh.structure.HeadingStyle attribute), 55
padding (rinoh.structure.HorizontalRuleStyle attribute), 79
padding (rinoh.structure.ListItemLabelStyle attribute), 63
padding (rinoh.structure.ListStyle attribute), 60
padding (rinoh.structure.SectionStyle attribute), 52
padding (rinoh.structure.TableOfContentsEntryStyle attribute), 73
padding (rinoh.structure.TableOfContentsStyle attribute), 67
padding (rinoh.table.TableCellStyle attribute), 84
padding (rinoh.table.TableStyle attribute), 81
padding_bottom (rinoh.flowable.FloatStyle attribute), 25
padding_bottom (rinoh.flowable.FlowableStyle attribute), 19
padding_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 23
padding_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 21
padding_bottom (rinoh.image.CaptionStyle attribute), 28
padding_bottom (rinoh.image.FigureStyle attribute), 32
padding_bottom (rinoh.index.IndexStyle attribute), 35
padding_bottom (rinoh.inline.InlineFlowableStyle attribute), 43
padding_bottom (rinoh.paragraph.ParagraphStyle attribute), 37
padding_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 46
padding_bottom (rinoh.structure.AdmonitionStyle attribute), 77
padding_bottom (rinoh.structure.HeadingStyle attribute), 56
padding_bottom (rinoh.structure.HorizontalRuleStyle attribute), 79
padding_bottom (rinoh.structure.ListItemLabelStyle attribute), 63
padding_bottom (rinoh.structure.ListStyle attribute), 60
padding_bottom (rinoh.structure.SectionStyle attribute), 53
padding_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 73
padding_bottom (rinoh.structure.TableOfContentsStyle attribute), 67
padding_bottom (rinoh.table.TableCellStyle attribute), 84
padding_bottom (rinoh.table.TableStyle attribute), 82
padding_left (rinoh.flowable.FloatStyle attribute), 25
padding_left (rinoh.flowable.FlowableStyle attribute), 18
padding_left (rinoh.flowable.GroupedFlowablesStyle attribute), 23
padding_left (rinoh.flowable.LabeledFlowableStyle attribute), 21
padding_left (rinoh.image.CaptionStyle attribute), 28
padding_left (rinoh.image.FigureStyle attribute), 32
padding_left (rinoh.index.IndexStyle attribute), 34
padding_left (rinoh.inline.InlineFlowableStyle attribute), 43
padding_left (rinoh.paragraph.ParagraphStyle attribute), 37
padding_left (rinoh.reference.ReferencingParagraphStyle attribute), 46
padding_left (rinoh.structure.AdmonitionStyle attribute), 77
padding_left (rinoh.structure.HeadingStyle attribute), 55
padding_left (rinoh.structure.HorizontalRuleStyle attribute), 79
padding_left (rinoh.structure.ListItemLabelStyle attribute), 63
padding_left (rinoh.structure.ListStyle attribute), 60
padding_left (rinoh.structure.SectionStyle attribute), 53
padding_left (rinoh.structure.TableOfContentsEntryStyle attribute), 73
padding_left (rinoh.structure.TableOfContentsStyle attribute), 67
padding_left (rinoh.table.TableCellStyle attribute), 84

padding_left (rinoh.table.TableStyle attribute), 82
padding_right (rinoh.flowable.FloatStyle attribute), 25
padding_right (rinoh.flowable.FlowableStyle attribute), 18
padding_right (rinoh.flowable.GroupedFlowablesStyle attribute), 23
padding_right (rinoh.flowable.LabeledFlowableStyle attribute), 21
padding_right (rinoh.image.CaptionStyle attribute), 28
padding_right (rinoh.image.FigureStyle attribute), 32
padding_right (rinoh.index.IndexStyle attribute), 34
padding_right (rinoh.inline.InlineFlowableStyle attribute), 43
padding_right (rinoh.paragraph.ParagraphStyle attribute), 37
padding_right (rinoh.reference.ReferencingParagraphStyle attribute), 46
padding_right (rinoh.structure.AdmonitionStyle attribute), 77
padding_right (rinoh.structure.HeadingStyle attribute), 56
padding_right (rinoh.structure.HorizontalRuleStyle attribute), 79
padding_right (rinoh.structure.ListItemLabelStyle attribute), 63
padding_right (rinoh.structure.ListStyle attribute), 60
padding_right (rinoh.structure.SectionStyle attribute), 53
padding_right (rinoh.structure.TableOfContentsEntryStyle attribute), 73
padding_right (rinoh.structure.TableOfContentsStyle attribute), 67
padding_right (rinoh.table.TableCellStyle attribute), 84
padding_right (rinoh.table.TableStyle attribute), 82
padding_top (rinoh.flowable.FloatStyle attribute), 25
padding_top (rinoh.flowable.FlowableStyle attribute), 18
padding_top (rinoh.flowable.GroupedFlowablesStyle attribute), 23
padding_top (rinoh.flowable.LabeledFlowableStyle attribute), 21
padding_top (rinoh.image.CaptionStyle attribute), 28
padding_top (rinoh.image.FigureStyle attribute), 32
padding_top (rinoh.index.IndexStyle attribute), 34
padding_top (rinoh.inline.InlineFlowableStyle attribute), 43
padding_top (rinoh.paragraph.ParagraphStyle attribute), 37
padding_top (rinoh.reference.ReferencingParagraphStyle attribute), 46
padding_top (rinoh.structure.AdmonitionStyle attribute), 77
padding_top (rinoh.structure.HeadingStyle attribute), 56
padding_top (rinoh.structure.HorizontalRuleStyle attribute), 79
padding_top (rinoh.structure.ListItemLabelStyle attribute), 63
padding_top (rinoh.structure.ListStyle attribute), 60
padding_top (rinoh.structure.SectionStyle attribute), 53
padding_top (rinoh.structure.TableOfContentsEntryStyle attribute), 73
padding_top (rinoh.structure.TableOfContentsStyle attribute), 67
padding_top (rinoh.table.TableCellStyle attribute), 84
padding_top (rinoh.table.TableStyle attribute), 82
Page (class in rinoh.document), 96
page (rinoh.templates.article.Article attribute), 88
page (rinoh.templates.book.Book attribute), 90
page() (rinoh.document.Page property), 96
page_break (rinoh.flowable.FloatStyle attribute), 26
page_break (rinoh.flowable.FlowableStyle attribute), 19
page_break (rinoh.flowable.GroupedFlowablesStyle attribute), 24
page_break (rinoh.flowable.LabeledFlowableStyle attribute), 22
page_break (rinoh.image.CaptionStyle attribute), 29
page_break (rinoh.image.FigureStyle attribute), 33
page_break (rinoh.index.IndexStyle attribute), 35
page_break (rinoh.inline.InlineFlowableStyle attribute), 44
page_break (rinoh.paragraph.ParagraphStyle attribute), 38
page_break (rinoh.reference.ReferencingParagraphStyle attribute), 47
page_break (rinoh.structure.AdmonitionStyle attribute), 78
page_break (rinoh.structure.HeadingStyle attribute), 56
page_break (rinoh.structure.HorizontalRuleStyle attribute), 80

page_break (rinoh.structure.ListItemLabelStyle attribute), 64
page_break (rinoh.structure.ListStyle attribute), 61
page_break (rinoh.structure.SectionStyle attribute), 54
page_break (rinoh.structure.TableOfContentsEntryStyle attribute), 74
page_break (rinoh.structure.TableOfContentsStyle attribute), 68
page_break (rinoh.table.TableCellStyle attribute), 85
page_break (rinoh.table.TableStyle attribute), 83
page_number_format (rinoh.template.ContentsPartTemplate attribute), 123
page_number_format (rinoh.template.DocumentPartTemplate attribute), 122
page_number_format (rinoh.template.FixedDocumentPartTemplate attribute), 123
page_number_format (rinoh.template.TitlePartTemplate attribute), 122
page_orientation (rinoh.template.PageTemplate attribute), 125
page_orientation (rinoh.template.PageTemplateBase attribute), 127
page_orientation (rinoh.template.TitlePageTemplate attribute), 126
page_size (rinoh.template.PageTemplate attribute), 125
page_size (rinoh.template.PageTemplateBase attribute), 127
page_size (rinoh.template.TitlePageTemplate attribute), 126
PageBreak (class in rinoh.flowable), 97
PageOrientation (class in rinoh.document), 96
PageTemplate (class in rinoh.template), 124
PageTemplateBase (class in rinoh.template), 127
PageType (class in rinoh.document), 96
Paper (class in rinoh.paper), 109
Paragraph (class in rinoh.paragraph), 110
ParagraphBase (class in rinoh.paragraph), 109
ParagraphState (class in rinoh.paragraph), 110
ParagraphStyle (class in rinoh.paragraph), 36
parse_string() (rinoh.color.Color class method), 94
ParseError, 93
parts (rinoh.template.DocumentTemplate attribute), 121
parts (rinoh.templates.article.Article attribute), 87
parts (rinoh.templates.book.Book attribute), 89
PartsList (class in rinoh.template), 121
PERCENT (in module rinoh.dimension), 95
PICA (in module rinoh.dimension), 95
PL (in module rinoh.language), 107
place() (rinoh.document.Page method), 96
Polygon (class in rinoh.draw), 97
position (rinoh.image.CaptionStyle attribute), 30
position (rinoh.paragraph.ParagraphStyle attribute), 39
position (rinoh.reference.NoteMarkerStyle attribute), 50
position (rinoh.reference.ReferencingParagraphStyle attribute), 48
position (rinoh.structure.HeadingStyle attribute), 58
position (rinoh.structure.ListItemLabelStyle attribute), 65
position (rinoh.structure.TableOfContentsEntryStyle attribute), 75
position (rinoh.structure.TableOfContentsStyle attribute), 70
position (rinoh.text.TextStyle attribute), 41
prepare() (rinoh.flowable.LabeledFlowable method), 98
prepare() (rinoh.flowable.StaticGroupedFlowables method), 98
prepare() (rinoh.paragraph.ParagraphBase method), 109
prepare() (rinoh.reference.NoteMarkerBase method), 113
prepare() (rinoh.reference.NoteMarkerWithNote method), 114
prepare() (rinoh.reference.RegisterNote method), 113
prepare() (rinoh.structure.Heading method), 114
prepare() (rinoh.table.Table method), 119
prepare() (rinoh.table.TableRow method), 119
prepare() (rinoh.table.TableSection method), 119
prepare() (rinoh.text.MixedStyledText method), 110

ProportionalSpacing (class in rinoh.paragraph), 111
PT (in module rinoh.dimension), 95

Q

QUARTERS (in module rinoh.dimension), 95
quiet (rinoh.reference.NoteMarkerStyle attribute), 49

R

Rectangle (class in rinoh.draw), 97
Reference (class in rinoh.reference), 113
ReferenceField (class in rinoh.reference), 113
ReferenceText (class in rinoh.reference), 113
ReferenceType (class in rinoh.reference), 113
ReferencingParagraph (class in rinoh.reference), 113
ReferencingParagraphStyle (class in rinoh.reference), 44
RegisterNote (class in rinoh.reference), 113
render() (rinoh.document.Document method), 95
render() (rinoh.document.Page method), 96
render() (rinoh.flowable.GroupedFlowables method), 98
render() (rinoh.flowable.GroupedLabeledFlowables method), 99
render() (rinoh.flowable.LabeledFlowable method), 98
render() (rinoh.paragraph.ParagraphBase method), 109
render() (rinoh.structure.HorizontalRule method), 117
render() (rinoh.table.Table method), 119
repeat_head (rinoh.table.TableStyle attribute), 81
rgba() (rinoh.color.Color property), 94
right_margin (rinoh.template.PageTemplate attribute), 125
right_margin (rinoh.template.PageTemplateBase attribute), 127
right_margin (rinoh.template.TitlePageTemplate attribute), 126
rinoh command line option

- docs, 6
- format <format>, 5
- help, 5
- install-resources, 5
- list-fonts <filename>, 6
- list-formats, 6
- list-options <frontend>, 6
- list-stylesheets, 5
- list-templates, 5
- option <option=value>, 5
- output <filename or directory>, 5
- paper <paper>, 5
- stylesheet <name or filename>, 5
- template <name or filename>, 5
- version, 6
- f <format>, 5
- h, 5
- i, 5
- O <filename or directory>, 5
- o <option=value>, 5
- p <paper>, 5
- s <name or filename>, 5
- t <name or filename>, 5
- input, 5

rinoh.attribute

- module, 93

rinoh.color

- module, 94
- rinoh.dimension
 - module, 94
- rinoh.document
 - module, 95
- rinoh.draw
 - module, 96
- rinoh.flowable
 - module, 97
- rinoh.font
 - module, 99
- rinoh.font.style
 - module, 101
- rinoh.image
 - module, 101
- rinoh.index
 - module, 103
- rinoh.inline
 - module, 111
- rinoh.language
 - module, 103
- rinoh.number
 - module, 107
- rinoh.paper
 - module, 108
- rinoh.paragraph
 - module, 109
- rinoh.reference
 - module, 113
- rinoh.strings
 - module, 117
- rinoh.structure
 - module, 114
- rinoh.style
 - module, 117
- rinoh.stylesheets
 - module, 11
- rinoh.table
 - module, 119
- rinoh.template
 - module, 120
- rinoh.templates.article
 - module, 87
- rinoh.templates.book
 - module, 89
- rinoh.text
 - module, 110
- rinoh_documents
 - Sphinx builder configuration value, 7
- rinoh_domain_indices
 - Sphinx builder configuration value, 9
- rinoh_logo
 - Sphinx builder configuration value, 9
- rinoh_metadata
 - Sphinx builder configuration value, 9
- rinoh_paper_size
 - Sphinx builder configuration value, 8
- rinoh_stylesheet
 - Sphinx builder configuration value, 8

Sphinx builder configuration value, 8
rinoh_targets
 Sphinx builder configuration value, 8
rinoh_template
 Sphinx builder configuration value, 8
root() (rinoh.attribute.RuleSetFile property), 93
rotate (rinoh.image.ImageArgs attribute), 102
RuleSet (class in rinoh.attribute), 93
RuleSetFile (class in rinoh.attribute), 93

S

Scale (class in rinoh.image), 102
scale (rinoh.image.ImageArgs attribute), 102
script_level() (rinoh.text.StyledText method), 110
Section (class in rinoh.structure), 114
SectionStyle (class in rinoh.structure), 52
SectionTitles (class in rinoh.structure), 114
seealso (rinoh.structure.AdmonitionTitles attribute), 116
SetMetadataFlowable (class in rinoh.flowable), 97
Shape (class in rinoh.draw), 96
ShapeStyle (class in rinoh.draw), 17
show_author (rinoh.template.TitlePageTemplate attribute), 126
show_date (rinoh.template.TitlePageTemplate attribute), 125
show_in_toc (rinoh.structure.SectionStyle attribute), 52
SINGLE (in module rinoh.paragraph), 112
SingleStyledText (class in rinoh.text), 110
space_above (rinoh.flowable.FloatStyle attribute), 25
space_above (rinoh.flowable.FlowableStyle attribute), 18
space_above (rinoh.flowable.GroupedFlowablesStyle attribute), 22
space_above (rinoh.flowable.LabeledFlowableStyle attribute), 20
space_above (rinoh.image.CaptionStyle attribute), 27
space_above (rinoh.image.FigureStyle attribute), 31
space_above (rinoh.index.IndexStyle attribute), 34
space_above (rinoh.inline.InlineFlowableStyle attribute), 42
space_above (rinoh.paragraph.ParagraphStyle attribute), 37
space_above (rinoh.reference.ReferencingParagraphStyle attribute), 45
space_above (rinoh.structure.AdmonitionStyle attribute), 77
space_above (rinoh.structure.HeadingStyle attribute), 55
space_above (rinoh.structure.HorizontalRuleStyle attribute), 79
space_above (rinoh.structure.ListItemLabelStyle attribute), 63
space_above (rinoh.structure.ListStyle attribute), 59
space_above (rinoh.structure.SectionStyle attribute), 52
space_above (rinoh.structure.TableOfContentsEntryStyle attribute), 72
space_above (rinoh.structure.TableOfContentsStyle attribute), 67
space_above (rinoh.table.TableCellStyle attribute), 83
space_above (rinoh.table.TableStyle attribute), 81
space_below (rinoh.flowable.FloatStyle attribute), 25
space_below (rinoh.flowable.FlowableStyle attribute), 18
space_below (rinoh.flowable.GroupedFlowablesStyle attribute), 23
space_below (rinoh.flowable.LabeledFlowableStyle attribute), 20
space_below (rinoh.image.CaptionStyle attribute), 27
space_below (rinoh.image.FigureStyle attribute), 31
space_below (rinoh.index.IndexStyle attribute), 34
space_below (rinoh.inline.InlineFlowableStyle attribute), 42
space_below (rinoh.paragraph.ParagraphStyle attribute), 37
space_below (rinoh.reference.ReferencingParagraphStyle attribute), 46
space_below (rinoh.structure.AdmonitionStyle attribute), 77

space_below (rinoh.structure.HeadingStyle attribute), 55
space_below (rinoh.structure.HorizontalRuleStyle attribute), 79
space_below (rinoh.structure.ListItemLabelStyle attribute), 63
space_below (rinoh.structure.ListStyle attribute), 59
space_below (rinoh.structure.SectionStyle attribute), 52
space_below (rinoh.structure.TableOfContentsEntryStyle attribute), 73
space_below (rinoh.structure.TableOfContentsStyle attribute), 67
space_below (rinoh.table.TableCellStyle attribute), 84
space_below (rinoh.table.TableStyle attribute), 81
sphinx (in module rinoh.stylesheets), 11
Sphinx builder configuration value
 rinoh_documents, 7
 rinoh_domain_indices, 9
 rinoh_logo, 9
 rinoh_metadata, 9
 rinoh_paper_size, 8
 rinoh_stylesheet, 8
 rinoh_targets, 8
 rinoh_template, 8
sphinx_article (in module rinoh.stylesheets), 11
sphinx_base14 (in module rinoh.stylesheets), 11
split_minimum_rows (rinoh.table.TableStyle attribute), 81
STANDARD (in module rinoh.paragraph), 112
StaticGroupedFlowables (class in rinoh.flowable), 98
String (class in rinoh.strings), 117
StringCollection (class in rinoh.strings), 117
StringField (class in rinoh.strings), 117
Strings (class in rinoh.strings), 117
strings (rinoh.template.DocumentTemplate attribute), 120
strings (rinoh.templates.article.Article attribute), 87
strings (rinoh.templates.book.Book attribute), 89
Stroke (class in rinoh.draw), 96
stroke (rinoh.draw.LineStyle attribute), 17
stroke (rinoh.draw.ShapeStyle attribute), 17
stroke (rinoh.structure.HorizontalRuleStyle attribute), 80
stroke (rinoh.table.TableCellBackgroundStyle attribute), 86
stroke (rinoh.table.TableCellBorderStyle attribute), 85
Style (class in rinoh.style), 118
style_class (rinoh.draw.Line attribute), 96
style_class (rinoh.draw.Shape attribute), 96
style_class (rinoh.flowable.GroupedFlowables attribute), 98
style_class (rinoh.flowable.LabeledFlowable attribute), 98
style_class (rinoh.image.Caption attribute), 102
style_class (rinoh.image.Figure attribute), 102
style_class (rinoh.index.Index attribute), 103
style_class (rinoh.inline.InlineFlowable attribute), 111
style_class (rinoh.paragraph.ParagraphBase attribute), 109
style_class (rinoh.reference.NoteMarkerBase attribute), 113
style_class (rinoh.reference.ReferencingParagraph attribute), 113
style_class (rinoh.structure.Admonition attribute), 115
style_class (rinoh.structure.Heading attribute), 114
style_class (rinoh.structure.HorizontalRule attribute), 117
style_class (rinoh.structure.List attribute), 115
style_class (rinoh.structure.TableOfContents attribute), 115
style_class (rinoh.structure.TableOfContentsEntry attribute), 115
style_class (rinoh.style.Styled attribute), 118
style_class (rinoh.table.Table attribute), 119
style_class (rinoh.table.TableCell attribute), 120

style_class (rinoh.table.TableCellBackground attribute), 120
style_class (rinoh.table.TableCellBorder attribute), 120
style_class (rinoh.table.TableWithCaption attribute), 119
style_class (rinoh.text.StyledText attribute), 110
Styled (class in rinoh.style), 117
StyledMatcher (class in rinoh.style), 119
StyledText (class in rinoh.text), 110
StyleSheet (class in rinoh.style), 118
stylesheet (rinoh.template.DocumentTemplate attribute), 120
stylesheet (rinoh.templates.article.Article attribute), 87
stylesheet (rinoh.templates.book.Book attribute), 89
StyleSheetFile (class in rinoh.style), 118

T

tab_stops (rinoh.image.CaptionStyle attribute), 27
tab_stops (rinoh.paragraph.ParagraphStyle attribute), 36
tab_stops (rinoh.reference.ReferencingParagraphStyle attribute), 45
tab_stops (rinoh.structure.HeadingStyle attribute), 55
tab_stops (rinoh.structure.ListItemLabelStyle attribute), 62
tab_stops (rinoh.structure.TableOfContentsEntryStyle attribute), 72
tab_stops (rinoh.structure.TableOfContentsStyle attribute), 69
TabAlign (class in rinoh.paragraph), 112
Table (class in rinoh.table), 119
table_of_contents (rinoh.templates.article.Article attribute), 87
TableBody (class in rinoh.table), 119
TableCell (class in rinoh.table), 120
TableCellBackground (class in rinoh.table), 120
TableCellBackgroundColor (class in rinoh.table), 86
TableCellBorder (class in rinoh.table), 120
TableCellBorderStyle (class in rinoh.table), 85
TableCellStyle (class in rinoh.table), 83
TableHead (class in rinoh.table), 119
TableOfContents (class in rinoh.structure), 115
TableOfContentsEntry (class in rinoh.structure), 115
TableOfContentsEntryStyle (class in rinoh.structure), 71
TableOfContentsSection (class in rinoh.structure), 115
TableOfContentsStyle (class in rinoh.structure), 66
TableRow (class in rinoh.table), 119
TableSection (class in rinoh.table), 119
TableStyle (class in rinoh.table), 81
TableWithCaption (class in rinoh.table), 119
TABLOID (in module rinoh.paper), 109
TabStop (class in rinoh.paragraph), 112
TabStopList (class in rinoh.paragraph), 112
target_has_class() (rinoh.reference.ReferencingParagraph method), 113
target_has_classes() (rinoh.reference.ReferencingParagraph method), 113
target_is_of_type() (rinoh.reference.ReferencingParagraph method), 113
target_style() (rinoh.reference.ReferencingParagraph method), 113
template (rinoh.template.TemplateConfiguration attribute), 121
TemplateConfiguration (class in rinoh.template), 121
text (rinoh.reference.ReferencingParagraphStyle attribute), 44
text (rinoh.structure.TableOfContentsEntryStyle attribute), 71
text_align (rinoh.image.CaptionStyle attribute), 27
text_align (rinoh.paragraph.ParagraphStyle attribute), 36
text_align (rinoh.reference.ReferencingParagraphStyle attribute), 45
text_align (rinoh.structure.HeadingStyle attribute), 54
text_align (rinoh.structure.ListItemLabelStyle attribute), 62

text_align (rinoh.structure.TableOfContentsEntryStyle attribute), 72
text_align (rinoh.structure.TableOfContentsStyle attribute), 69
TextAlign (class in rinoh.paragraph), 111
TextPosition (class in rinoh.font.style), 101
TextStyle (class in rinoh.text), 40
tip (rinoh.structure.AdmonitionTitles attribute), 116
title (rinoh.flowable.GroupedFlowablesStyle attribute), 22
title (rinoh.image.FigureStyle attribute), 33
title (rinoh.index.IndexStyle attribute), 34
title (rinoh.structure.AdmonitionStyle attribute), 76
title (rinoh.structure.ListStyle attribute), 59
title (rinoh.structure.SectionStyle attribute), 52
title (rinoh.structure.TableOfContentsStyle attribute), 66
title (rinoh.table.TableCellStyle attribute), 83
title (rinoh.templates.article.Article attribute), 88
title (rinoh.templates.book.Book attribute), 89
title_page (rinoh.templates.article.Article attribute), 88
title_page (rinoh.templates.book.Book attribute), 90
TitlePageTemplate (class in rinoh.template), 125
TitlePartTemplate (class in rinoh.template), 122
to_string() (rinoh.index.InlineIndexTarget method), 103
to_string() (rinoh.text.StyledText method), 110
top_margin (rinoh.template.PageTemplate attribute), 125
top_margin (rinoh.template.PageTemplateBase attribute), 127
top_margin (rinoh.template.TitlePageTemplate attribute), 126
type (rinoh.reference.NoteMarkerStyle attribute), 49
Typeface (class in rinoh.font), 100
typeface (rinoh.image.CaptionStyle attribute), 29
typeface (rinoh.paragraph.ParagraphStyle attribute), 39
typeface (rinoh.reference.NoteMarkerStyle attribute), 49
typeface (rinoh.reference.ReferencingParagraphStyle attribute), 47
typeface (rinoh.structure.HeadingStyle attribute), 57
typeface (rinoh.structure.ListItemLabelStyle attribute), 65
typeface (rinoh.structure.TableOfContentsEntryStyle attribute), 74
typeface (rinoh.structure.TableOfContentsStyle attribute), 70
typeface (rinoh.text.TextStyle attribute), 40

U

update() (rinoh.style.StyledMatcher method), 119
UserStrings (class in rinoh.strings), 117

V

vertical_align (rinoh.table.TableCellStyle attribute), 83
VerticalAlign (class in rinoh.table), 120

W

WarnFlowable (class in rinoh.flowable), 97
warning (rinoh.structure.AdmonitionTitles attribute), 116
width (rinoh.flowable.FloatStyle attribute), 24
width (rinoh.flowable.FlowableStyle attribute), 18
width (rinoh.flowable.GroupedFlowablesStyle attribute), 22
width (rinoh.flowable.LabeledFlowableStyle attribute), 20
width (rinoh.image.CaptionStyle attribute), 27
width (rinoh.image.FigureStyle attribute), 31
width (rinoh.image.ImageArgs attribute), 102
width (rinoh.index.IndexStyle attribute), 33
width (rinoh.inline.InlineFlowableStyle attribute), 42

width (rinoh.paragraph.ParagraphStyle attribute), 36
width (rinoh.reference.ReferencingParagraphStyle attribute), 44
width (rinoh.structure.AdmonitionStyle attribute), 76
width (rinoh.structure.HeadingStyle attribute), 54
width (rinoh.structure.HorizontalRuleStyle attribute), 78
width (rinoh.structure.ListItemLabelStyle attribute), 62
width (rinoh.structure.ListStyle attribute), 59
width (rinoh.structure.SectionStyle attribute), 52
width (rinoh.structure.TableOfContentsEntryStyle attribute), 71
width (rinoh.structure.TableOfContentsStyle attribute), 66
width (rinoh.table.TableCellStyle attribute), 83
width (rinoh.table.TableStyle attribute), 81
wrap_label (rinoh.flowable.LabeledFlowableStyle attribute), 20

Y

y_offset() (rinoh.text.StyledText method), 110