



# rinohtype

## Reference Guide

Release 0.5.5



# Contents

<b>5</b>	<b>Chapter 1: rino</b>
<b>7</b>	<b>Chapter 2: Sphinx Builder</b>
<b>8</b>	Legacy Configuration Variables
<b>11</b>	<b>Chapter 3: Style Sheets</b>
<b>11</b>	Included Style Sheets
<b>11</b>	Default Matcher
<b>17</b>	Element Style Classes
<b>91</b>	<b>Chapter 4: Standard Document Templates</b>
<b>91</b>	Article
<b>92</b>	Book
<b>97</b>	<b>Chapter 5: API Documentation</b>
<b>97</b>	Attribute ( <code>rinoh.attribute</code> )
<b>98</b>	Color ( <code>rinoh.color</code> )
<b>98</b>	Dimension ( <code>rinoh.dimension</code> )
<b>99</b>	Document ( <code>rinoh.document</code> )
<b>101</b>	Drawing Primitives ( <code>rinoh.draw</code> )
<b>101</b>	Flowable ( <code>rinoh.flowable</code> )
<b>104</b>	Fonts and Typefaces ( <code>rinoh.font</code> )
<b>106</b>	Images and Figures ( <code>rinoh.image</code> )
<b>108</b>	Index ( <code>rinoh.index</code> )
<b>108</b>	Language ( <code>rinoh.language</code> )
<b>110</b>	Number ( <code>rinoh.number</code> )
<b>112</b>	Paper sizes ( <code>rinoh.paper</code> )
<b>113</b>	Paragraph ( <code>rinoh.paragraph</code> )
<b>116</b>	Cross-References and Fields ( <code>rinoh.reference</code> )
<b>118</b>	Structure ( <code>rinoh.structure</code> )
<b>119</b>	Strings ( <code>rinoh.strings</code> )
<b>119</b>	Style ( <code>rinoh.style</code> )
<b>121</b>	Tables ( <code>rinoh.table</code> )

**122** Templates (`rinoh.template`)

**133** Python Module Index

**135** Index

Render a structured document to PDF.

```
usage: rinoh [-h] [-f FORMAT] [-o OPTION=VALUE] [-t NAME or FILENAME]
              [-s NAME or FILENAME] [-O FILENAME or DIRECTORY] [-p PAPER] [-i]
              [--list-templates] [--list-stylesheets] [--list-fonts
              [FILENAME]] [--list-formats] [--list-options FRONTEND] [--version]
              [--versions] [--docs]
              [input]
```

**input**

the document to render

**-h, --help**

show this help message and exit

**-f <format>, --format <format>**

the format of the input file (default: autodetect)

**-o <option=value>, --option <option=value>**

options to be passed to the input file reader

**-t <name or filename>, --template <name or filename>**

the document template or template configuration file to use (default: article)

**-s <name or filename>, --stylesheet <name or filename>**

the style sheet used to style the document elements (default: the template's default)

**-O <filename or directory>, --output <filename or directory>**

write the PDF output to FILENAME or to an existing DIRECTORY with a filename derived from the input filename (default: the current working directory)

**-p <paper>, --paper <paper>**

the paper size to render to (default: the template's default)

**-i, --install-resources**

automatically install missing resources (fonts, templates, style sheets) from PyPI

**--list-templates**

list the installed document templates and exit

**--list-stylesheets**

list the installed style sheets and exit

```
--list-fonts <filename>
    list the installed fonts or, if FILENAME is given, write a PDF file displaying all the fonts

--list-formats
    list the supported input formats and exit

--list-options <frontend>
    list the options supported by the given frontend and exit

--version
    show program's version number and exit

--versions
    list versions of rinohtype and related software (for inclusion in bug reports)

--docs
    open the online documentation in the default browser
```

`rinoh.frontend.sphinx` is a Sphinx extension module. It provides a Sphinx builder with the name `rinoh`. The builder recognizes the following `conf.py` options. Of these, only `rinoh_documents` (or `latex_documents`) is required.

## `rinoh_documents`

Determines which PDF documents to build. Its format is a list of dictionaries, one for each document to be generated. The supported keys for these dictionaries are listed below. Two of them are required:

### `doc` (required)

String that specifies the name of the master document (typically `index`).

### `target` (required)

The name of the target PDF file without the extension.

The following keys allow overriding the content included on the document's title page and page headers/footers (depending on the template and its configuration). The values for text content can be plain text or `StyledText`.

### `logo` (no default)

Path (absolute or relative to the location of the `conf.py` file) to an image file, typically included on the title page.

### `title` (default: “`project documentation`”)

The title of the document.

### `subtitle` (default: “`Release release`”)

Subtitle of the document.

### `author` (default: “`author`”)

The document's author.

### `date` (default: determined from `today` and `today_fmt`)

The document (build) date.

The remaining keys control what is included in the document and the document template (configuration) to use.

### `toctree_only` (default: `False`)

Must be `True` or `False`. If true, the document itself is not included in the output, only the documents referenced by it via TOC trees.

### `domain_indices` (default: `True`)

If true, generate domain-specific indices in addition to the general index. It is equivalent to the `html_domain_indices` and `latex_domain_indices` configuration variables.

### `template` (default: `Book`)

Determines the template used to render the document. It takes:

- the filename of a template configuration file,
- a `TemplateConfiguration` instance,

- the name of an installed template (see `rinoh --list-templates`), or
- a `DocumentTemplate` subclass

`rinoh_documents` will also accept other keys than those listed above. These items will be available as document metadata and can be used in a custom document template.

Example:

```
rinoh_documents = [
    dict(doc='index', target='manual', toctree_only=False,
         template='manual.rtt', logo='logo.pdf'),
    dict(doc='ref', target='reference', title='Reference Manual',
         template='reference.rtt', stamp='DRAFT'),
]
```

#### `rinoh_targets`

Limits rendering to the specified set of targets. This variable accepts either a list of strings or a string containing comma-separated values. The target names should match those set in `rinoh_documents`.

To render only the ‘manual’ target, you can set the following in `conf.py`:

```
rinoh_targets = ['manual']
```

The same can be achieved from the command line using the by using the string form with `sphinx-build -D`:

```
spinx-build -b rinoh -D rinoh_targets="manual" source build
```

## 2.1 Legacy Configuration Variables

The configuration variables below are no longer supported. Instead, their functionality can now be configured per document in `rinoh_documents`.

#### `rinoh_template`

This configuration variable is **no longer supported** since the document template can be specified in `rinoh_documents` entries.

#### `rinoh_stylesheet`

This configuration variable is **no longer supported** since it is not obvious which style sheet will be used when the template configuration also specifies a style sheet. Please specify the style sheet to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book
stylesheet = my_stylesheet.rts
```

#### `rinoh_paper_size`

This configuration variable is **no longer supported** since it was not obvious which paper size was being used when the template configuration (`rinoh_template`) also specified a paper size. Please specify the `paper_size` to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book
```

```
[VARIABLES]
```

```
paper_size = A5
```

#### **rinoh\_logo**

This configuration variable is **no longer supported** since the logo can be specified in the `rinoh_documents` entries.

#### **rinoh\_domain\_indices**

This configuration variable is **no longer supported** since the domain\_indices can be specified in the `rinoh_documents` entries.

#### **rinoh\_metadata**

This configuration variable is **no longer supported**. Metadata entries can now be added to `rinoh_documents` entries.



## 3.1 Included Style Sheets

These style sheets are included with rinohtype:

`rinoh.stylesheets.sphinx`

Mostly a copy of the LaTeX style included with Sphinx  
Entry point name: `sphinx`

`rinoh.stylesheets.sphinx_article`

The Sphinx stylesheet adjusted for the article template  
Entry point name: `sphinx_article`

`rinoh.stylesheets.sphinx_base14`

The Sphinx stylesheet, but using the fonts from the PDF core set (yielding smaller PDF files)  
Entry point name: `sphinx_base14`

Additional style sheets can be installed from PyPI. The installed style sheets can be listed using  
`rinoh --list-stylesheets`.

## 3.2 Default Matcher

The default matcher provides the selectors for the styles used in the standard style sheets.

`rinoh.stylesheets.matcher`

The default matcher defines the following styles

- `title page rule`: `HorizontalRuleStyle`
- `title page logo`: `FlowableStyle`
- `title page title`: `ParagraphStyle`
- `title page subtitle`: `ParagraphStyle`
- `title page author`: `ParagraphStyle`
- `title page date`: `ParagraphStyle`
- `title page extra`: `ParagraphStyle`
- `front matter section title`: `ParagraphStyle`
- `body matter chapter label`: `ParagraphStyle`
- `body matter chapter number`: `TextStyle`
- `body matter chapter title`: `ParagraphStyle`
- `fallback`: `TextStyle`
- `italic`: `TextStyle`

- **bold:** TextStyle
- **monospaced:** TextStyle
- **emphasis:** TextStyle
- **strong:** TextStyle
- **literal emphasis:** TextStyle
- **literal strong:** TextStyle
- **inline math:** TextStyle
- **inline definition:** TextStyle
- **quote:** TextStyle
- **file path:** TextStyle
- **keystrokes:** TextStyle
- **regular expression:** TextStyle
- **code with variable:** TextStyle
- **mail header:** TextStyle
- **MIME type:** TextStyle
- **newsgroup:** TextStyle
- **command:** TextStyle
- **make variable:** TextStyle
- **program:** TextStyle
- **man page:** TextStyle
- **window title:** TextStyle
- **UI control:** TextStyle
- **UI control accelerator:** TextStyle
- **menu cascade:** TextStyle
- **draft comment:** TextStyle
- **title reference:** TextStyle
- **error:** TextStyle
- **linked reference:** ReferenceStyle
- **external hyperlink:** TextStyle
- **broken hyperlink:** TextStyle
- **glossary inline definition:** TextStyle
- **body:** ParagraphStyle
- **code block:** ParagraphStyle
- **code block caption:** CaptionStyle
- **math block:** ParagraphStyle
- **graphviz code block:** ParagraphStyle
- **attribution:** ParagraphStyle
- **centered:** ParagraphStyle
- **line block:** ParagraphStyle
- **block quote:** GroupedFlowablesStyle
- **chapter:** SectionStyle
- **content chapter:** SectionStyle
- **heading level 1:** HeadingStyle
- **heading level 1 label:** TextStyle
- **unnumbered heading level 1:** HeadingStyle
- **heading level 2:** HeadingStyle
- **heading level 2 label:** TextStyle
- **unnumbered heading level 2:** HeadingStyle
- **heading level 3:** HeadingStyle
- **heading level 3 label:** TextStyle
- **unnumbered heading level 3:** HeadingStyle
- **heading level 4:** HeadingStyle
- **heading level 4 label:** TextStyle

- unnumbered heading level 4: `HeadingStyle`
- heading level 5: `HeadingStyle`
- heading level 5 label: `TextStyle`
- unnumbered heading level 5: `HeadingStyle`
- other heading levels: `HeadingStyle`
- appendix: `SectionStyle`
- appendix heading level 1: `HeadingStyle`
- appendix heading level 2: `HeadingStyle`
- appendix heading level 3: `HeadingStyle`
- appendix heading level 4: `HeadingStyle`
- appendix heading level 5: `HeadingStyle`
- title: `ParagraphStyle`
- prerequisites: `GroupedFlowablesStyle`
- prerequisites title: `ParagraphStyle`
- post requirement: `GroupedFlowablesStyle`
- abstract: `GroupedFlowablesStyle`
- abstract paragraph: `ParagraphStyle`
- example: `GroupedFlowablesStyle`
- example title: `ParagraphStyle`
- topic: `GroupedFlowablesStyle`
- topic title: `ParagraphStyle`
- rubric: `ParagraphStyle`
- sidebar: `GroupedFlowablesStyle`
- sidebar title: `ParagraphStyle`
- sidebar subtitle: `ParagraphStyle`
- list item label: `ListItemLabelStyle`
- list item body: `GroupedFlowablesStyle`
- list item paragraph: `ParagraphStyle`
- enumerated list: `ListStyle`
- enumerated list item: `LabeledFlowableStyle`
- enumerated list item label: `ListItemLabelStyle`
- nested enumerated list: `ListStyle`
- (table) enumerated list: `ListStyle`
- (table) enumerated list item: `LabeledFlowableStyle`
- (table) enumerated list item label: `ListItemLabelStyle`
- bulleted list: `ListStyle`
- compact bulleted list: `ListStyle`
- bulleted list item: `LabeledFlowableStyle`
- bulleted list item label: `ListItemLabelStyle`
- nested bulleted list: `ListStyle`
- (table) bulleted list: `ListStyle`
- (table) bulleted list item: `LabeledFlowableStyle`
- (table) bulleted list item label: `ListItemLabelStyle`
- steps list: `ListStyle`
- steps list title: `ParagraphStyle`
- steps list item: `LabeledFlowableStyle`
- steps list item label: `ListItemLabelStyle`
- unordered steps list: `ListStyle`
- unordered steps list title: `ParagraphStyle`
- unordered steps list item: `LabeledFlowableStyle`
- unordered steps list item label: `ListItemLabelStyle`
- choices list: `ListStyle`
- choices list item: `LabeledFlowableStyle`

- **choices list item label:** ListItemLabelStyle
- **definition list:** GroupedFlowablesStyle
- **definition list item:** LabeledFlowableStyle
- **definition term:** GroupedFlowablesStyle
- **definition term paragraph:** ParagraphStyle
- **definition term classifier:** TextStyle
- **definition:** GroupedFlowablesStyle
- **definition paragraph:** ParagraphStyle
- **related links:** GroupedFlowablesStyle
- **related links section title:** ParagraphStyle
- **related links list:** ListStyle
- **related links list item:** LabeledFlowableStyle
- **related links list item label:** ListItemLabelStyle
- **related links list item paragraph:** ReferencingParagraphStyle
- **related link title reference:** ReferenceStyle
- **related link page reference:** ReferenceStyle
- **related link number reference:** ReferenceStyle
- **related link reference:** ReferenceStyle
- **versionmodified:** TextStyle
- **object description:** LabeledFlowableStyle
- **object signatures:** GroupedFlowablesStyle
- **object signature:** ParagraphStyle
- **object name:** TextStyle
- **additional name part:** TextStyle
- **object type:** TextStyle
- **object returns:** TextStyle
- **object parentheses:** TextStyle
- **object parameter list:** TextStyle
- **object parameter:** TextStyle
- **object parameter (no emphasis):** TextStyle
- **object brackets:** TextStyle
- **object optional parameter:** TextStyle
- **object annotation:** TextStyle
- **object description content:** GroupedFlowablesStyle
- **object description content paragraph:** ParagraphStyle
- **production list:** GroupedFlowablesStyle
- **production:** LabeledFlowableStyle
- **token name:** ParagraphStyle
- **token definition:** ParagraphStyle
- **field list:** GroupedFlowablesStyle
- **field list item:** LabeledFlowableStyle
- **field name:** ParagraphStyle
- **option list:** GroupedFlowablesStyle
- **option list item:** LabeledFlowableStyle
- **option:** ParagraphStyle
- **option string:** TextStyle
- **option argument:** TextStyle
- **admonition:** AdmonitionStyle
- **admonition title:** ParagraphStyle
- **admonition title paragraph:** ParagraphStyle
- **admonition inline title:** TextStyle
- **attention admonition:** AdmonitionStyle
- **attention admonition title:** ParagraphStyle

- attention admonition title paragraph: ParagraphStyle
- attention admonition inline title: TextStyle
- caution admonition: AdmonitionStyle
- caution admonition title: ParagraphStyle
- caution admonition title paragraph: ParagraphStyle
- caution admonition inline title: TextStyle
- danger admonition: AdmonitionStyle
- danger admonition title: ParagraphStyle
- danger admonition title paragraph: ParagraphStyle
- danger admonition inline title: TextStyle
- error admonition: AdmonitionStyle
- error admonition title: ParagraphStyle
- error admonition title paragraph: ParagraphStyle
- error admonition inline title: TextStyle
- hint admonition: AdmonitionStyle
- hint admonition title: ParagraphStyle
- hint admonition title paragraph: ParagraphStyle
- hint admonition inline title: TextStyle
- important admonition: AdmonitionStyle
- important admonition title: ParagraphStyle
- important admonition title paragraph: ParagraphStyle
- important admonition inline title: TextStyle
- note admonition: AdmonitionStyle
- note admonition title: ParagraphStyle
- note admonition title paragraph: ParagraphStyle
- note admonition inline title: TextStyle
- tip admonition: AdmonitionStyle
- tip admonition title: ParagraphStyle
- tip admonition title paragraph: ParagraphStyle
- tip admonition inline title: TextStyle
- warning admonition: AdmonitionStyle
- warning admonition title: ParagraphStyle
- warning admonition title paragraph: ParagraphStyle
- warning admonition inline title: TextStyle
- seealso admonition: AdmonitionStyle
- seealso admonition title: ParagraphStyle
- seealso admonition title paragraph: ParagraphStyle
- seealso admonition inline title: TextStyle
- header: ParagraphStyle
- footer: ParagraphStyle
- footnote: NoteStyle
- footnote marker: NoteMarkerStyle
- footnote paragraph: ParagraphStyle
- footnote label: ParagraphStyle
- citation: NoteStyle
- citation marker: NoteMarkerStyle
- citation paragraph: ParagraphStyle
- citation label: ParagraphStyle
- image: FlowableStyle
- inline image: InlineFlowableStyle
- figure: FigureStyle
- figure image: FlowableStyle
- figure caption: CaptionStyle

- **figure legend:** GroupedFlowablesStyle
- **figure legend paragraph:** ParagraphStyle
- **image alt:** ParagraphStyle
- **table of contents section:** SectionStyle
- **table of contents title:** HeadingStyle
- **table of contents:** TableOfContentsStyle
- **local table of contents:** TableOfContentsStyle
- **toc level 1:** TableOfContentsEntryStyle
- **toc level 2:** TableOfContentsEntryStyle
- **toc level 3:** TableOfContentsEntryStyle
- **toc level 4:** TableOfContentsEntryStyle
- **toc level 5:** TableOfContentsEntryStyle
- **toc level 6:** TableOfContentsEntryStyle
- **L3 toc level 3:** TableOfContentsEntryStyle
- **toc entry number reference field:** ReferenceStyle
- **list of figures section:** SectionStyle
- **list of figures:** ListOfStyle
- **list of figures entry:** ListOfEntryStyle
- **list of tables section:** SectionStyle
- **list of tables:** ListOfStyle
- **list of tables entry:** ListOfEntryStyle
- **table:** TableStyle
- **table with caption:** TableWithCaptionStyle
- **table caption:** CaptionStyle
- **choices table:** TableStyle
- **table cell:** TableCellStyle
- **table body cell background on even row:** TableCellBackgroundColorStyle
- **table body cell background on odd row:** TableCellBackgroundColorStyle
- **table body cell paragraph:** ParagraphStyle
- **table first column paragraph:** ParagraphStyle
- **table body cell list item number:** ParagraphStyle
- **table head cell:** TableCellStyle
- **table head cell background:** TableCellBackgroundColorStyle
- **table head cell paragraph:** ParagraphStyle
- **table cell left border:** TableCellBorderStyle
- **table cell top border:** TableCellBorderStyle
- **table cell right border:** TableCellBorderStyle
- **table cell bottom border:** TableCellBorderStyle
- **table top border:** TableCellBorderStyle
- **table bottom border:** TableCellBorderStyle
- **table left border:** TableCellBorderStyle
- **table right border:** TableCellBorderStyle
- **table head cell left border:** TableCellBorderStyle
- **table head cell right border:** TableCellBorderStyle
- **table head bottom border:** TableCellBorderStyle
- **table head left border:** TableCellBorderStyle
- **table head right border:** TableCellBorderStyle
- **table body top border:** TableCellBorderStyle
- **table body left border:** TableCellBorderStyle
- **table body right border:** TableCellBorderStyle
- **horizontal rule:** HorizontalRuleStyle
- **index:** IndexStyle
- **index section label:** ParagraphStyle

- level 1 index entry: `ParagraphStyle`
- level 2 index entry: `ParagraphStyle`
- level 3 index entry: `ParagraphStyle`
- level 4 index entry: `ParagraphStyle`
- domain index entry name: `TextStyle`

### 3.3 Element Style Classes

These are the style classes corresponding to each type of document element. For each style class, the supported style attributes are listed along with the values that can be assigned to them in a style sheet.

<code>draw.LineStyle</code>	Style class for Line
<code>draw.ShapeStyle</code>	Style class for Shape
<code>flowable.FlowableStyle</code>	Style class for Flowable
<code>flowable.LabeledFlowableStyle</code>	Style class for LabeledFlowable
<code>flowable.GroupedFlowablesStyle</code>	Style class for GroupedFlowables
<code>flowable.FloatStyle</code>	Style class for Float
<code>image.CaptionStyle</code>	Style class for Caption
<code>image.FigureStyle</code>	Style class for Figure
<code>index.IndexStyle</code>	Style class for Index
<code>paragraph.ParagraphStyle</code>	Style class for Paragraph
<code>text.TextStyle</code>	Style class for Text
<code>inline.InlineFlowableStyle</code>	Style class for InlineFlowable
<code>reference.ReferencingParagraphStyle</code>	Style class for ReferencingParagraph
<code>reference.NoteMarkerStyle</code>	Style class for NoteMarker
<code>structure.SectionStyle</code>	Style class for Section
<code>structure.HeadingStyle</code>	Style class for Heading
<code>structure.ListStyle</code>	Style class for List
<code>structure.ListItemLabelStyle</code>	Style class for ListItemLabel
<code>structure.TableOfContentsStyle</code>	Style class for TableOfContents
<code>structure.TableOfContentsEntryStyle</code>	Style class for TableOfContentsEntry
<code>structure.AdmonitionStyle</code>	Style class for Admonition
<code>structure.HorizontalRuleStyle</code>	Style class for HorizontalRule
<code>table.TableStyle</code>	Style class for Table
<code>table.TableCellStyle</code>	Style class for TableCell
<code>table.TableCellBorderStyle</code>	Style class for TableCellBorder
<code>table.TableCellBackgroundColor</code>	Style class for TableCellBackground

#### 3.3.1 `LineStyle`

```
class rinoх.draw.LineStyle( base=None, **attributes )
```

Style class for Line

##### **stroke**

Width and color used to draw the line

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by

a comma (, )  
*Default:* 1pt, #000

**hide**  
 Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default:* false

### 3.3.2 ShapeStyle

```
class rinoh.draw.ShapeStyle ( base=None, **attributes )
  Style class for Shape

fill_color
  Color to fill the shape
  Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA,
  #RGB or #RGBA)
  Default: #e5e5e5

stroke
  Width and color used to draw the line (inherited from LineStyle)
  Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by
  a comma (, )
  Default: 1pt, #000

hide
  Suppress rendering this element (inherited from Style)
  Accepts Bool: true or false
  Default: false
```

### 3.3.3 FlowableStyle

```
class rinoh.flowable.FlowableStyle ( base=None, **attributes )
  Style class for Flowable

width
  Width to render the flowable at
  Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
  pc, mm, cm, %, /2, /4)
  Default: auto

horizontal_align
  Horizontal alignment of the flowable
  Accepts HorizontalAlignment: left, right, center
  Default: left

space_above
  Vertical space preceding the flowable
  Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
  Default: 0

space_below
  Vertical space following the flowable
  Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
```

*Default:* 0

**margin\_left**

Left margin

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_bottom**

Bottom padding

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable

*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (, )

*Default:* none

**border\_left**

Border left of the flowable

*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (, )

*Default:* none

**border\_right**

Border right of the flowable

*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by

a comma (, )  
*Default:* none

**border\_top**

Border above the flowable

*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (, )

*Default:* none

**border\_bottom**

Border below the flowable

*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (, )

*Default:* none

**background\_color**

Color of the area within the flowable's borders

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.4 LabeledFlowableStyle

```
class rinoh.flowable.LabeledFlowableStyle ( base=None, **attributes )
```

Style class for `LabeledFlowable`

**label\_min\_width**

Minimum label width

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 12pt

**label\_max\_width**

Maximum label width

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 80pt

**label\_spacing**

Spacing between a label and the labeled flowable

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3pt

**align\_baselines**

Line up the baselines of the label and the labeled flowable

*Accepts Bool:* true or false

*Default:* true

**wrap\_label**

Wrap the label at *label\_max\_width*

*Accepts* Bool: true or false

*Default:* false

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.5 GroupedFlowablesStyle

```
class rinoh.flowable.GroupedFlowablesStyle ( base=None, **attributes )
    Style class for GroupedFlowables

    width
        Width to render the flowable at (inherited from FlowableStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
        pc, mm, cm, %, /2, /4)
        Default: fill (overrides FlowableStyle default)

    title
        Title to precede the flowables
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
        string is a quoted string (' or "), optionally followed by a style name enclosed in
        braces: 'text string' (style name)
        Default: (no value)

    flowable_spacing
        Spacing between flowables
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    same_page
        Keep all flowables on a single page, if possible.
        Accepts Bool: true or false
        Default: false

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_right
        Right margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default*: none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default*: none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default*: None

#### **hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default*: false

### 3.3.6 `FloatStyle`

**class** `rinoh.flowable.FloatStyle( base=None, **attributes )`

Style class for `Float`

#### **float**

Float the flowable to the top or bottom of the current page, to a dedicated page, or sideways to a dedicated page  
*Accepts* `FloatLocation`: none, here, sideways  
*Default*: None

#### **width**

Width to render the flowable at (inherited from `FlowableStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: auto

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)  
*Accepts* `HorizontalAlignment`: left, right, center  
*Default*: left

#### **space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

#### **space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

### 3.3.7 CaptionStyle

**class** `rinoh.image.CaptionStyle` (`base=None, **attributes`)

Style class for `Caption`

**number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default*: number (overrides `ParagraphStyle` default)

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from `ParagraphStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 1 (overrides `ParagraphStyle` default)

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default*: fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

*Accepts* LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from ParagraphStyle)

*Accepts* TextAlign: left, right, center, justify

*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from ParagraphStyle)

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* Bool: true or false  
*Default:* false

#### **typeface**

Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* Typeface: the name of a typeface. See `rino --list-fs` for a list of the available typefaces.  
*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from `TextStyle`)  
*Accepts* FontSlant: upright, oblique, italic  
*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from `TextStyle`)  
*Accepts* FontWidth: ultra-condensed, extra-condensed, condensed,

semi-condensed, normal, medium, semi-expanded, expanded,  
extra-expanded, ultra-expanded  
*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

#### **font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts FontVariant:* normal, small capital, oldstyle figures

*Default:* normal

#### **position**

Vertical text position (inherited from `TextStyle`)

*Accepts TextPosition:* normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* language-default, or a space-separated list of words

*Default:* language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.8 FigureStyle

```
class rinoh.image.FigureStyle ( base=None, **attributes )  
    Style class for Figure
```

**float**

Float the flowable to the top or bottom of the current page, to a dedicated page, or sideways to a dedicated page (inherited from `FloatStyle`)

*Accepts* `FloatLocation`: none, here, sideways

*Default:* None

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by

a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

#### **title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.9 **IndexStyle**

```
class rinoh.index.IndexStyle( base=None, **attributes )
```

Style class for `Index`

#### **initials**

Group index entries based on their first letter

*Accepts Bool:* true or false

*Default:* true

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `fill`

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)`

*Default:* `(no value)`

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool: true or false`

*Default:* `false`

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.10 ParagraphStyle

`class rinoх.paragraph.ParagraphStyle ( base=None, **attributes )`

Style class for `Paragraph`

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill (overrides `FlowableStyle` default)

**indent\_first**

Indentation of the first line of text

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text

*Accepts* LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins

*Accepts* TextAlign: left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `NumberStyle`)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None (overrides `NumberStyle` default)

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label.

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fon`t for a list of the available typefaces.

*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: `normal`, `smallCapital`, `oldstyle` `figures`

*Default*: `normal`

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: `normal`, `superscript`, `subscript`

*Default*: `normal`

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as '`en_US`' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the `<language ID>_<region ID>` format

*Default*: `en_US`

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

### 3.3.11 TextStyle

```
class rinoh.text.TextStyle( base=None, **attributes )
    Style class for Text

typeface
    Typeface to set the text in
    Accepts Typeface: the name of a typeface. See rinoh --list-fs for a list of
    the available typefaces.
    Default: Times

font_weight
    Thickness of character outlines relative to their height
    Accepts FontWeight: hairline, thin, ultra-light, extra-light, light,
    regular, normal, book, roman, medium, semi-bold, demi-bold, bold,
    extra-bold, ultra-bold, black, heavy, extra-black, ultra-black
    Default: 500

font_slant
    Slope style of the font
    Accepts FontSlant: upright, oblique, italic
    Default: upright

font_width
    Stretch of the characters
    Accepts FontWidth: ultra-condensed, extra-condensed, condensed,
    semi-condensed, normal, medium, semi-expanded, expanded,
    extra-expanded, ultra-expanded
    Default: 5

font_size
    Height of characters
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 10pt

font_color
    Color of the font
    Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA,
    #RGB or #RGBA)
    Default: #000

font_variant
    Variant of the font
    Accepts FontVariant: normal, small capital, oldstyle figures
    Default: normal

position
    Vertical text position
    Accepts TextPosition: normal, superscript, subscript
    Default: normal

kerning
    Improve inter-letter spacing
    Accepts Bool: true or false
    Default: true
```

**ligatures**

Run letters together where possible  
*Accepts* Bool: true or false  
*Default:* true

**hyphenate**

Allow words to be broken over two lines  
*Accepts* Bool: true or false  
*Default:* true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word  
*Accepts* Integer: a natural number (positive integer)  
*Default:* 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US'  
*Accepts* Locale: locale identifier in the <language ID>\_<region ID> format  
*Default:* en\_US

**no\_break\_after**

Prevent a line break after these words  
*Accepts* NoBreakAfter: language-default, or a space-separated list of words  
*Default:* language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default:* false

### 3.3.12 `InlineFlowableStyle`

```
class rinoth.inline.InlineFlowableStyle( base=None, **attributes )  
    Style class for InlineFlowable
```

**baseline**

The location of the flowable's baseline relative to the bottom edge  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0pt

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `auto`

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text

string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **after**

Item to insert after this one (inherited from `InlineStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

### **3.3.13 ReferencingParagraphStyle**

`class rinoх.reference.ReferencingParagraphStyle ( base=None, **attributes )`

Style class for `ReferencingParagraph`

#### **text**

The text content of this paragraph  
*Accepts* `ReferenceText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* '{TITLE}'

#### **width**

Width to render the flowable at (inherited from `ParagraphStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* fill

#### **indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)  
*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)  
*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)  
*Accepts*  `TextAlign`: left, right, center, justify  
*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)  
*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.  
*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from `ParagraphStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from `ParagraphStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default:* (no value)

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* `Bool`: true or false  
*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* `Typeface`: the name of a typeface. See `rino --list-fon`ts for a list of the available typefaces.  
*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)  
*Accepts* `FontSlant`: upright, oblique, italic  
*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)  
*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded  
*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default*: normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default*: normal

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.14 NoteMarkerStyle

```
class rinoх.reference.NoteMarkerStyle ( base=None, **attributes )  
    Style class for NoteMarker
```

**type**

How the reference should be displayed (inherited from `ReferenceStyle`)

*Accepts* `ReferenceType`: reference, number, title, page, custom

*Default:* number (overrides `ReferenceStyle` default)

**link**

Create a hyperlink to the reference target (inherited from `ReferenceStyle`)

*Accepts* `Bool`: true or false

*Default:* true

**quiet**

If the given reference type does not exist for the target, resolve to an empty string instead of making a fuss about it (inherited from `ReferenceStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fonTs` for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded,

extra-expanded, ultra-expanded  
*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)  
*Default:* #000

#### **font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts FontVariant:* `normal`, `small capital`, `oldstyle figures`  
*Default:* `normal`

#### **position**

Vertical text position (inherited from `TextStyle`)

*Accepts TextPosition:* `normal`, `superscript`, `subscript`  
*Default:* `normal`

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* `true` or `false`  
*Default:* `true`

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* `true` or `false`  
*Default:* `true`

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* `true` or `false`  
*Default:* `true`

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)  
*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format  
*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* `language-default`, or a space-separated list of words  
*Default:* `language-default`

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `NumberStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* number

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.15 SectionStyle

```
class rinoh.structure.SectionStyle ( base=None, **attributes )
```

Style class for Section

**show\_in\_toc**

List this section in the table of contents

*Accepts* `Bool`: true or false

*Default:* true

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `fill`

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)`

*Default:* `(no value)`

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool: true or false`

*Default:* `false`

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.16 HeadingStyle

**class rinoх.structure.HeadingStyle ( base=None, \*\*attributes )**

Style class for `Heading`

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* true (overrides `FlowableStyle` default)

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from `ParagraphStyle`)

*Accepts* Integer: a natural number (positive integer)

*Default:* -1 (overrides `ParagraphStyle` default)

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts* LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts* TextAlign: left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

How numbers are formatted (inherited from ParagraphStyle)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

#### **typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rino --list-fon`ts for a list of the available typefaces.

*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: `normal`, `smallCapital`, `oldstyle` `figures`

*Default*: `normal`

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: `normal`, `superscript`, `subscript`

*Default*: `normal`

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as '`en_US`' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the `<language ID>_<region ID>` format

*Default*: `en_US`

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**hide**  
Suppress rendering this element (inherited from `Style`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.17 `ListStyle`

`class rinoh.structure.ListStyle( base=None, **attributes )`  
Style class for `List`

**ordered**  
This list is ordered or unordered  
*Accepts* `Bool`: true or false  
*Default*: false

**bullet**  
Bullet to use in unordered lists  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default*: '•'

**width**  
Width to render the flowable at (inherited from `GroupedFlowablesStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: fill

**title**  
Title to precede the flowables (inherited from `GroupedFlowablesStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default*: (no value)

**flowable\_spacing**  
Spacing between flowables (inherited from `GroupedFlowablesStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

**same\_page**  
Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)  
*Accepts* `Bool`: true or false  
*Default*: false

**horizontal\_align**  
Horizontal alignment of the flowable (inherited from `FlowableStyle`)  
*Accepts* `HorizontalAlignment`: left, right, center  
*Default*: left

**space\_above**  
Vertical space preceding the flowable (inherited from `FlowableStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

**number\_format**

How numbers are formatted (inherited from `NumberStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default*: number

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**custom\_label**  
Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.18 ListItemLabelStyle

`class rinoh.structure.ListItemLabelStyle ( base=None, **attributes )`  
Style class for `ListItemLabel`

**number\_separator**  
Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from `ParagraphStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default*: (no value) (overrides `ParagraphStyle default`)

**width**  
Width to render the flowable at (inherited from `ParagraphStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: fill

**indent\_first**  
Indentation of the first line of text (inherited from `ParagraphStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0pt

**line\_spacing**  
Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)  
*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)  
*Default*: default

**text\_align**  
Alignment of text to the margins (inherited from `ParagraphStyle`)  
*Accepts* `TextAlign`: left, right, center, justify  
*Default*: justify

**tab\_stops**  
List of tab positions (inherited from `ParagraphStyle`)  
*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.  
*Default*: (no value)

**number\_format**  
How numbers are formatted (inherited from `ParagraphStyle`)  
*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)  
(inherited from ParagraphStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fon`ts for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default:* normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* language-default, or a space-separated list of words

*Default:* language-default

#### **before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.19 TableOfContentsStyle

```
class rinoh.structure.TableOfContentsStyle ( base=None, **attributes )
    Style class for TableOfContents

depth
    The number of section levels to include in the table of contents
    Accepts Integer: a natural number (positive integer)
    Default: 3

width
    Width to render the flowable at (inherited from GroupedFlowablesStyle)
    Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
    pc, mm, cm, %, /2, /4)
    Default: fill

title
    Title to precede the flowables (inherited from GroupedFlowablesStyle)
    Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
    string is a quoted string (' or "), optionally followed by a style name enclosed in
    braces: 'text string' (style name)
    Default: (no value)

flowable_spacing
    Spacing between flowables (inherited from GroupedFlowablesStyle)
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 0

same_page
    Keep all flowables on a single page, if possible. (inherited from
    GroupedFlowablesStyle)
    Accepts Bool: true or false
    Default: false

horizontal_align
    Horizontal alignment of the flowable (inherited from FlowableStyle)
    Accepts HorizontalAlignment: left, right, center
    Default: left

space_above
    Vertical space preceding the flowable (inherited from FlowableStyle)
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 0

space_below
    Vertical space following the flowable (inherited from FlowableStyle)
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 0

margin_left
    Left margin (inherited from FlowableStyle)
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 0
```

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by

a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

#### **indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts LineSpacing:* a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts TextAlign:* left, right, center, justify

*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts TabStopList:* a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts NumberFormat:* none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from ParagraphStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

#### **label\_prefix**

Text to prepend to the label (inherited from LabelStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from LabelStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from LabelStyle)

*Accepts* Bool: true or false

*Default:* false

#### **typeface**

Typeface to set the text in (inherited from TextStyle)

*Accepts* Typeface: the name of a typeface. See rino --list-fs for a list of the available typefaces.

*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from TextStyle)

*Accepts* FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from TextStyle)

*Accepts* FontSlant: upright, oblique, italic

*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from TextStyle)

*Accepts* FontWidth: ultra-condensed, extra-condensed, condensed,

semi-condensed, normal, medium, semi-expanded, expanded,  
extra-expanded, ultra-expanded  
*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

#### **font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts FontVariant:* normal, small capital, oldstyle figures

*Default:* normal

#### **position**

Vertical text position (inherited from `TextStyle`)

*Accepts TextPosition:* normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* language-default, or a space-separated list of words

*Default:* language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

### 3.3.20 `TableOfContentsEntryStyle`

```
class rinoх.structure.TableOfContentsEntryStyle ( base=None, **attributes )
```

Style class for `TableOfContentsEntry`

**text**

The text content of this paragraph (inherited from `ReferencingParagraphStyle`)

*Accepts* `ReferenceText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '{NUMBER}' '\t' '{TITLE}' '\t' '{PAGE}' (overrides `ReferencingParagraphStyle default`)

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts* `TextAlign`: left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is

required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

How numbers are formatted (inherited from ParagraphStyle)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)  
(inherited from ParagraphStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default:* None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rino --list-fon`ts for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default*: normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default*: normal

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.21 AdmonitionStyle

```
class rinoh.structure.AdmonitionStyle( base=None, **attributes )  
    Style class for Admonition
```

**inline\_title**

Show the admonition's title inline with the body text, if possible

*Accepts* `Bool`: true or false

*Default:* true

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

### 3.3.22 HorizontalRuleStyle

```
class rino.h.structure.HorizontalRuleStyle( base=None, **attributes )
```

Style class for `HorizontalRule`

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default*: auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default*: left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

**stroke**

Width and color used to draw the line (inherited from `LineStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* 1pt, #000

### 3.3.23 `TableStyle`

```
class rinoth.table.TableStyle( base=None, **attributes )
```

Style class for `Table`

**column\_widths**

Absolute or relative widths of each column

*Accepts ColumnWidths:* a whitespace-delimited list of column widths; Dimensions (absolute width), integers (relative width) and/or 'auto' (automatic width)

*Default:* none

**split\_minimum\_rows**

The minimum number of rows to display when the table is split across pages

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**repeat\_head**

Repeat the head when the table is split across pages

*Accepts* Bool: true or false

*Default:* false

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.24 `TableCellStyle`

`class rinoh.table.TableCellStyle ( base=None, **attributes )`

Style class for `TableCell`

**vertical\_align**

Vertical alignment of the cell contents within the available space

*Accepts* `VerticalAlign`: top, middle, bottom

*Default:* middle

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.25 TableCellBorderStyle

```
class rinoh.table.TableCellBorderStyle( base=None, **attributes )  
    Style class for TableCellBorder
```

**stroke**

Width and color used to draw the line (inherited from `LineStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none (overrides `LineStyle` default)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.26 TableCellBackgroundStyle

```
class rinoh.table.TableCellBackgroundStyle( base=None, **attributes )  
    Style class for TableCellBackground
```

**fill\_color**

Color to fill the shape (inherited from `ShapeStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none (overrides ShapeStyle default)

#### **stroke**

Width and color used to draw the line (inherited from LineStyle)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, )

*Default:* none (overrides LineStyle default)

#### **hide**

Suppress rendering this element (inherited from Style)

*Accepts* Bool: true or false

*Default:* false



# Standard Document Templates

4

Rinohtype includes a number of document templates. These are configurable and therefore should cater for most documents.

## 4.1 Article

The article template consists of a title page, an optional table of contents and the body text. By default, it uses a single numbering style for all pages and the same template for even and odd pages.

```
class rinohtemplates.article.Article ( document_tree, configuration=None, backend=None )
```

### stylesheet

The stylesheet to use for styling document elements (inherited from DocumentTemplate)

*Accepts* StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file (with the .rts extension)

*Default:* sphinx\_article (= rinohtemplates.sphinx\_article) (overrides DocumentTemplate default)

### abstract\_location

Where to place the abstract

*Accepts* AbstractLocation: title, body

*Default:* title

### parts

The parts making up this document (inherited from DocumentTemplate)

*Accepts* PartsList: a space-separated list of document part template names

*Default:* contents (overrides DocumentTemplate default)

### language

The main language of the document (inherited from DocumentTemplate)

*Accepts* Language: the code of one of the supported languages

*Default:* EN (English)

### strings

Strings to override standard element names (inherited from DocumentTemplate)

*Accepts* Strings: strings need to be entered in INI in a section named 'STRINGS'

*Default:* none

### contents

base: None

Overrides these defaults:

- `page_number_format = number`

Type  
`ArticleContentsPartTemplate`

**page**  
base: `None`  
Overrides these defaults:

- `page_size = $(paper_size)`
- `left_margin = 1.2cm`
- `right_margin = 1.2cm`
- `top_margin = 1.8cm`
- `bottom_margin = 1.6cm`
- `header_footer_distance = 2pt`

Type  
`ArticleBodyPageTemplate`

**contents\_page**  
base: `page`  
Type  
`ArticleBodyPageTemplate`

**Configuration**  
alias of `ArticleConfiguration`

**ConfigurationFile**  
alias of `ArticleConfigurationFile`

**class rinohtemplates.article.AbstractLocation**  
Where to place the article's abstract  
Accepts: `title, body`

## 4.2 Book

The book template consists of a title page, the table of contents, the body text and an index. The front matter pages are numbered using lowercase roman numerals. The template uses different templates for even and odd pages.

**class rinohtemplates.book.Book ( document\_tree, configuration=None, backend=None )**

**stylesheet**  
The stylesheet to use for styling document elements (inherited from `DocumentTemplate`)  
*Accepts* `StyleSheet`: the name of an `Section 3.1` or the filename of a stylesheet file (with the `.rts` extension)  
*Default*: `sphinx` (= `rinohtemplates.stylesheets.sphinx`) (*overrides* `DocumentTemplate` default)

**parts**  
The parts making up this document (inherited from `DocumentTemplate`)  
*Accepts* `PartsList`: a space-separated list of document part template names  
*Default*: `title front_matter contents back_matter` (*overrides*

DocumentTemplate default)

**language**

The main language of the document (inherited from DocumentTemplate)

*Accepts* Language: the code of one of the supported languages

*Default:* EN (English)

**strings**

Strings to override standard element names (inherited from DocumentTemplate)

*Accepts* Strings: strings need to be entered in INI in a section named 'STRINGS'

*Default:* none

**cover**

base: None

Overrides these defaults:

- drop\_if\_empty = False
- page\_number\_format = None
- end\_at\_page = left

Type

FixedDocumentPartTemplate

**title**

base: None

Overrides these defaults:

- page\_number\_format = number
- end\_at\_page = left

Type

TitlePartTemplate

**front\_matter**

base: None

Overrides these defaults:

- flowables = [TableOfContentsSection(), ListOfFiguresSection(), ListOfTablesSection()]
- page\_number\_format = lowercase roman
- end\_at\_page = left

Type

FixedDocumentPartTemplate

**contents**

base: None

Overrides these defaults:

- page\_number\_format = number
- end\_at\_page = left

Type

ContentsPartTemplate

**back\_matter**

base: None

Overrides these defaults:

- page\_number\_format = continue

- end\_at\_page = left

Type

BackMatterTemplate

### **page**

base: None

Overrides these defaults:

- page\_size = \$(paper\_size)
- left\_margin = 1in
- right\_margin = 1in
- top\_margin = 1in
- bottom\_margin = 1in

Type

BodyPageTemplate

### **cover\_page**

base: page

Type

BodyPageTemplate

### **title\_page**

base: page

Type

TitlePageTemplate

### **front\_matter\_page**

base: page

Overrides these defaults:

- header\_footer\_distance = 0
- header\_text = None

Type

BodyPageTemplate

### **front\_matter\_right\_page**

base: front\_matter\_page

Overrides these defaults:

- footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_header\_text = None
- chapter\_footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_title\_height = 2.5in
- chapter\_title\_flowables = [<rinoh.paragraph.Paragraph object at 0x7f75b904cb00>]
- sideways = right

Type

BodyPageTemplate

### **front\_matter\_left\_page**

base: front\_matter\_page

Overrides these defaults:

- footer\_text = '{PAGE\_NUMBER}'

- sideways = left

### Type

## BodyPageTemplate

## **contents\_page**

**base:** page

Overrides these defaults:

- `header_footer_distance = 0`

## Type

## BodyPageTemplate

## contents\_right\_page

**base:** contents\_page

Overrides these defaults:

- ```
• header_text      =      '\t'      '\t'      '{DOCUMENT_TITLE}'      ',      '
  '{DOCUMENT_SUBTITLE}'
• footer_text      =      '{SECTION_NUMBER(2)}'      '.
  '{SECTION_TITLE(2)}'      '\t'      '\t'      '{PAGE_NUMBER}'
• chapter_header_text = None
• chapter_footer_text = '\t'      '\t'      '{PAGE_NUMBER}'
• chapter_title_height = 2.4in
• chapter_title_flowables = [<rinoh.paragraph.Paragraph object
  at 0x7f75b8d6d9a0>, <rinoh.paragraph.Paragraph object
  at 0x7f75b912f890>]
• sideways = right
```

## Type

## BodyPageTemplate

## contents\_left\_page

**base:** contents\_page

Overrides these defaults:

- header\_text = '{DOCUMENT\_TITLE} ', ' {DOCUMENT\_SUBTITLE}'
  - footer\_text = '{PAGE\_NUMBER}' '\t' '\t' '{@chapter}' '{SECTION\_NUMBER(1)}'. ' {SECTION\_TITLE(1)}'
  - sideways=left

## Type

## BodyPageTemplate

## back\_matter\_page

**base:** page

Overrides these defaults:

- columns = 2

- `header_footer_distance = 0`

Type

## BodyPageTemplate

back\_matter\_right\_page  
base: back\_matter\_page

`base.back_matter_page`  
Overrides these defaults:

Overrides these defaults:

- header\_text = '\t' '\t' '{DOCUMENT\_TITLE}' ',

```
'{DOCUMENT_SUBTITLE}'  
• footer_text = '{SECTION_TITLE(1)}' '\t' '\t' '{PAGE_NUMBER}'  
• chapter_header_text = None  
• chapter_footer_text = '\t' '\t' '{PAGE_NUMBER}'  
• chapter_title_height = 2.5in  
• chapter_title_flowables = [<rinoh.paragraph.Paragraph object  
at 0x7f75b904cb00>]  
• sideways = right
```

Type

BodyPageTemplate

**back\_matter\_left\_page**

base: back\_matter\_page

Overrides these defaults:

- header\_text = '{DOCUMENT\_TITLE}' ' ', ' '{DOCUMENT\_SUBTITLE}'
- footer\_text = '{PAGE\_NUMBER}' '\t' '\t' '{SECTION\_TITLE(1)}'
- sideways = left

Type

BodyPageTemplate

**Configuration**

alias of BookConfiguration

**ConfigurationFile**

alias of BookConfigurationFile

# API Documentation

5

---

## Note

The API documentation is still incomplete.

---

### 5.1 Attribute (`rinoh.attribute`)

```
class rinoh.attribute.AcceptNoneAttributeType
    Accepts 'none' (besides other values)

class rinoh.attribute.OptionSet
    Accepts the values listed in values
    Accepts:

class rinoh.attribute.Attribute ( accepted_type, default_value, description )
    Descriptor used to describe a style attribute

class rinoh.attribute.OverrideDefault ( default_value )
    Overrides the default value of an attribute defined in a superclass

class rinoh.attribute.AttributesDictionary ( base=None, **attributes )

class rinoh.attribute.RuleSet ( name, base=None, source=None, **kwargs )
    find_source ( name )
        Find top-most ruleset where configuration name is defined

class rinoh.attribute.RuleSetFile ( filename, base=None, source=None, **kwargs )
    property location
        Textual representation of this source

    property root
        Directory path for resolving paths relative to this source

class rinoh.attribute.Bool
    Expresses a binary choice

class rinoh.attribute.Integer
    Accepts natural numbers

exception rinoh.attribute.ParseError
```

## 5.2 Color (`rinoh.color`)

```
class rinoh.color.Color( red, green, blue, alpha=1 )
```

Color defined by component values

Parameters

**red : float**

red component (0 .. 1)

**blue : float**

blue component (0 .. 1)

**green : float**

green component (0 .. 1)

**alpha : float**

opacity (0 .. 1)

**property rgba**

```
classmethod parse_string( string, source )
```

```
classmethod doc_format( )
```

```
class rinoh.color.HexColor( string )
```

Color defined as a hexadecimal string

Parameters

**string : str**

#RGBA or #RRGGBBAA (# and A are optional)

```
class rinoh.color.Gray( luminance, alpha=1 )
```

Shade of gray

Parameters

**luminance : float**

brightness (0 .. 1)

**alpha : float**

opacity (0 .. 1)

## 5.3 Dimension (`rinoh.dimension`)

Classes for expressing dimensions: lengths, widths, line thickness, etc.

Each dimension is expressed in terms of a unit. Several common units are defined here as constants. To create a new dimension, multiply number with a unit:

```
height = 100*PT  
width = 50*PERCENT
```

Fractional dimensions are evaluated within the context they are defined in. For example, the width of a Flowable is evaluated with respect to the total width available to it.

```
class rinoh.dimension.Dimension( value=0, unit=None )
```

A simple dimension

Parameters

**value : int or float**

the magnitude of the dimension

**unit : DimensionUnit**

the unit this dimension is expressed in. Default: PT.

**grow( value )**

Grow this dimension (in-place)

The value is interpreted as a magnitude expressed in the same unit as this dimension.

Parameters

**value : int or float**

the amount to add to the magnitude of this dimension

Returns

Dimension – this (growed) dimension itself

```
rinoh.dimension.PT = DimensionUnit(1.0, 'pt')  
PostScript points
```

```
rinoh.dimension.PICA = DimensionUnit(12.0, 'pc')  
computer pica
```

```
rinoh.dimension.INCH = DimensionUnit(72.0, 'in')  
imperial/US inch
```

```
rinoh.dimension.MM = DimensionUnit(2.8346456692913384, 'mm')  
millimeter
```

```
rinoh.dimension.CM = DimensionUnit(28.346456692913385, 'cm')  
centimeter
```

```
rinoh.dimension.PERCENT = FractionUnit(100, '%')  
fraction of 100
```

```
rinoh.dimension.QUARTERS = FractionUnit(4, '/4')  
fraction of 4
```

## 5.4 Document (rinoh.document)

```
class rinoh.document.DocumentTree (flowables, options=None, style=None, source=None)  
Holds the document's contents as a tree of flowables
```

Parameters

**flowables : list[Flowable]**

the list of top-level flowables

**options : Reader**

frontend-specific options

```
class rinoh.document.Document ( document_tree, stylesheet, language, strings=None,  
backend=None )
```

Renders a document tree to pages

Parameters

**document\_tree : DocumentTree**

a tree of the document's contents

**stylesheet** : StyleSheet  
style sheet used to style document elements

**language** : Language  
the language to use for standard strings

**strings** : Strings  
user-defined string variables and can override localized strings provided by *language*

**backend=None**  
the backend used for rendering the document

**render** (*filename\_root=None*, *file=None*)  
Render the document repeatedly until the output no longer changes due to cross-references that need some iterations to converge.

#### 5.4.1 Pages

**class rinoх.document.Page** ( *document\_part*, *number*, *paper*, *orientation='portrait'*, *display\_sideways=None* )

A single page in a document.

A Page is a Container, so other containers can be added as children.

Parameters

**document\_part** : DocumentPart  
the document part this page is part of

**number** : int  
the 1-based index of this page in the document part

**paper** : Paper  
determines the dimensions of this page

**orientation** : PageOrientation  
the orientation of this page

**display\_sideways** : Sideways  
display the page rotated

**property page**

Returns the page itself.

**render** ( )

Render the contents of this container to its canvas.

Note that the rendered contents need to be `place()`d on the parent container's canvas before they become visible.

**place** ( )

Place this container's canvas onto the parent container's canvas.

**class rinoх.document.PageOrientation**

Accepts: portrait, landscape

**class rinoх.document.PageType**

Accepts: left, right, any

**class rinoх.document.PageNumberFormat**

How (or if) page numbers are displayed

Accepts: none, number, symbol, lowercase character, uppercase character,

lowercase roman, uppercase roman, continue

## 5.5 Drawing Primitives (`rinoh.draw`)

```
class rinoh.draw.Stroke ( width, color )
    The display properties of a line
Parameters
    width : Dimension
        the width of the line
    color : Color
        the color of the line

class rinoh.draw.Line ( start, end, style=None, parent=None )
    Draws a line
Parameters
    start : 2-tuple
        coordinates for the start point of the line
    end : 2-tuple
        coordinates for the end point of the line
    style_class
        alias of LineStyle

class rinoh.draw.Shape ( style=None, parent=None )
    Base class for closed shapes
    style_class
        alias of ShapeStyle

class rinoh.draw.Polygon ( points, style=None, parent=None )

class rinoh.draw.Rectangle ( bottom_left, width, height, style=None, parent=None )
```

## 5.6 Flowable (`rinoh.flowable`)

```
class rinoh.flowable.Flowable ( align=None, width=None, id=None, style=None,
parent=None, source=None )
    A document element that can be “flowed” into a container on the page.
    A flowable can adapt to the width of the container, or it can horizontally align itself in
the container.
Parameters
    align : HorizontalAlignment
        horizontal alignment of the flowable
    width : FlowableWidth or DimensionBase
        the width of the flowable.

class rinoh.flowable.FlowableState ( flowable, _initial=True )
    Stores a flowable’s rendering state, which can be copied.
    This enables saving the rendering state at certain points in the rendering process, so
rendering can later be resumed at those points, if needed.
```

### 5.6.1 No-Output Flowables

These flowables do not directly place anything on the page. All except `DummyFlowable` do have side-effects however. Some of these side-effects affect the rendering of the document in an indirect way.

```
class rinoh.flowable.DummyFlowable ( id=None, parent=None )  
    A flowable that does not directly place anything on the page.  
    Subclasses can produce side-effects to affect the output in another way.
```

```
class rinoh.flowable.AnchorFlowable ( id=None, parent=None )  
    A dummy flowable that registers a destination anchor.  
    Places a destination for the flowable's ID at the current cursor position.
```

```
class rinoh.flowable.SetMetadataFlowable ( parent=None, **metadata )  
    A dummy flowable that stores metadata in the document.  
    The metadata is passed as keyword arguments. It will be available to other flowables  
    during the rendering stage.
```

```
class rinoh.flowable.WarnFlowable ( message, parent=None )  
    A dummy flowable that emits a warning during the rendering stage.  
Parameters
```

**message : str**  
the warning message to emit

```
class rinoh.flowable.PageBreak ( page_break='any' )
```

### 5.6.2 Labeled Flowables

```
class rinoh.flowable.LabeledFlowable ( label, flowable, id=None, style=None,  
parent=None )
```

A flowable with a label.  
The flowable and the label are rendered side-by-side. If the label exceeds the `label_max_width` style attribute value, the flowable is rendered below the label.

Parameters

**label : Flowable**  
the label for the flowable

**flowable : Flowable**  
the flowable to label

**style\_class**  
alias of `LabeledFlowableStyle`

**prepare ( flowable\_target )**  
Determine number labels and register references with the document

**render ( container, last\_descender, state, label\_column\_width=None, space\_below=0, \*\*kwargs )**  
Renders the flowable's content to `container`, with the flowable's top edge lining up with the container's cursor. `descender` is the descender height of the preceding line or `None`.

```
class rinoh.flowable.LabeledFlowableState ( flowable, content_flowable_state,  
_initial=True )
```

### 5.6.3 Grouping Flowables

```
class rinoх.flowable.GroupedFlowables ( align=None, width=None, id=None,
style=None, parent=None, source=None )  
    Groups a list of flowables and renders them one below the other.  
    Makes sure that a flowable for which keep_with_next is enabled is not seperated from  
    the flowable that follows it.  
    Subclasses should implement flowables().  
  
    style_class  
        alias of GroupedFlowablesStyle  
  
    flowables ( container )  
        Generator yielding the Flowables to group  
  
    render ( container, descender, state, first_line_only=False, **kwargs )  
        Renders the flowable's content to container, with the flowable's top edge lining up with  
        the container's cursor. descender is the descender height of the preceding line or None.  
  
class rinoх.flowable.GroupedFlowablesState ( groupedflowables, flowables,  
first_flowable_state=None, _initial=True, _index=0 )  
  
class rinoх.flowable.StaticGroupedFlowables ( flowables, align=None, width=None,  
id=None, style=None, parent=None, source=None )  
    Groups a static list of flowables.  
  
Parameters  
    flowables : iterable[Flowable]  
        the flowables to group  
  
    flowables ( container )  
        Generator yielding the Flowables to group  
  
    build_document ( flowable_target )  
        Set document metadata and populate front and back matter  
  
    prepare ( flowable_target )  
        Determine number labels and register references with the document  
  
class rinoх.flowable.GroupedLabeledFlowables ( align=None, width=None, id=None,  
style=None, parent=None, source=None )  
    Groups a list of labeled flowables, lining them up.  
  
    render ( container, descender, state, **kwargs )  
        Renders the flowable's content to container, with the flowable's top edge lining up with  
        the container's cursor. descender is the descender height of the preceding line or None.
```

### 5.6.4 Floating Flowables

```
class rinoх.flowable.Float ( align=None, width=None, id=None, style=None, parent=None,  
source=None )  
    A flowable that can optionally be placed elsewhere on the page.  
    If this flowable's float style attribute is set to True, it is not flowed in line with  
    the surrounding flowables, but it is instead flowed into another container pointed to by  
    the former's Container.float_space attribute.
```

This is typically used to place figures and tables at the top or bottom of a page, instead of in between paragraphs.

**style\_class**

alias of `FloatStyle`

**flow( container, last\_descender, state=None, \*\*kwargs )**

Flow this flowable into `container` and return the vertical space consumed.

The flowable's contents are preceded by a vertical space with a height as specified in its style's `space_above` attribute. Similarly, the flowed content is followed by a vertical space with a height given by the `space_below` style attribute.

## 5.6.5 Styling Properties

**class rinoх.flowable.HorizontalAlignment**

Controls horizontal placement

Accepts: `left`, `right`, `center`

**class rinoх.flowable.FlowableWidth**

Controls the width of a flowable

Accepts: `auto`, `fill` or a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

## 5.7 Fonts and Typefaces (`rinoх.font`)

Classes for fonts and typefaces.

**class rinoх.font.Font( filename, weight, slant, width )**

A collection of glyphs in a particular style

This is a base class for classes that parse different font formats. See `rinoх.font.type1` and `rinoх.font.opentype`.

Parameters

**filename : str**

filename of the font file to load

**weight : FontWeight**

weight of the font

**slant : FontSlant**

slant of the font

**width : FontWidth**

width of the font

**encoding**

If no encoding is set for the `Font`, glyphs are addressed by glyph ID (and thus support more than 256 glyphs).

**get\_glyph\_metrics( char, variant )**

Return the glyph metrics for a particular character

If the glyph of requested font variant is not present in the font, the `normal` variant is returned instead. If that is not present either, an exception is raised.

Parameters

**char : str of length 1**

the character for which to find the glyph

**variant : FontVariant**

the variant of the glyph to return

Returns

*GlyphMetrics* – the requested glyph metrics

Raises

**MissingGlyphException** – when the requested glyph is not present in the font

**get\_ligature ( *glyph*, *successor\_glyph* )**

Return the ligature to replace the given glyphs

If no ligature is defined in the font for the given glyphs, return `None`.

Parameters

**glyph : GlyphMetrics**

the first of the glyphs to combine

**successor\_glyph : GlyphMetrics**

the second of the glyphs to combine

Returns

*GlyphMetrics or None* – the ligature to replace the given glyphs

**get\_kerning ( *a*, *b* )**

Look up the kerning for two glyphs

Parameters

**a : GlyphMetrics**

the first of the glyphs

**b : GlyphMetrics**

the second of the glyphs

Returns

*float* – the kerning value in font units

**class rinoth.font.Typeface ( *name*, \**fonts* )**

A set of fonts that share common design features

The fonts collected in a typeface differ in weight, width and/or slant.

Parameters

**\*fonts**

the fonts that make up this typeface

**fonts ( )**

Generator yielding all fonts of this typeface

Yields

*Font* – the next font in this typeface

**get\_font ( *weight=400*, *slant='upright'*, *width=5* )**

Return the font matching or closest to the given style

If a font with the given weight, slant and width is available, return it. Otherwise, return the font that is closest in style.

Parameters

**weight : FontWeight**

weight of the font

**slant : FontSlant**  
     slant of the font  
**width : FontWidth**  
     width of the font

Returns  
*Font* – the requested font

```
class rinoh.font.style.FontWeight
    Accepts: hairline, thin, ultra-light, extra-light, light, regular, normal,
              book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold,
              black, heavy, extra-black, ultra-black

class rinoh.font.style.FontSlant
    Accepts: upright, oblique, italic

class rinoh.font.style.FontWidth
    Accepts: ultra-condensed, extra-condensed, condensed, semi-condensed,
              normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

class rinoh.font.style.FontVariant
    Accepts: normal, small capital, oldstyle figures

class rinoh.font.style.TextPosition
    Accepts: normal, superscript, subscript
```

## 5.8 Images and Figures (`rinoh.image`)

```
class rinoh.image.Image ( filename_or_file, scale=1.0, width=None, height=None, dpi=None,
                           rotate=0, limit_width=<rinoh.dimension.Fraction object>, align=None, alt=None, id=None, style=None,
                           parent=None, source=None )

class rinoh.image.InlineImage ( filename_or_file, scale=1.0, width=None, height=None,
                                 dpi=None, rotate=0, alt=None, baseline=None, id=None, style=None, parent=None, source=None )

arguments
alias of InlineImageArgs

class rinoh.image.BackgroundImage ( filename_or_file, scale=1.0, width=None, height=None,
                                     dpi=None, rotate=0, limit_width=<rinoh.dimension.Fraction object>, align=None, alt=None, id=None,
                                     style=None, parent=None, source=None )
    Image to place in the background of a page
    Takes the same arguments as Image.

arguments
alias of ImageArgs

class rinoh.image.ImageArgs ( base=None, **attributes )

limit_width
    Limit the image width when none of scale, width and height are given and
    the image would be wider than the container
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 100%
```

**align**

How to align the image within the page

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

**file\_or\_filename**

Path to the image file (inherited from ImageArgsBase)

*Accepts* ImagePath: path to an image file enclosed in quotes

*Default:* none

**scale**

Scaling factor for the image (inherited from ImageArgsBase)

*Accepts* Scale: fit, fill or a float larger than 0

*Default:* fit

**width**

The width to scale the image to (inherited from ImageArgsBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* none

**height**

The height to scale the image to (inherited from ImageArgsBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* none

**dpi**

Overrides the DPI value set in the image (inherited from ImageArgsBase)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**rotate**

Angle in degrees to rotate the image (inherited from ImageArgsBase)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**class rinoх.image.Scale**

Scaling factor for images

Can be a numerical value where a value of 1 keeps the image's original size or one of values.

*Accepts:* fit, fill or a float larger than 0

**class rinoх.image.Caption ( content, custom\_label=None, align=None, width=None, id=None, style=None, parent=None, source=None )****style\_class**

alias of CaptionStyle

**class rinoх.image.Figure ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )****style\_class**

alias of FigureStyle

```

class rinoh.image.ListOfFiguresSection
    list_class
        alias of ListOfFigures

class rinoh.image.ListOfFigures ( local=False, id=None, style=None, parent=None )

```

## 5.9 Index (rinoh.index)

```

class rinoh.index.IndexSection ( title=None, flowables=None, style=None )

class rinoh.index.Index ( id=None, style=None, parent=None )

    style_class
        alias of IndexStyle

    flowables ( container )
        Generator yielding the Flowables to group

class rinoh.index.IndexLabel ( content, custom_label=None, align=None, width=None,
    id=None, style=None, parent=None, source=None )

class rinoh.index.IndexTerm ( *levels )

class rinoh.index.InlineIndexTarget ( index_terms, *args, **kwargs )

    to_string ( flowable_target )
        Return the text content of this styled text.

class rinoh.index.IndexTarget ( index_terms, parent=None )

    flow ( container, last_descender, state=None, **kwargs )
        Flow this flowable into container and return the vertical space consumed.
        The flowable's contents are preceded by a vertical space with a height as specified in its
        style's space_above attribute. Similarly, the flowed content is followed by a vertical space
        with a height given by the space_below style attribute.

```

## 5.10 Language (rinoh.language)

```

class rinoh.language.Language ( code, name, **localized_strings )
    Collects localized strings for a particular language

    Parameters

        code : str
            short code identifying the language

        name : str
            native name of the language

        paragraph
            label for referencing paragraphs

        section
            label for referencing sections

        chapter
            label for top-level sections

```

**figure**  
caption label for figures

**table**  
caption label for tables

**listing**  
caption label for (source code) listings

**contents**  
title for the table of contents section

**list\_of\_figures**  
title for the list of figures section

**list\_of\_tables**  
title for the list of tables section

**index**  
title for the index section

**attention**  
title for attention admonitions

**caution**  
title for caution admonitions

**danger**  
title for danger admonitions

**error**  
title for error admonitions

**hint**  
title for hint admonitions

**important**  
title for important admonitions

**note**  
title for note admonitions

**tip** title for tip admonitions

**warning**  
title for warning admonitions

**seealso**  
title for see-also admonitions

**languages**  
Dictionary mapping codes to Languages

The following languages are supported:

`rinoh.language.CS = Language('cs', 'Česky')`

Localized strings for Česky :figure: Obrázek :table: Tabulka :contents: Obsah :list\_of\_figures: Seznam obrázků :list\_of\_tables: Seznam tabulek :chapter: Kapitola :index: Rejstřík :attention: Pozor! :caution: Pozor! :danger: !NEBEZPEČÍ! :error: Chyba :hint: Poznámka :important: Důležité :note: Poznámka :tip: Tip :warning: Varování :seealso: Viz také

`rinoh.language.EN = Language('en', 'English')`

Localized strings for English :paragraph: Paragraph :section: Section :chapter: Chapter :figure: Figure :table: Table :listing: Listing :contents: Table of Contents :list\_of\_figures: List of Figures :list\_of\_tables: List of Tables :index: Index :attention: Attention! :caution: Caution! :danger: !DANGER! :error: Error :hint: Hint :important: Important :note: Note :tip: Tip :warning: Warning :seealso: See also

```

rinoh.language.ES = Language('es', 'Spanish')
    Localized strings for Spanish :figure: Figura :table: Tabla :contents: Contenidos :list_of_figures: Índice de figuras :list_of_tables: Índice de tablas :chapter: Capítulo :index: Índice :attention: ¡Atención! :caution: ¡Cuidado! :danger: ¡PELIGRO! :error: Error :hint: Pista :important: Importante :note: Nota :tip: Consejo :warning: Precaución :seealso: Vea también

rinoh.language.FR = Language('fr', 'Français')
    Localized strings for Français :figure: Figure :table: Tableau :contents: Table des Matières :list_of_figures: Liste des Figures :list_of_tables: Liste des Tableaux :chapter: Chapitre :index: Index :attention: Attention! :caution: Prudence! :danger: !DANGER! :error: Erreur :hint: Conseil :important: Important :note: Note :tip: Astuce :warning: Avertissement :seealso: Voir aussi

rinoh.language.HU = Language('hu', 'Hungarian')
    Localized strings for Hungarian :contents: Tartalomjegyzék :list_of_figures: Ábrák Listája :list_of_tables: Asztalok Listája :chapter: Fejezet :index: Index :attention: Figyelem! :caution: Vigyázat!! :danger: !VESZÉLY! :error: Hiba :hint: Tanács :important: Fontos :note: Megjegyzés :tip: Tipp :warning: Figyelmezhetés :seealso: Lásd még

rinoh.language.IT = Language('it', 'Italiano')
    Localized strings for Italiano :figure: Figura :table: Tabelle :contents: Contenuti :list_of_figures: Elenco delle Figure :list_of_tables: Elenco delle Tabelle :chapter: Capitolo :index: Indice :attention: Attenzione! :caution: Prudenza! :danger: !PERICOLO! :error: Errore :hint: Consiglio :important: Importante :note: Nota :tip: Suggerimento :warning: Avvertimento :seealso: Vedi anche

rinoh.language.NL = Language('nl', 'Nederlands')
    Localized strings for Nederlands :paragraph: Paragraaf :section: Sectie :chapter: Hoofdstuk :figure: Figuur :table: Tabel :listing: Lijst :contents: Inhoudsopgave :list_of_figures: Lijst van Figuren :list_of_tables: Lijst van Tabellen :index: Index :attention: Opgelet! :caution: Pas op! :danger: !GEVAAR! :error: Fout :hint: Hint :important: Belangrijk :note: Noot :tip: Tip :warning: Waarschuwing :seealso: Zie ook

rinoh.language.PL = Language('pl', 'Polski')
    Localized strings for Polski :figure: Ilustracja :table: Tabela :contents: Spis Treści :list_of_figures: Spis Ilustracji :list_of_tables: Spis Tabel :chapter: Rozdział :index: Skorowidz :attention: Uwaga! :caution: Ostrożnie! :danger: !NIEBEZPIECZEŃSTWO! :error: Błąd :hint: Wskazówka :important: Ważne :note: Notatka :tip: Porada :warning: Ostrzeżenie :seealso: Zobacz również

```

## 5.11 Number (`rinoh.number`)

```

class rinoh.number.NumberFormat
    How (or if) numbers are displayed
    Instead of a numbering format, it's possible to supply a custom label (StyledText) to show instead of the number.
    Accepts: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

class rinoh.number.Label (custom_label=None)
    Mixin class that formats a label
    Parameters
        custom_label : StyledText
            a frontend can supply a custom label to use instead of an automatically deter-

```

mined label (typically a number)

```
class rinoh.number.LabelStyle (base=None, **attributes)
```

Style class for Label

**label\_prefix**

Text to prepend to the label

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified

*Accepts* `Bool`: true or false

*Default:* false

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

```
class rinoh.number.NumberStyle (base=None, **attributes)
```

Style class for Number

**number\_format**

How numbers are formatted

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* number

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: `true` or `false`

*Default*: `false`

```
rinoh.number.format_number(number, format)  
Format number according the given format (NumberFormat)
```

## 5.12 Paper sizes (`rinoh.paper`)

The `Paper` class and a number of predefined paper formats.

```
class rinoh.paper.Paper(name, width, height)
```

Defines a paper size.

Parameters

**name : str**

the name of this paper type

**width : Dimension**

the (portrait) width of this paper type

**height : Dimension**

the (portrait) height of this paper type

```
rinoh.paper.A0 = Paper('A0', width=841*MM, height=1189*MM)
```

```
rinoh.paper.A1 = Paper('A1', width=594*MM, height=841*MM)
```

```
rinoh.paper.A2 = Paper('A2', width=420*MM, height=594*MM)
```

```
rinoh.paper.A3 = Paper('A3', width=297*MM, height=420*MM)
```

```
rinoh.paper.A4 = Paper('A4', width=210*MM, height=297*MM)
```

```
rinoh.paper.A5 = Paper('A5', width=148*MM, height=210*MM)
```

```
rinoh.paper.A6 = Paper('A6', width=105*MM, height=148*MM)
```

```
rinoh.paper.A7 = Paper('A7', width=74*MM, height=105*MM)
```

```
rinoh.paper.A8 = Paper('A8', width=52*MM, height=74*MM)
```

```
rinoh.paper.A9 = Paper('A9', width=37*MM, height=52*MM)
```

```
rinoh.paper.A10 = Paper('A10', width=26*MM, height=37*MM)
```

```
rinoh.paper.LETTER = Paper('letter', width=8.5*INCH, height=11*INCH)
```

```
rinoh.paper.LEGAL = Paper('legal', width=8.5*INCH, height=14*INCH)
```

```
rinoh.paper.JUNIOR_LEGAL = Paper('junior legal', width=8*INCH,  
height=5*INCH)
```

```
rinoh.paper.LEDGER = Paper('ledger', width=17*INCH, height=11*INCH)
```

```
rinoh.paper.TABLOID = Paper('tabloid', width=11*INCH, height=17*INCH)
```

## 5.13 Paragraph (`rinoh.paragraph`)

```
class rinoh.paragraph.ParagraphBase ( custom_label=None, align=None, width=None, id=None, style=None, parent=None, source=None )
```

Base class for paragraphs

A paragraph holds styled text and other line elements to be flowed into a container.

**style\_class**

alias of `ParagraphStyle`

**prepare** (*flowable\_target*)

Determine number labels and register references with the document

**render** (*container*, *descender*, *state*, *space\_below=0*, *first\_line\_only=False*)

Typeset the paragraph

The paragraph is typeset in the given container starting below the current cursor position of the container. When the end of the container is reached, the rendering state is preserved to continue setting the rest of the paragraph when this method is called with a new container.

Parameters

**container : Container**

the container to render to

**descender : float or None**

descender height of the preceding line

**state : ParagraphState**

the state where rendering will continue

**first\_line\_only : bool**

typeset only the first line

```
class rinoh.paragraph.Paragraph ( content, custom_label=None, align=None, width=None, id=None, style=None, parent=None, source=None )
```

```
class rinoh.paragraph.ParagraphState ( paragraph, language, span_index=0, group_index=0, nested_flowable_state=None, _first_word=None, _initial=True )
```

### 5.13.1 Styled Text (`rinoh.text`)

```
class rinoh.text.StyledText ( id=None, style=None, parent=None, source=None )
```

Base class for text that has a `TextStyle` associated with it.

**to\_string** (*flowable\_target*)

Return the text content of this styled text.

**is\_script** (*container*)

Returns `True` if this styled text is super/subscript.

**script\_level** (*container*)

Nesting level of super/subscript.

**height** (*container*)

Font size after super/subscript size adjustment.

**y\_offset** (*container*)  
Vertical baseline offset (up is positive).

**property items**  
The list of items in this StyledText.

**style\_class**  
alias of TextStyle

**class rinoх.text.SingleStyledText** (*text, style=None, parent=None, source=None*)  
Text with a single style applied

**class rinoх.text.MixedStyledText** (*text\_or\_items, id=None, style=None, parent=None, source=None*)  
Concatenation of styled text

Parameters

- text\_or\_items** : str, StyledText or iterable of these  
mixed styled text
- style=None**  
see Styled
- parent=None**  
see DocumentElement

**prepare** (*flowable\_target*)  
Determine number labels and register references with the document

**append** (*item*)  
Append *item* (StyledText or str) to the end of this mixed-styled text.  
The parent of *item* is set to this mixed-styled text.

**property items**  
The list of items in this StyledText.

**copy** (*parent=None*)  
Return a shallow copy of the list.

**class rinoх.text.Locale**  
Selects a language

**class rinoх.text.NoBreakAfter** (*iterable=(), /*)  
List of words after which no line break will be allowed

### 5.13.2 Inline Elements (rinoх.inline)

**class rinoх.inline.InlineFlowable** (*baseline=None, id=None, style=None, parent=None, source=None*)

**style\_class**  
alias of InlineFlowableStyle

### 5.13.3 Styling Properties

**class rinoх.paragraph.TextAlign**  
Text justification

Accepts: left, right, center, justify

### Line Spacing

**class** rinoх.paragraph.**LineSpacing**

Base class for line spacing types

Line spacing is defined as the distance between the baselines of two consecutive lines of text in a paragraph.

**advance** ( *line, last\_descender, container* )

Return the distance between the descender of the previous line and the baseline of the current line.

**class** rinoх.paragraph.**DefaultSpacing**

The default line spacing as specified by the font.

**advance** ( *line, last\_descender, container* )

Return the distance between the descender of the previous line and the baseline of the current line.

**class** rinoх.paragraph.**ProportionalSpacing** ( *factor* )

Line spacing proportional to the line height

Parameters

**factor : float**

amount by which the line height is multiplied to obtain the line spacing

**advance** ( *line, last\_descender, container* )

Return the distance between the descender of the previous line and the baseline of the current line.

**class** rinoх.paragraph.**FixedSpacing** ( *pitch, minimum=ProportionalSpacing(1.0)* )

Fixed line spacing, with optional minimum spacing

Parameters

**pitch : Dimension**

the distance between the baseline of two consecutive lines of text

**minimum : LineSpacing**

the minimum line spacing to prevents lines with large fonts (or inline elements) from overlapping; set to *None* if no minimum is required, set to *None*

**advance** ( *line, last\_descender, container* )

Return the distance between the descender of the previous line and the baseline of the current line.

**class** rinoх.paragraph.**Leading** ( *leading* )

Line spacing determined by the space in between two lines

Parameters

**leading : Dimension**

the space between the bottom of a line and the top of the next line of text

**advance** ( *line, last\_descender, container* )

Return the distance between the descender of the previous line and the baseline of the current line.

The following standard line spacings have been predefined:

```

rinoh.paragraph.DEFAULT = DefaultSpacing()
    The default line spacing as specified by the font.

rinoh.paragraph.STANDARD = ProportionalSpacing(1.2)
    Line spacing of 1.2 times the line height.

rinoh.paragraph.SINGLE = ProportionalSpacing(1.0)
    Line spacing equal to the line height (no leading).

rinoh.paragraph.DOUBLE = ProportionalSpacing(2.0)
    Line spacing of double the line height.

```

### Tabulation

```

class rinoh.paragraph.TabAlign
    Alignment of text with respect to a tab stop
    Accepts: left, right, center

class rinoh.paragraph.TabStop ( position, align='left', fill=None )
    Horizontal position for aligning text of successive lines
    Parameters
        position
            tab stop position
        align : TabAlign
            the alignment of text with respect to the tab stop position
        fill : str
            string pattern to fill the empty tab space with
    get_position ( line_width )
        Return the absolute position of this tab stop.

class rinoh.paragraph.TabStopList ( iterable=() )
    List of tab stop positions (with alignment and fill string)

```

### 5.13.4 Rendering Internals

```

class rinoh.paragraph.Glyph ( metrics, width, char )
class rinoh.paragraph.GlyphsSpan ( span, chars_to_glyphs, glyphs=[] )

```

### 5.13.5 Miscellaneous Internals

```
class rinoh.paragraph.HyphenatorStore
```

## 5.14 Cross-References and Fields (`rinoh.reference`)

```

class rinoh.reference.Reference ( target_id, *args, **kwargs )
class rinoh.reference.ReferenceField ( type=None, custom_title=None, style=None,
parent=None, source=None )

```

```

class rinoх.reference.ReferenceText ( id=None, style=None, parent=None, source=None )

class rinoх.reference.ReferenceType
    Accepts: reference, number, title, page, custom

class rinoх.reference.ReferencingParagraph ( target_id_or_flowable, id=None, style=None, parent=None )

style_class
    alias of ReferencingParagraphStyle

target_style ( document )
    Filter selection on the style attribute of the target flowable

target_has_class ( document )
    Filter selection on a class of the target flowable

target_has_classes ( document )
    Filter selection on a set of classes of the target flowable

target_is_of_type ( document )
    Filter selection on the type of the target flowable

class rinoх.reference.Note ( flowable, id=None, style=None, parent=None )

style_class
    alias of NoteStyle

flow ( container, last_descender, state=None, footnote=False, **kwargs )
    Flow this flowable into container and return the vertical space consumed.
    The flowable's contents are preceded by a vertical space with a height as specified in its
    style's space_above attribute. Similarly, the flowed content is followed by a vertical space
    with a height given by the space_below style attribute.

class rinoх.reference.NoteMarkerBase ( custom_label=None, **kwargs )

style_class
    alias of NoteMarkerStyle

prepare ( flowable_target )
    Determine number labels and register references with the document

class rinoх.reference.NoteMarkerByID ( target_id, *args, **kwargs )

class rinoх.reference.NoteMarkerWithNote ( referenceable, type='number', **kwargs )

prepare ( flowable_target )
    Determine number labels and register references with the document

class rinoх.reference.Field ( type, id=None, style=None, parent=None, source=None )

```

## 5.15 Structure (`rinoh.structure`)

### 5.15.1 Sections

```
class rinoh.structure.Section ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )
    A subdivision of a document
    A section usually has a heading associated with it, which is optionally numbered.

class rinoh.structure.Heading ( content, custom_label=None, align=None, width=None, id=None, style=None, parent=None, source=None )
    The title for a section
    Parameters
        content : StyledText
            this heading's text
        style_class
            alias of HeadingStyle
    prepare ( container )
        Determine number labels and register references with the document
    flow ( container, last_descender, state=None, **kwargs )
        Flow this flowable into container and return the vertical space consumed.
        The flowable's contents are preceded by a vertical space with a height as specified in its
        style's space_above attribute. Similarly, the flowed content is followed by a vertical space
        with a height given by the space_below style attribute.
```

### 5.15.2 Lists

```
class rinoh.structure.List ( list_items, start_index=1, id=None, style=None, parent=None )
    style_class
        alias of ListStyle

class rinoh.structure.DefinitionList ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )
```

### 5.15.3 Table of Contents

```
class rinoh.structure.TableOfContentsSection

class rinoh.structure.TableOfContents ( local=False, id=None, style=None, parent=None )
    style_class
        alias of TableOfContentsStyle
    flowables ( container )
        Generator yielding the Flowables to group
```

```

class rinoх.structure.TableOfContentsEntry ( flowable, id=None, style=None,  

parent=None )

style_class  

    alias of TableOfContentsEntryStyle

```

#### 5.15.4 Admitions

```

class rinoх.structure.Admonition ( flowables, title=None, type=None, id=None,  

style=None, parent=None )

style_class  

    alias of AdmonitionStyle

flowables ( container )  

    Generator yielding the Flowables to group

```

#### 5.15.5 Horizontal Rule

```

class rinoх.structure.HorizontalRule ( align=None, width=None, id=None, style=None,  

parent=None, source=None )

style_class  

    alias of HorizontalRuleStyle

render ( container, descender, state, **kwargs )  

    Renders the flowable's content to container, with the flowable's top edge lining up with  

    the container's cursor. descender is the descender height of the preceding line or None.

```

### 5.16 Strings (rinoх.strings)

```

class rinoх.strings.Strings  

    Stores several StringCollections

class rinoх.strings.StringField ( key, style=None, parent=None, source=None,  

user=False )  

    Styled text that will be substituted with a configured string  

    The displayed string is either the localized string as determined by the language set for  

    the document or the user-supplied string passed to the TemplateConfiguration.

```

### 5.17 Style (rinoх.style)

```

class rinoх.style.Styled ( id=None, style=None, parent=None, source=None )  

    A document element who's style can be configured.

Parameters

style : str, Style  

    the style to associate with this element. If style is a string, the corresponding style  

    is lookup up in the document's style sheet by means of selectors.

style_class  

    The Style subclass that corresponds to this Styled subclass.

```

```

configuration_class = None

property has_id
    Filter selection on an ID of this Styled

property has_class
    Filter selection on a class of this Styled

property has_classes
    Filter selection on a set of classes of this Styled

class rinoх.style.Style (base=None, **attributes)
    Dictionary storing style attributes.
    The style attributes associated with this Style are specified as class attributes of type Attribute.
    Style attributes can also be accessed as object attributes.

hide
    Suppress rendering this element
    Accepts Bool: true or false
    Default: false

```

### 5.17.1 Style Sheet

```

class rinoх.style.StyleSheet (name, matcher=None, base=None, source=None, description=None, pygments_style=None, **user_options)
    Dictionary storing a collection of related styles by name.
    Styles stored in a StyleSheet can refer to their base style by name.

Parameters
    name : str
        a label for this style sheet
    matcher : StyledMatcher
        the matcher providing the selectors the styles contained in this style sheet map to.
        If no matcher is given and base is specified, the base's matcher is used. If base is not set, the default matcher is used.
    base : StyleSheet or str
        the style sheet to extend
    description : str
        a short string describing this style sheet
    pygments_style : str
        the Pygments style to use for styling code blocks

get_selector ( name )
    Find a selector mapped to a style in this or a base style sheet.

Parameters
    name : str
        a style name

Returns
    Selector – the selector mapped to the style name

Raises
    KeyError – if the style name was not found in this or a base style sheet

```

```
class rinoh.style.StyleSheetFile (filename, base=None, source=None, **kwargs)
    Loads styles defined in a .rts file (INI format).

Parameters
    filename : str
        the path to the style sheet file
    StyleSheetFile takes the same optional arguments as StyleSheet. These can also be
    specified in the [STYLESHEET] section of the style sheet file. If an argument is specified in
    both places, the one passed as an argument overrides the one specified in the style sheet
    file.

class rinoh.style.StyledMatcher (mapping_or_iterable=None, **kwargs)
    Dictionary mapping labels to selectors.
    This matcher can be initialized in the same way as a dict by passing a mapping, an iterable
    and/or keyword arguments.

    update ( **F [, E] ) → None. Update D from dict/iterable E and F.
        If E is present and has a .keys() method, then does: for k in E: D[k] = E[k]
        If E is present and lacks a .keys() method, then does: for k, v in E: D[k] = v
        In either case, this is followed by: for k in F: D[k] = F[k]
```

## 5.18 Tables (rinoh.table)

```
class rinoh.table.Table (body, head=None, align=None, width=None, column_widths=None,
id=None, style=None, parent=None)
    style_class
        alias of TableStyle

    prepare (flowable_target)
        Determine number labels and register references with the document

    render (container, last_descender, state, space_below=0, **kwargs)
        Renders the flowable's content to container, with the flowable's top edge lining up with
        the container's cursor. descender is the descender height of the preceding line or None.

class rinoh.table.TableWithCaption (flowables, align=None, width=None, id=None,
style=None, parent=None, source=None)
    style_class
        alias of TableWithCaptionStyle

class rinoh.table.TableSection (rows, style=None, parent=None)
    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoh.table.TableHead (rows, style=None, parent=None)
class rinoh.table.TableBody (rows, style=None, parent=None)
class rinoh.table.TableRow (cells, style=None, parent=None)
    prepare (flowable_target)
        Determine number labels and register references with the document
```

```

get_rowspanned_columns( )
    Return a dictionary mapping column indices to the number of columns spanned.

class rinohtable.TableCell ( flowables, rowspan=1, colspan=1, id=None, style=None, parent=None )
    style_class
        alias of TableCellStyle

class rinohtable.TableCellBorder ( rendered_cell, cell_height, position, style=None )
    style_class
        alias of TableCellBorderStyle

class rinohtable.TableCellBackground ( bottom_left, width, height, style=None, parent=None )
    style_class
        alias of TableCellBackgroundStyle

class rinohtable.VerticalAlign
    Accepts: top, middle, bottom

class rinohtable.ListOfTables ( local=False, id=None, style=None, parent=None )

class rinohtable.ListOfTablesSection
    list_class
        alias of ListOfTables

```

## 5.19 Templates (`rinohtemplate`)

### 5.19.1 Documents

Document templates are created by subclassing `DocumentTemplate`, just like the Chapter 4 shipped with `riñohtype`.

```

class rinohtemplate.DocumentTemplate ( document_tree, configuration=None, backend=None )
    Template for documents

    Parameters
        document_tree : DocumentTree
            a tree of the document's contents
        configuration : TemplateConfiguration
            configuration for this template
        backend=None
            the backend used for rendering the document

    language
        The main language of the document
        Accepts Language: the code of one of the supported languages
        Default: EN (English)

```

**strings**

Strings to override standard element names

*Accepts* Strings: strings need to be entered in INI in a section named ‘STRINGS’

*Default:* none

**stylesheet**

The stylesheet to use for styling document elements

*Accepts* StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file (with the .rts extension)

*Default:* sphinx (= rinoth.stylesheets.sphinx)

**parts**

The parts making up this document

*Accepts* PartsList: a space-separated list of document part template names

*Default:* (empty list)

**Configuration**

alias of DocumentTemplateConfiguration

**ConfigurationFile**

alias of DocumentTemplateConfigurationFile

Document templates can be customized by setting values for the configuration attributes defined in a DocumentTemplate subclass in a TemplateConfiguration. A template configuration can be passed as *configuration* on template instantiation. However, it is better to make use of the `document` method, however.

```
class rinoth.template.TemplateConfiguration ( name, base=None, source=None, template=None, description=None, **options )
```

Stores a configuration for a DocumentTemplate

Parameters

**name : str**

a label for this template configuration

**base : TemplateConfiguration**

the template configuration to extend

**template : DocumentTemplateMeta or str**

the document template to configure

**description : str**

a short string describing this style sheet

**\*\*options**

configuration values for the configuration attributes defined by the document template

**template = None**

The DocumentTemplate subclass to configure

**document ( document\_tree, backend=None )**

Create a DocumentTemplate object based on the given document tree and this template configuration

Parameters

**document\_tree : DocumentTree**

tree of the document’s contents

**backend=None**

the backend to use when rendering the document

```
class rinoh.template.PartsList (*parts)
    Stores the names of the document part templates making up a document
    Parameters
        parts : list[str]
            the names of the document parts
```

## 5.19.2 Document Parts

```
class rinoh.template.DocumentPart (template, document, flowables, last_number_format)
    Part of a document.
    Parameters
        template : DocumentPartTemplate
            the template that determines the contents and style of this document part
        document : Document
            the document this part belongs to
        flowables : list[Flowable]
            the flowables to render in this document part
        configuration_class
            alias of DocumentPartTemplate
        add_page (page)
            Append page (Page) to this DocumentPart.
        new_page (page_number, chain, new_chapter, sideways=False)
            Called by render() with the Chain`'s that need more
            :class:`Container`'s. This method should create a new
            :class:`Page` which contains a container associated with chain.
```

The document part templates which are listed by name in `DocumentTemplate.parts` are looked up as attributes of the `DocumentTemplate` subclass. They are instances of `DocumentPartTemplate` subclasses:

```
class rinoh.template.DocumentPartTemplate (base=None, **attributes)
    A template that produces a document part
    The document part is created given a set of flowables, and page templates. The latter are
    looked up in the TemplateConfiguration where this part template was.

    page_number_prefix
        Text to place in front of the page number.
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
        string is a quoted string (' or "), optionally followed by a style name enclosed in
        braces: 'text string' (style name)
        Default: (no value)

    page_number_format
        The format for page numbers in this document part.
        Accepts PageNumberFormat: none, number, symbol, lowercase character,
        uppercase character, lowercase roman, uppercase roman, continue
        Default: number

    end_at_page
        The type of page to end this document part on
        Accepts PageType: left, right, any
```

*Default:* any

**drop\_if\_empty**

Exclude this part from the document if it is empty (no flowables)

*Accepts* Bool: true or false

*Default:* true

The following document part templates are used in the standard document templates:

**class rinoх.template.TitlePartTemplate ( base=None, \*\*attributes )**

The title page of a document.

**drop\_if\_empty**

Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)

*Accepts* Bool: true or false

*Default:* false (overrides DocumentPartTemplate default)

**page\_number\_prefix**

Text to place in front of the page number. (inherited from DocumentPartTemplate)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**page\_number\_format**

The format for page numbers in this document part. (inherited from DocumentPartTemplate)

*Accepts* PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default:* number

**end\_at\_page**

The type of page to end this document part on (inherited from DocumentPartTemplate)

*Accepts* PageType: left, right, any

*Default:* any

**class rinoх.template.ContentsPartTemplate ( base=None, \*\*attributes )**

The body of a document.

Renders all of the content present in the DocumentTree passed to the DocumentTemplate.

**page\_number\_prefix**

Text to place in front of the page number. (inherited from DocumentPartTemplate)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**page\_number\_format**

The format for page numbers in this document part. (inherited from DocumentPartTemplate)

*Accepts* PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default:* number

```

end_at_page
    The type of page to end this document part on (inherited from DocumentPartTemplate)
    Accepts PageType: left, right, any
    Default: any

drop_if_empty
    Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)
    Accepts Bool: true or false
    Default: true

class rinoх.template.FixedDocumentPartTemplate ( base=None, **attributes )
    A document part template that renders a fixed list of flowables

flowables
    The list of flowables to include in this document part
    Accepts FlowablesList: Python source code that represents a list of Flowables
    Default: []

page_number_prefix
    Text to place in front of the page number. (inherited from DocumentPartTemplate)
    Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
    Default: (no value)

page_number_format
    The format for page numbers in this document part. (inherited from DocumentPartTemplate)
    Accepts PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue
    Default: number

end_at_page
    The type of page to end this document part on (inherited from DocumentPartTemplate)
    Accepts PageType: left, right, any
    Default: any

drop_if_empty
    Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)
    Accepts Bool: true or false
    Default: true

```

### 5.19.3 Page Templates

The document templates make use of page templates:

```

class rinoх.template.BodyPageTemplateBase ( base=None, **attributes )

header_footer_distance
    Distance of the header and footer to the content area
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 14pt

```

**columns**

The number of columns for the body text

*Accepts* Integer: a natural number (positive integer)

*Default:* 1

**column\_spacing**

The spacing between columns

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 1cm

**header\_text**

The text to place in the page header

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '{SECTION\_NUMBER(1)}' ' ' '{SECTION\_TITLE(1)}'

**footer\_text**

The text to place in the page footer

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '\t' '{PAGE\_NUMBER}' '/' '{NUMBER\_OF\_PAGES}'

**page\_size**

The format of the pages in the document (inherited from PageTemplateBase)

*Accepts* Paper: the name of a Section 5.12 or <width> \* <height> where width and height are Dimensions

*Default:* A4

**page\_orientation**

The orientation of pages in the document (inherited from PageTemplateBase)

*Accepts* PageOrientation: portrait, landscape

*Default:* portrait

**left\_margin**

The margin size on the left of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**right\_margin**

The margin size on the right of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**top\_margin**

The margin size at the top of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**bottom\_margin**

The margin size at the bottom of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**background**

An image to place in the background of the page (inherited from PageTemplateBase)

*Accepts* BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

*Default:* none

**after\_break\_background**

An image to place in the background after a page break (inherited from PageTemplateBase)

*Accepts* BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

*Default:* none

**sideways**

Rotate sideways pages to the left or right (inherited from PageTemplateBase)

*Accepts* Sideways: left, right

*Default:* right

```
class rinoh.template.BodyPageTemplate( base=None, **attributes )
```

**chapter\_header\_text**

The text to place in the header on a page that starts a new chapter

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**chapter\_footer\_text**

The text to place in the footer on a page that starts a new chapter

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**chapter\_title\_flowables**

Generator that yields the flowables to represent the chapter title

*Accepts* FlowablesList: Python source code that represents a list of Flowables

*Default:* none

**chapter\_title\_height**

The height of the container holding the chapter title

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 150pt

**header\_footer\_distance**

Distance of the header and footer to the content area (inherited from BodyPageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 14pt

**columns**

The number of columns for the body text (inherited from BodyPageTemplateBase)

*Accepts* Integer: a natural number (positive integer)

*Default:* 1

#### **column\_spacing**

The spacing between columns (inherited from `BodyPageTemplateBase`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 1cm

#### **header\_text**

The text to place in the page header (inherited from `BodyPageTemplateBase`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '{SECTION\_NUMBER(1)}' ' ' '{SECTION\_TITLE(1)}'

#### **footer\_text**

The text to place in the page footer (inherited from `BodyPageTemplateBase`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '\t' '{PAGE\_NUMBER}' ' / ' '{NUMBER\_OF\_PAGES}'

#### **page\_size**

The format of the pages in the document (inherited from `PageTemplateBase`)

*Accepts Paper:* the name of a Section 5.12 or `<width> * <height>` where width and height are Dimensions

*Default:* A4

#### **page\_orientation**

The orientation of pages in the document (inherited from `PageTemplateBase`)

*Accepts PageOrientation:* portrait, landscape

*Default:* portrait

#### **left\_margin**

The margin size on the left of the page (inherited from `PageTemplateBase`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **right\_margin**

The margin size on the right of the page (inherited from `PageTemplateBase`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **top\_margin**

The margin size at the top of the page (inherited from `PageTemplateBase`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **bottom\_margin**

The margin size at the bottom of the page (inherited from `PageTemplateBase`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **background**

An image to place in the background of the page (inherited from `PageTemplateBase`)

*Accepts BackgroundImage:* filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that deter-

mine how the image is displayed

*Default:* none

#### **after\_break\_background**

An image to place in the background after a page break (inherited from PageTemplateBase)

*Accepts* BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

*Default:* none

#### **sideways**

Rotate sideways pages to the left or right (inherited from PageTemplateBase)

*Accepts* Sideways: left, right

*Default:* right

```
class rinoth.template.TitlePageTemplate( base=None, **attributes )
```

#### **extra**

Extra text to include on the title page below the title

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **page\_size**

The format of the pages in the document (inherited from PageTemplateBase)

*Accepts* Paper: the name of a Section 5.12 or <width> \* <height> where width and height are Dimensions

*Default:* A4

#### **page\_orientation**

The orientation of pages in the document (inherited from PageTemplateBase)

*Accepts* PageOrientation: portrait, landscape

*Default:* portrait

#### **left\_margin**

The margin size on the left of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

#### **right\_margin**

The margin size on the right of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

#### **top\_margin**

The margin size at the top of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

#### **bottom\_margin**

The margin size at the bottom of the page (inherited from PageTemplateBase)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**background**

An image to place in the background of the page (inherited from `PageTemplateBase`)

*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed

*Default:* none

**after\_break\_background**

An image to place in the background after a page break (inherited from `PageTemplateBase`)

*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed

*Default:* none

**sideways**

Rotate sideways pages to the left or right (inherited from `PageTemplateBase`)

*Accepts* `Sideways`: `left`, `right`

*Default:* `right`

The base class for these collects the common options:

```
class rinoth.template.PageTemplateBase ( base=None, **attributes )
```

**page\_size**

The format of the pages in the document

*Accepts* `Paper`: the name of a Section 5.12 or `<width> * <height>` where width and height are `Dimensions`

*Default:* A4

**page\_orientation**

The orientation of pages in the document

*Accepts* `PageOrientation`: `portrait`, `landscape`

*Default:* `portrait`

**left\_margin**

The margin size on the left of the page

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

**right\_margin**

The margin size on the right of the page

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

**top\_margin**

The margin size at the top of the page

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

**bottom\_margin**

The margin size at the bottom of the page

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

**background**

An image to place in the background of the page

*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed

*Default:* none

**after\_break\_background**

An image to place in the background after a page break

*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed

*Default:* none

**sideways**

Rotate sideways pages to the left or right

*Accepts* `Sideways`: `left`, `right`

*Default:* `right`

# Python Module Index

r

rinoh

- rinoh.attribute, 97
- rinoh.color, 98
- rinoh.dimension, 98
- rinoh.document, 99
- rinoh.draw, 101
- rinoh.flowable, 101
- rinoh.font, 104
- rinoh.font.style, 106
- rinoh.image, 106
- rinoh.index, 108
- rinoh.inline, 114
- rinoh.language, 108
- rinoh.number, 110
- rinoh.paper, 112
- rinoh.paragraph, 113
- rinoh.reference, 116
- rinoh.strings, 119
- rinoh.structure, 118
- rinoh.style, 119
- rinoh.stylesheets, 11
- rinoh.table, 121
- rinoh.template, 122
- rinoh.templates.article, 91
- rinoh.templates.book, 92
- rinoh.text, 113



# Index

## Symbols

- docs  
    rinoh command line option, 6
- format  
    rinoh command line option, 5
- help  
    rinoh command line option, 5
- install-resources  
    rinoh command line option, 5
- list-fonts  
    rinoh command line option, 6
- list-formats  
    rinoh command line option, 6
- list-options  
    rinoh command line option, 6
- list-stylesheets  
    rinoh command line option, 5
- list-templates  
    rinoh command line option, 5
- option  
    rinoh command line option, 5
- output  
    rinoh command line option, 5
- paper  
    rinoh command line option, 5
- stylesheet  
    rinoh command line option, 5
- template  
    rinoh command line option, 5
- version  
    rinoh command line option, 6
- versions  
    rinoh command line option, 6
- f  
    rinoh command line option, 5
- h  
    rinoh command line option, 5
- i  
    rinoh command line option, 5
- O  
    rinoh command line option, 5
- o

rinoh command line option, 5

-p     rinoh command line option, 5

-s     rinoh command line option, 5

-t     rinoh command line option, 5

**A**

A0 (in module rinoх.paper), 112

A1 (in module rinoх.paper), 112

A10 (in module rinoх.paper), 112

A2 (in module rinoх.paper), 112

A3 (in module rinoх.paper), 112

A4 (in module rinoх.paper), 112

A5 (in module rinoх.paper), 112

A6 (in module rinoх.paper), 112

A7 (in module rinoх.paper), 112

A8 (in module rinoх.paper), 112

A9 (in module rinoх.paper), 112

abstract\_location (rinoх.templates.article.Article attribute), 91

AbstractLocation (class in rinoх.templates.article), 92

AcceptNoneAttributeType (class in rinoх.attribute), 97

add\_page() (rinoх.template.DocumentPart method), 124

Admonition (class in rinoх.structure), 119

AdmonitionStyle (class in rinoх.structure), 79

advance() (rinoх.paragraph.DefaultSpacing method), 115

advance() (rinoх.paragraph.FixedSpacing method), 115

advance() (rinoх.paragraph.Leading method), 115

advance() (rinoх.paragraph.LineSpacing method), 115

advance() (rinoх.paragraph.ProportionalSpacing method), 115

after (rinoх.image.CaptionStyle attribute), 32

after (rinoх.inline.InlineFlowableStyle attribute), 46

after (rinoх.paragraph.ParagraphStyle attribute), 41

after (rinoх.reference.NoteMarkerStyle attribute), 53

after (rinoх.reference.ReferencingParagraphStyle attribute), 51

after (rinoх.structure.HeadingStyle attribute), 60

after (rinoх.structure.ListItemLabelStyle attribute), 68

after (rinoх.structure.TableOfContentsEntryStyle attribute), 79

after (rinoх.structure.TableOfContentsStyle attribute), 74

after (rinoх.text.TextStyle attribute), 43

after\_break\_background (rinoх.template.BodyPageTemplate attribute), 130

after\_break\_background (rinoх.template.BodyPageTemplateBase attribute), 128

after\_break\_background (rinoх.template.PageTemplateBase attribute), 132

after\_break\_background (rinoх.template.TitlePageTemplate attribute), 131

align (rinoх.image.ImageArgs attribute), 107

align\_baselines (rinoх.flowable.LabeledFlowableStyle attribute), 20

AnchorFlowable (class in rinoх.flowable), 102

append() (rinoх.text.MixedStyledText method), 114

arguments (rinoх.image.BackgroundImage attribute), 106

arguments (rinoх.image.InlineImage attribute), 106

Article (class in rinoх.templates.article), 91

Attribute (class in rinoх.attribute), 97

AttributesDictionary (class in rinoх.attribute), 97

**B**

back\_matter (rinoх.templates.book.Book attribute), 93

back\_matter\_left\_page (`rinoh.templates.book.Book` attribute), 96  
back\_matter\_page (`rinoh.templates.book.Book` attribute), 95  
back\_matter\_right\_page (`rinoh.templates.book.Book` attribute), 95  
background (`rinoh.template.BodyPageTemplate` attribute), 129  
background (`rinoh.template.BodyPageTemplateBase` attribute), 128  
background (`rinoh.template.PageTemplateBase` attribute), 132  
background (`rinoh.template.TitlePageTemplate` attribute), 131  
background\_color (`rinoh.flowable.FloatStyle` attribute), 27  
background\_color (`rinoh.flowable.FlowableStyle` attribute), 20  
background\_color (`rinoh.flowable.GroupedFlowablesStyle` attribute), 25  
background\_color (`rinoh.flowable.LabeledFlowableStyle` attribute), 22  
background\_color (`rinoh.image.CaptionStyle` attribute), 30  
background\_color (`rinoh.image.FigureStyle` attribute), 34  
background\_color (`rinoh.index.IndexStyle` attribute), 36  
background\_color (`rinoh.inline.InlineFlowableStyle` attribute), 45  
background\_color (`rinoh.paragraph.ParagraphStyle` attribute), 39  
background\_color (`rinoh.reference.ReferencingParagraphStyle` attribute), 48  
background\_color (`rinoh.structure.AdmonitionStyle` attribute), 81  
background\_color (`rinoh.structure.HeadingStyle` attribute), 58  
background\_color (`rinoh.structure.HorizontalRuleStyle` attribute), 83  
background\_color (`rinoh.structure.ListItemLabelStyle` attribute), 66  
background\_color (`rinoh.structure.ListStyle` attribute), 63  
background\_color (`rinoh.structure.SectionStyle` attribute), 55  
background\_color (`rinoh.structure.TableOfContentsEntryStyle` attribute), 76  
background\_color (`rinoh.structure.TableOfContentsStyle` attribute), 71  
background\_color (`rinoh.table.TableCellStyle` attribute), 88  
background\_color (`rinoh.table.TableStyle` attribute), 85  
BackgroundImage (class in `rinoh.image`), 106  
baseline (`rinoh.inline.InlineFlowableStyle` attribute), 43  
before (`rinoh.image.CaptionStyle` attribute), 32  
before (`rinoh.inline.InlineFlowableStyle` attribute), 45  
before (`rinoh.paragraph.ParagraphStyle` attribute), 41  
before (`rinoh.reference.NoteMarkerStyle` attribute), 53  
before (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
before (`rinoh.structure.HeadingStyle` attribute), 60  
before (`rinoh.structure.ListItemLabelStyle` attribute), 68  
before (`rinoh.structure.TableOfContentsEntryStyle` attribute), 78  
before (`rinoh.structure.TableOfContentsStyle` attribute), 74  
before (`rinoh.text.TextStyle` attribute), 43  
BodyPageTemplate (class in `rinoh.template`), 128  
BodyPageTemplateBase (class in `rinoh.template`), 126  
Book (class in `rinoh.templates.book`), 92  
Bool (class in `rinoh.attribute`), 97  
border (`rinoh.flowable.FloatStyle` attribute), 26  
border (`rinoh.flowable.FlowableStyle` attribute), 19  
border (`rinoh.flowable.GroupedFlowablesStyle` attribute), 24  
border (`rinoh.flowable.LabeledFlowableStyle` attribute), 22  
border (`rinoh.image.CaptionStyle` attribute), 29  
border (`rinoh.image.FigureStyle` attribute), 33  
border (`rinoh.index.IndexStyle` attribute), 36  
border (`rinoh.inline.InlineFlowableStyle` attribute), 45  
border (`rinoh.paragraph.ParagraphStyle` attribute), 39  
border (`rinoh.reference.ReferencingParagraphStyle` attribute), 48  
border (`rinoh.structure.AdmonitionStyle` attribute), 80  
border (`rinoh.structure.HeadingStyle` attribute), 58  
border (`rinoh.structure.HorizontalRuleStyle` attribute), 82  
border (`rinoh.structure.ListItemLabelStyle` attribute), 66  
border (`rinoh.structure.ListStyle` attribute), 62

border (rinoh.structure.SectionStyle attribute), 55  
border (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border (rinoh.structure.TableOfContentsStyle attribute), 70  
border (rinoh.table.TableCellStyle attribute), 87  
border (rinoh.table.TableStyle attribute), 85  
border\_bottom (rinoh.flowable.FloatStyle attribute), 27  
border\_bottom (rinoh.flowable.FlowableStyle attribute), 20  
border\_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_bottom (rinoh.image.CaptionStyle attribute), 29  
border\_bottom (rinoh.image.FigureStyle attribute), 34  
border\_bottom (rinoh.index.IndexStyle attribute), 36  
border\_bottom (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_bottom (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_bottom (rinoh.structure.AdmonitionStyle attribute), 81  
border\_bottom (rinoh.structure.HeadingStyle attribute), 58  
border\_bottom (rinoh.structure.HorizontalRuleStyle attribute), 83  
border\_bottom (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_bottom (rinoh.structure.ListStyle attribute), 63  
border\_bottom (rinoh.structure.SectionStyle attribute), 55  
border\_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_bottom (rinoh.structure.TableOfContentsStyle attribute), 71  
border\_bottom (rinoh.table.TableCellStyle attribute), 88  
border\_bottom (rinoh.table.TableStyle attribute), 85  
border\_left (rinoh.flowable.FloatStyle attribute), 26  
border\_left (rinoh.flowable.FlowableStyle attribute), 19  
border\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_left (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_left (rinoh.image.CaptionStyle attribute), 29  
border\_left (rinoh.image.FigureStyle attribute), 33  
border\_left (rinoh.index.IndexStyle attribute), 36  
border\_left (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_left (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_left (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_left (rinoh.structure.AdmonitionStyle attribute), 80  
border\_left (rinoh.structure.HeadingStyle attribute), 58  
border\_left (rinoh.structure.HorizontalRuleStyle attribute), 82  
border\_left (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_left (rinoh.structure.ListStyle attribute), 62  
border\_left (rinoh.structure.SectionStyle attribute), 55  
border\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_left (rinoh.structure.TableOfContentsStyle attribute), 70  
border\_left (rinoh.table.TableCellStyle attribute), 87  
border\_left (rinoh.table.TableStyle attribute), 85  
border\_right (rinoh.flowable.FloatStyle attribute), 26  
border\_right (rinoh.flowable.FlowableStyle attribute), 19  
border\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_right (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_right (rinoh.image.CaptionStyle attribute), 29  
border\_right (rinoh.image.FigureStyle attribute), 33  
border\_right (rinoh.index.IndexStyle attribute), 36  
border\_right (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_right (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_right (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_right (rinoh.structure.AdmonitionStyle attribute), 81  
border\_right (rinoh.structure.HeadingStyle attribute), 58  
border\_right (rinoh.structure.HorizontalRuleStyle attribute), 83

border\_right (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_right (rinoh.structure.ListStyle attribute), 63  
border\_right (rinoh.structure.SectionStyle attribute), 55  
border\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_right (rinoh.structure.TableOfContentsStyle attribute), 70  
border\_right (rinoh.table.TableCellStyle attribute), 87  
border\_right (rinoh.table.TableStyle attribute), 85  
border\_top (rinoh.flowable.FloatStyle attribute), 27  
border\_top (rinoh.flowable.FlowableStyle attribute), 20  
border\_top (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_top (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_top (rinoh.image.CaptionStyle attribute), 29  
border\_top (rinoh.image.FigureStyle attribute), 33  
border\_top (rinoh.index.IndexStyle attribute), 36  
border\_top (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_top (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_top (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_top (rinoh.structure.AdmonitionStyle attribute), 81  
border\_top (rinoh.structure.HeadingStyle attribute), 58  
border\_top (rinoh.structure.HorizontalRuleStyle attribute), 83  
border\_top (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_top (rinoh.structure.ListStyle attribute), 63  
border\_top (rinoh.structure.SectionStyle attribute), 55  
border\_top (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_top (rinoh.structure.TableOfContentsStyle attribute), 70  
border\_top (rinoh.table.TableCellStyle attribute), 88  
border\_top (rinoh.table.TableStyle attribute), 85  
bottom\_margin (rinoh.template.BodyPageTemplate attribute), 129  
bottom\_margin (rinoh.template.BodyPageTemplateBase attribute), 127  
bottom\_margin (rinoh.template.PageTemplateBase attribute), 131  
bottom\_margin (rinoh.template.TitlePageTemplate attribute), 130  
build\_document() (rinoh.flowable.StaticGroupedFlowables method), 103  
bullet (rinoh.structure.ListStyle attribute), 61

## C

Caption (class in rinoh.image), 107  
CaptionStyle (class in rinoh.image), 27  
chapter\_footer\_text (rinoh.template.BodyPageTemplate attribute), 128  
chapter\_header\_text (rinoh.template.BodyPageTemplate attribute), 128  
chapter\_title\_flowables (rinoh.template.BodyPageTemplate attribute), 128  
chapter\_title\_height (rinoh.template.BodyPageTemplate attribute), 128  
CM (in module rinoh.dimension), 99  
Color (class in rinoh.color), 98  
column\_spacing (rinoh.template.BodyPageTemplate attribute), 129  
column\_spacing (rinoh.template.BodyPageTemplateBase attribute), 127  
column\_widths (rinoh.table.TableStyle attribute), 83  
columns (rinoh.template.BodyPageTemplate attribute), 128  
columns (rinoh.template.BodyPageTemplateBase attribute), 127  
Configuration (rinoh.template.DocumentTemplate attribute), 123  
Configuration (rinoh.templates.article.Article attribute), 92  
Configuration (rinoh.templates.book.Book attribute), 96  
configuration\_class (rinoh.style.Styled attribute), 120  
configuration\_class (rinoh.template.DocumentPart attribute), 124  
ConfigurationFile (rinoh.template.DocumentTemplate attribute), 123  
ConfigurationFile (rinoh.templates.article.Article attribute), 92  
ConfigurationFile (rinoh.templates.book.Book attribute), 96  
contents (rinoh.templates.article.Article attribute), 91

contents (rinoh.templates.book.Book attribute), 93  
contents\_left\_page (rinoh.templates.book.Book attribute), 95  
contents\_page (rinoh.templates.article.Article attribute), 92  
contents\_page (rinoh.templates.book.Book attribute), 95  
contents\_right\_page (rinoh.templates.book.Book attribute), 95  
ContentsPartTemplate (class in rinoh.template), 125  
copy() (rinoh.text.MixedStyledText method), 114  
cover (rinoh.templates.book.Book attribute), 93  
cover\_page (rinoh.templates.book.Book attribute), 94  
CS (in module rinoh.language), 109  
custom\_label (rinoh.image.CaptionStyle attribute), 30  
custom\_label (rinoh.number.LabelStyle attribute), 111  
custom\_label (rinoh.number.NumberStyle attribute), 111  
custom\_label (rinoh.paragraph.ParagraphStyle attribute), 40  
custom\_label (rinoh.reference.NoteMarkerStyle attribute), 53  
custom\_label (rinoh.reference.ReferencingParagraphStyle attribute), 49  
custom\_label (rinoh.structure.HeadingStyle attribute), 59  
custom\_label (rinoh.structure.ListItemLabelStyle attribute), 67  
custom\_label (rinoh.structure.ListStyle attribute), 64  
custom\_label (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
custom\_label (rinoh.structure.TableOfContentsStyle attribute), 72

## D

DEFAULT (in module rinoh.paragraph), 116  
DefaultSpacing (class in rinoh.paragraph), 115  
DefinitionList (class in rinoh.structure), 118  
depth (rinoh.structure.TableOfContentsStyle attribute), 69  
Dimension (class in rinoh.dimension), 98  
doc\_format() (rinoh.color.Color class method), 98  
Document (class in rinoh.document), 99  
document() (rinoh.template.TemplateConfiguration method), 123  
DocumentPart (class in rinoh.template), 124  
DocumentPartTemplate (class in rinoh.template), 124  
DocumentTemplate (class in rinoh.template), 122  
DocumentTree (class in rinoh.document), 99  
DOUBLE (in module rinoh.paragraph), 116  
dpi (rinoh.image.ImageArgs attribute), 107  
drop\_if\_empty (rinoh.template.ContentsPartTemplate attribute), 126  
drop\_if\_empty (rinoh.template.DocumentPartTemplate attribute), 125  
drop\_if\_empty (rinoh.template.FixedDocumentPartTemplate attribute), 126  
drop\_if\_empty (rinoh.template.TitlePartTemplate attribute), 125  
DummyFlowable (class in rinoh.flowable), 102

## E

EN (in module rinoh.language), 109  
encoding (rinoh.font.Font attribute), 104  
end\_at\_page (rinoh.template.ContentsPartTemplate attribute), 126  
end\_at\_page (rinoh.template.DocumentPartTemplate attribute), 124  
end\_at\_page (rinoh.template.FixedDocumentPartTemplate attribute), 126  
end\_at\_page (rinoh.template.TitlePartTemplate attribute), 125  
ES (in module rinoh.language), 110  
extra (rinoh.template.TitlePageTemplate attribute), 130

## F

Field (class in rinoh.reference), 117  
Figure (class in rinoh.image), 107  
FigureStyle (class in rinoh.image), 32

file\_or\_filename (rinoh.image.ImageArgs attribute), 107  
fill\_color (rinoh.draw.ShapeStyle attribute), 18  
fill\_color (rinoh.table.TableCellBackgroundStyle attribute), 88  
find\_source() (rinoh.attribute.RuleSet method), 97  
FixedDocumentPartTemplate (class in rinoh.template), 126  
FixedSpacing (class in rinoh.paragraph), 115  
Float (class in rinoh.flowable), 103  
float (rinoh.flowable.FloatStyle attribute), 25  
float (rinoh.image.FigureStyle attribute), 32  
FloatStyle (class in rinoh.flowable), 25  
flow() (rinoh.flowable.Float method), 104  
flow() (rinoh.index.IndexTarget method), 108  
flow() (rinoh.reference.Note method), 117  
flow() (rinoh.structure.Heading method), 118  
Flowable (class in rinoh.flowable), 101  
flowable\_spacing (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
flowable\_spacing (rinoh.image.FigureStyle attribute), 34  
flowable\_spacing (rinoh.index.IndexStyle attribute), 35  
flowable\_spacing (rinoh.structure.AdmonitionStyle attribute), 79  
flowable\_spacing (rinoh.structure.ListStyle attribute), 61  
flowable\_spacing (rinoh.structure.SectionStyle attribute), 54  
flowable\_spacing (rinoh.structure.TableOfContentsStyle attribute), 69  
flowable\_spacing (rinoh.table.TableCellStyle attribute), 86  
flowables (rinoh.template.FixedDocumentPartTemplate attribute), 126  
flowables() (rinoh.flowable.GroupedFlowables method), 103  
flowables() (rinoh.flowable.StaticGroupedFlowables method), 103  
flowables() (rinoh.index.Index method), 108  
flowables() (rinoh.structure.Admonition method), 119  
flowables() (rinoh.structure.TableOfContents method), 118  
FlowableState (class in rinoh.flowable), 101  
FlowableStyle (class in rinoh.flowable), 18  
FlowableWidth (class in rinoh.flowable), 104  
Font (class in rinoh.font), 104  
font\_color (rinoh.image.CaptionStyle attribute), 31  
font\_color (rinoh.paragraph.ParagraphStyle attribute), 40  
font\_color (rinoh.reference.NoteMarkerStyle attribute), 52  
font\_color (rinoh.reference.ReferencingParagraphStyle attribute), 50  
font\_color (rinoh.structure.HeadingStyle attribute), 59  
font\_color (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_color (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
font\_color (rinoh.structure.TableOfContentsStyle attribute), 73  
font\_color (rinoh.text.TextStyle attribute), 42  
font\_size (rinoh.image.CaptionStyle attribute), 31  
font\_size (rinoh.paragraph.ParagraphStyle attribute), 40  
font\_size (rinoh.reference.NoteMarkerStyle attribute), 52  
font\_size (rinoh.reference.ReferencingParagraphStyle attribute), 49  
font\_size (rinoh.structure.HeadingStyle attribute), 59  
font\_size (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_size (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
font\_size (rinoh.structure.TableOfContentsStyle attribute), 73  
font\_size (rinoh.text.TextStyle attribute), 42  
font\_slant (rinoh.image.CaptionStyle attribute), 30  
font\_slant (rinoh.paragraph.ParagraphStyle attribute), 40  
font\_slant (rinoh.reference.NoteMarkerStyle attribute), 51  
font\_slant (rinoh.reference.ReferencingParagraphStyle attribute), 49  
font\_slant (rinoh.structure.HeadingStyle attribute), 59  
font\_slant (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_slant (rinoh.structure.TableOfContentsEntryStyle attribute), 77

font\_slant (rinoh.structure.TableOfContentsStyle attribute), 72  
font\_slant (rinoh.text.TextStyle attribute), 42  
font\_variant (rinoh.image.CaptionStyle attribute), 31  
font\_variant (rinoh.paragraph.ParagraphStyle attribute), 41  
font\_variant (rinoh.reference.NoteMarkerStyle attribute), 52  
font\_variant (rinoh.reference.ReferencingParagraphStyle attribute), 50  
font\_variant (rinoh.structure.HeadingStyle attribute), 60  
font\_variant (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_variant (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
font\_variant (rinoh.structure.TableOfContentsStyle attribute), 73  
font\_variant (rinoh.text.TextStyle attribute), 42  
font\_weight (rinoh.image.CaptionStyle attribute), 30  
font\_weight (rinoh.paragraph.ParagraphStyle attribute), 40  
font\_weight (rinoh.reference.NoteMarkerStyle attribute), 51  
font\_weight (rinoh.reference.ReferencingParagraphStyle attribute), 49  
font\_weight (rinoh.structure.HeadingStyle attribute), 59  
font\_weight (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_weight (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
font\_weight (rinoh.structure.TableOfContentsStyle attribute), 72  
font\_weight (rinoh.text.TextStyle attribute), 42  
font\_width (rinoh.image.CaptionStyle attribute), 30  
font\_width (rinoh.paragraph.ParagraphStyle attribute), 40  
font\_width (rinoh.reference.NoteMarkerStyle attribute), 51  
font\_width (rinoh.reference.ReferencingParagraphStyle attribute), 49  
font\_width (rinoh.structure.HeadingStyle attribute), 59  
font\_width (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_width (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
font\_width (rinoh.structure.TableOfContentsStyle attribute), 72  
font\_width (rinoh.text.TextStyle attribute), 42  
fonts() (rinoh.font.Typeface method), 105  
FontSlant (class in rinoh.font.style), 106  
FontVariant (class in rinoh.font.style), 106  
FontWeight (class in rinoh.font.style), 106  
FontSize (class in rinoh.font.style), 106  
footer\_text (rinoh.template.BodyPageTemplate attribute), 129  
footer\_text (rinoh.template.BodyPageTemplateBase attribute), 127  
format\_number() (in module rinoh.number), 112  
FR (in module rinoh.language), 110  
front\_matter (rinoh.templates.book.Book attribute), 93  
front\_matter\_left\_page (rinoh.templates.book.Book attribute), 94  
front\_matter\_page (rinoh.templates.book.Book attribute), 94  
front\_matter\_right\_page (rinoh.templates.book.Book attribute), 94

## G

get\_font() (rinoh.font.Typeface method), 105  
get\_glyph\_metrics() (rinoh.font.Font method), 104  
get\_kerning() (rinoh.font.Font method), 105  
get\_ligature() (rinoh.font.Font method), 105  
get\_position() (rinoh.paragraph.TabStop method), 116  
get\_rowspanned\_columns() (rinoh.table.TableRow method), 122  
get\_selector() (rinoh.style.StyleSheet method), 120  
Glyph (class in rinoh.paragraph), 116  
GlyphsSpan (class in rinoh.paragraph), 116  
Gray (class in rinoh.color), 98  
GroupedFlowables (class in rinoh.flowable), 103  
GroupedFlowablesState (class in rinoh.flowable), 103  
GroupedFlowablesStyle (class in rinoh.flowable), 23

GroupedLabeledFlowables (class in `rinoh.flowable`), 103  
`grow()` (`rinoh.dimension.Dimension` method), 99

## H

`has_class` (`rinoh.style.Styled` property), 120  
`has_classes` (`rinoh.style.Styled` property), 120  
`has_id` (`rinoh.style.Styled` property), 120  
`header_footer_distance` (`rinoh.template.BodyPageTemplate` attribute), 128  
`header_footer_distance` (`rinoh.template.BodyPageTemplateBase` attribute), 126  
`header_text` (`rinoh.template.BodyPageTemplate` attribute), 129  
`header_text` (`rinoh.template.BodyPageTemplateBase` attribute), 127  
Heading (class in `rinoh.structure`), 118  
HeadingStyle (class in `rinoh.structure`), 56  
`height` (`rinoh.image.ImageArgs` attribute), 107  
`height()` (`rinoh.text.StyledText` method), 113  
HexColor (class in `rinoh.color`), 98  
`hide` (`rinoh.draw.LineStyle` attribute), 18  
`hide` (`rinoh.draw.Style` attribute), 18  
`hide` (`rinoh.flowable.FloatStyle` attribute), 27  
`hide` (`rinoh.flowable.FlowableStyle` attribute), 20  
`hide` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 25  
`hide` (`rinoh.flowable.LabeledFlowableStyle` attribute), 22  
`hide` (`rinoh.image.CaptionStyle` attribute), 32  
`hide` (`rinoh.image.FigureStyle` attribute), 34  
`hide` (`rinoh.index.IndexStyle` attribute), 37  
`hide` (`rinoh.inline.InlineFlowableStyle` attribute), 45  
`hide` (`rinoh.number.LabelStyle` attribute), 111  
`hide` (`rinoh.number.NumberStyle` attribute), 112  
`hide` (`rinoh.paragraph.ParagraphStyle` attribute), 39  
`hide` (`rinoh.reference.NoteMarkerStyle` attribute), 53  
`hide` (`rinoh.reference.ReferencingParagraphStyle` attribute), 51  
`hide` (`rinoh.structure.AdmonitionStyle` attribute), 81  
`hide` (`rinoh.structure.HeadingStyle` attribute), 61  
`hide` (`rinoh.structure.HorizontalRuleStyle` attribute), 83  
`hide` (`rinoh.structure.ListItemLabelStyle` attribute), 68  
`hide` (`rinoh.structure.ListStyle` attribute), 63  
`hide` (`rinoh.structure.SectionStyle` attribute), 56  
`hide` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 79  
`hide` (`rinoh.structure.TableOfContentsStyle` attribute), 71  
`hide` (`rinoh.style.Style` attribute), 120  
`hide` (`rinoh.table.TableCellBackgroundColor` attribute), 89  
`hide` (`rinoh.table.TableCellBorderStyle` attribute), 88  
`hide` (`rinoh.table.TableCellStyle` attribute), 88  
`hide` (`rinoh.table.TableStyle` attribute), 86  
`hide` (`rinoh.text.TextStyle` attribute), 43  
`horizontal_align` (`rinoh.flowable.FloatStyle` attribute), 25  
`horizontal_align` (`rinoh.flowable.FlowableStyle` attribute), 18  
`horizontal_align` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
`horizontal_align` (`rinoh.flowable.LabeledFlowableStyle` attribute), 21  
`horizontal_align` (`rinoh.image.CaptionStyle` attribute), 28  
`horizontal_align` (`rinoh.image.FigureStyle` attribute), 32  
`horizontal_align` (`rinoh.index.IndexStyle` attribute), 35  
`horizontal_align` (`rinoh.inline.InlineFlowableStyle` attribute), 44  
`horizontal_align` (`rinoh.paragraph.ParagraphStyle` attribute), 38  
`horizontal_align` (`rinoh.reference.ReferencingParagraphStyle` attribute), 47  
`horizontal_align` (`rinoh.structure.AdmonitionStyle` attribute), 79  
`horizontal_align` (`rinoh.structure.HeadingStyle` attribute), 57

horizontal\_align (rinoh.structure.HorizontalRuleStyle attribute), 81  
horizontal\_align (rinoh.structure.ListItemLabelStyle attribute), 65  
horizontal\_align (rinoh.structure.ListStyle attribute), 61  
horizontal\_align (rinoh.structure.SectionStyle attribute), 54  
horizontal\_align (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
horizontal\_align (rinoh.structure.TableOfContentsStyle attribute), 69  
horizontal\_align (rinoh.table.TableCellStyle attribute), 86  
horizontal\_align (rinoh.table.TableStyle attribute), 84  
HorizontalAlignment (class in rinoh.flowable), 104  
HorizontalRule (class in rinoh.structure), 119  
HorizontalRuleStyle (class in rinoh.structure), 81  
HU (in module rinoh.language), 110  
hyphen\_chars (rinoh.image.CaptionStyle attribute), 31  
hyphen\_chars (rinoh.paragraph.ParagraphStyle attribute), 41  
hyphen\_chars (rinoh.reference.NoteMarkerStyle attribute), 52  
hyphen\_chars (rinoh.reference.ReferencingParagraphStyle attribute), 50  
hyphen\_chars (rinoh.structure.HeadingStyle attribute), 60  
hyphen\_chars (rinoh.structure.ListItemLabelStyle attribute), 68  
hyphen\_chars (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
hyphen\_chars (rinoh.structure.TableOfContentsStyle attribute), 73  
hyphen\_chars (rinoh.text.TextStyle attribute), 43  
hyphen\_lang (rinoh.image.CaptionStyle attribute), 31  
hyphen\_lang (rinoh.paragraph.ParagraphStyle attribute), 41  
hyphen\_lang (rinoh.reference.NoteMarkerStyle attribute), 52  
hyphen\_lang (rinoh.reference.ReferencingParagraphStyle attribute), 50  
hyphen\_lang (rinoh.structure.HeadingStyle attribute), 60  
hyphen\_lang (rinoh.structure.ListItemLabelStyle attribute), 68  
hyphen\_lang (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
hyphen\_lang (rinoh.structure.TableOfContentsStyle attribute), 73  
hyphen\_lang (rinoh.text.TextStyle attribute), 43  
hyphenate (rinoh.image.CaptionStyle attribute), 31  
hyphenate (rinoh.paragraph.ParagraphStyle attribute), 41  
hyphenate (rinoh.reference.NoteMarkerStyle attribute), 52  
hyphenate (rinoh.reference.ReferencingParagraphStyle attribute), 50  
hyphenate (rinoh.structure.HeadingStyle attribute), 60  
hyphenate (rinoh.structure.ListItemLabelStyle attribute), 68  
hyphenate (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
hyphenate (rinoh.structure.TableOfContentsStyle attribute), 73  
hyphenate (rinoh.text.TextStyle attribute), 43  
HyphenatorStore (class in rinoh.paragraph), 116

|  
Image (class in rinoh.image), 106  
ImageArgs (class in rinoh.image), 106  
INCH (in module rinoh.dimension), 99  
indent\_first (rinoh.image.CaptionStyle attribute), 27  
indent\_first (rinoh.paragraph.ParagraphStyle attribute), 37  
indent\_first (rinoh.reference.ReferencingParagraphStyle attribute), 46  
indent\_first (rinoh.structure.HeadingStyle attribute), 56  
indent\_first (rinoh.structure.ListItemLabelStyle attribute), 64  
indent\_first (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
indent\_first (rinoh.structure.TableOfContentsStyle attribute), 71  
Index (class in rinoh.index), 108  
IndexLabel (class in rinoh.index), 108  
IndexSection (class in rinoh.index), 108  
IndexStyle (class in rinoh.index), 34  
IndexTarget (class in rinoh.index), 108

IndexTerm (class in `rinoh.index`), 108  
initials (`rinoh.index.IndexStyle` attribute), 34  
`inline_title` (`rinoh.structure.AdmonitionStyle` attribute), 79  
`InlineFlowable` (class in `rinoh.inline`), 114  
`InlineFlowableStyle` (class in `rinoh.inline`), 43  
`InlineImage` (class in `rinoh.image`), 106  
`InlineIndexTarget` (class in `rinoh.index`), 108  
`input`  
    `rinoh` command line option, 5  
`Integer` (class in `rinoh.attribute`), 97  
`is_script()` (`rinoh.text.StyledText` method), 113  
`IT` (in module `rinoh.language`), 110  
`items` (`rinoh.text.MixedStyledText` property), 114  
`items` (`rinoh.text.StyledText` property), 114

## J

`JUNIOR_LEGAL` (in module `rinoh.paper`), 112

## K

`keep_with_next` (`rinoh.flowable.FloatStyle` attribute), 26  
`keep_with_next` (`rinoh.flowable.FlowableStyle` attribute), 19  
`keep_with_next` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 24  
`keep_with_next` (`rinoh.flowable.LabeledFlowableStyle` attribute), 22  
`keep_with_next` (`rinoh.image.CaptionStyle` attribute), 29  
`keep_with_next` (`rinoh.image.FigureStyle` attribute), 33  
`keep_with_next` (`rinoh.index.IndexStyle` attribute), 36  
`keep_with_next` (`rinoh.inline.InlineFlowableStyle` attribute), 45  
`keep_with_next` (`rinoh.paragraph.ParagraphStyle` attribute), 39  
`keep_with_next` (`rinoh.reference.ReferencingParagraphStyle` attribute), 48  
`keep_with_next` (`rinoh.structure.AdmonitionStyle` attribute), 80  
`keep_with_next` (`rinoh.structure.HeadingStyle` attribute), 56  
`keep_with_next` (`rinoh.structure.HorizontalRuleStyle` attribute), 82  
`keep_with_next` (`rinoh.structure.ListItemLabelStyle` attribute), 66  
`keep_with_next` (`rinoh.structure.ListStyle` attribute), 62  
`keep_with_next` (`rinoh.structure.SectionStyle` attribute), 55  
`keep_with_next` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 76  
`keep_with_next` (`rinoh.structure.TableOfContentsStyle` attribute), 70  
`keep_with_next` (`rinoh.table.TableCellStyle` attribute), 87  
`keep_with_next` (`rinoh.table.TableStyle` attribute), 85  
`kerning` (`rinoh.image.CaptionStyle` attribute), 31  
`kerning` (`rinoh.paragraph.ParagraphStyle` attribute), 41  
`kerning` (`rinoh.reference.NoteMarkerStyle` attribute), 52  
`kerning` (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
`kerning` (`rinoh.structure.HeadingStyle` attribute), 60  
`kerning` (`rinoh.structure.ListItemLabelStyle` attribute), 68  
`kerning` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 78  
`kerning` (`rinoh.structure.TableOfContentsStyle` attribute), 73  
`kerning` (`rinoh.text.TextStyle` attribute), 42

## L

`Label` (class in `rinoh.number`), 110  
`label_max_width` (`rinoh.flowable.LabeledFlowableStyle` attribute), 20  
`label_min_width` (`rinoh.flowable.LabeledFlowableStyle` attribute), 20  
`label_prefix` (`rinoh.image.CaptionStyle` attribute), 30  
`label_prefix` (`rinoh.number.LabelStyle` attribute), 111  
`label_prefix` (`rinoh.number.NumberStyle` attribute), 111  
`label_prefix` (`rinoh.paragraph.ParagraphStyle` attribute), 40

label\_prefix (rinoh.reference.NoteMarkerStyle attribute), 53  
label\_prefix (rinoh.reference.ReferencingParagraphStyle attribute), 49  
label\_prefix (rinoh.structure.HeadingStyle attribute), 59  
label\_prefix (rinoh.structure.ListItemLabelStyle attribute), 66  
label\_prefix (rinoh.structure.ListStyle attribute), 63  
label\_prefix (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
label\_prefix (rinoh.structure.TableOfContentsStyle attribute), 72  
label\_spacing (rinoh.flowable.LabeledFlowableStyle attribute), 20  
label\_suffix (rinoh.image.CaptionStyle attribute), 30  
label\_suffix (rinoh.number.LabelStyle attribute), 111  
label\_suffix (rinoh.number.NumberStyle attribute), 111  
label\_suffix (rinoh.paragraph.ParagraphStyle attribute), 40  
label\_suffix (rinoh.reference.NoteMarkerStyle attribute), 53  
label\_suffix (rinoh.reference.ReferencingParagraphStyle attribute), 49  
label\_suffix (rinoh.structure.HeadingStyle attribute), 59  
label\_suffix (rinoh.structure.ListItemLabelStyle attribute), 67  
label\_suffix (rinoh.structure.ListStyle attribute), 63  
label\_suffix (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
label\_suffix (rinoh.structure.TableOfContentsStyle attribute), 72  
LabeledFlowable (class in rinoh.flowable), 102  
LabeledFlowableState (class in rinoh.flowable), 102  
LabeledFlowableStyle (class in rinoh.flowable), 20  
LabelStyle (class in rinoh.number), 111  
Language (class in rinoh.language), 108  
language (rinoh.template.DocumentTemplate attribute), 122  
language (rinoh.templates.article.Article attribute), 91  
language (rinoh.templates.book.Book attribute), 93  
languages (rinoh.language.Language attribute), 109  
Leading (class in rinoh.paragraph), 115  
LEDGER (in module rinoh.paper), 112  
left\_margin (rinoh.template.BodyPageTemplate attribute), 129  
left\_margin (rinoh.template.BodyPageTemplateBase attribute), 127  
left\_margin (rinoh.template.PageTemplateBase attribute), 131  
left\_margin (rinoh.template.TitlePageTemplate attribute), 130  
LEGAL (in module rinoh.paper), 112  
LETTER (in module rinoh.paper), 112  
ligatures (rinoh.image.CaptionStyle attribute), 31  
ligatures (rinoh.paragraph.ParagraphStyle attribute), 41  
ligatures (rinoh.reference.NoteMarkerStyle attribute), 52  
ligatures (rinoh.reference.ReferencingParagraphStyle attribute), 50  
ligatures (rinoh.structure.HeadingStyle attribute), 60  
ligatures (rinoh.structure.ListItemLabelStyle attribute), 68  
ligatures (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
ligatures (rinoh.structure.TableOfContentsStyle attribute), 73  
ligatures (rinoh.text.TextStyle attribute), 43  
limit\_width (rinoh.image.ImageArgs attribute), 106  
Line (class in rinoh.draw), 101  
line\_spacing (rinoh.image.CaptionStyle attribute), 28  
line\_spacing (rinoh.paragraph.ParagraphStyle attribute), 37  
line\_spacing (rinoh.reference.ReferencingParagraphStyle attribute), 46  
line\_spacing (rinoh.structure.HeadingStyle attribute), 56  
line\_spacing (rinoh.structure.ListItemLabelStyle attribute), 64  
line\_spacing (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
line\_spacing (rinoh.structure.TableOfContentsStyle attribute), 71  
LineSpacing (class in rinoh.paragraph), 115  
LineStyle (class in rinoh.draw), 17  
link (rinoh.reference.NoteMarkerStyle attribute), 51  
List (class in rinoh.structure), 118

list\_class (rinoh.image.ListOfFiguresSection attribute), 108  
list\_class (rinoh.table.ListOfTablesSection attribute), 122  
ListItemLabelStyle (class in rinoh.structure), 64  
ListOffFigures (class in rinoh.image), 108  
ListOffFiguresSection (class in rinoh.image), 108  
ListOfTables (class in rinoh.table), 122  
ListOfTablesSection (class in rinoh.table), 122  
ListStyle (class in rinoh.structure), 61  
Locale (class in rinoh.text), 114  
location (rinoh.attribute.RuleSetFile property), 97

## M

margin\_left (rinoh.flowable.FloatStyle attribute), 25  
margin\_left (rinoh.flowable.FlowableStyle attribute), 19  
margin\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
margin\_left (rinoh.flowable.LabeledFlowableStyle attribute), 21  
margin\_left (rinoh.image.CaptionStyle attribute), 28  
margin\_left (rinoh.image.FigureStyle attribute), 32  
margin\_left (rinoh.index.IndexStyle attribute), 35  
margin\_left (rinoh.inline.InlineFlowableStyle attribute), 44  
margin\_left (rinoh.paragraph.ParagraphStyle attribute), 38  
margin\_left (rinoh.reference.ReferencingParagraphStyle attribute), 47  
margin\_left (rinoh.structure.AdmonitionStyle attribute), 80  
margin\_left (rinoh.structure.HeadingStyle attribute), 57  
margin\_left (rinoh.structure.HorizontalRuleStyle attribute), 82  
margin\_left (rinoh.structure.ListItemLabelStyle attribute), 65  
margin\_left (rinoh.structure.ListStyle attribute), 62  
margin\_left (rinoh.structure.SectionStyle attribute), 54  
margin\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
margin\_left (rinoh.structure.TableOfContentsStyle attribute), 69  
margin\_left (rinoh.table.TableCellStyle attribute), 87  
margin\_left (rinoh.table.TableStyle attribute), 84  
margin\_right (rinoh.flowable.FloatStyle attribute), 26  
margin\_right (rinoh.flowable.FlowableStyle attribute), 19  
margin\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
margin\_right (rinoh.flowable.LabeledFlowableStyle attribute), 21  
margin\_right (rinoh.image.CaptionStyle attribute), 28  
margin\_right (rinoh.image.FigureStyle attribute), 33  
margin\_right (rinoh.index.IndexStyle attribute), 35  
margin\_right (rinoh.inline.InlineFlowableStyle attribute), 44  
margin\_right (rinoh.paragraph.ParagraphStyle attribute), 38  
margin\_right (rinoh.reference.ReferencingParagraphStyle attribute), 47  
margin\_right (rinoh.structure.AdmonitionStyle attribute), 80  
margin\_right (rinoh.structure.HeadingStyle attribute), 57  
margin\_right (rinoh.structure.HorizontalRuleStyle attribute), 82  
margin\_right (rinoh.structure.ListItemLabelStyle attribute), 65  
margin\_right (rinoh.structure.ListStyle attribute), 62  
margin\_right (rinoh.structure.SectionStyle attribute), 54  
margin\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
margin\_right (rinoh.structure.TableOfContentsStyle attribute), 70  
margin\_right (rinoh.table.TableCellStyle attribute), 87  
margin\_right (rinoh.table.TableStyle attribute), 84  
matcher (in module rinoh.stylesheets), 11  
MixedStyledText (class in rinoh.text), 114  
MM (in module rinoh.dimension), 99  
module  
    rinoh.attribute, 97

rinoh.color, 98  
rinoh.dimension, 98  
rinoh.document, 99  
rinoh.draw, 101  
rinoh.flowable, 101  
rinoh.font, 104  
rinoh.font.style, 106  
rinoh.image, 106  
rinoh.index, 108  
rinoh.inline, 114  
rinoh.language, 108  
rinoh.number, 110  
rinoh.paper, 112  
rinoh.paragraph, 113  
rinoh.reference, 116  
rinoh.strings, 119  
rinoh.structure, 118  
rinoh.style, 119  
rinoh.stylesheets, 11  
rinoh.table, 121  
rinoh.template, 122  
rinoh.templates.article, 91  
rinoh.templates.book, 92  
rinoh.text, 113

## N

new\_page() (rinoh.template.DocumentPart method), 124  
NL (in module rinoh.language), 110  
no\_break\_after (rinoh.image.CaptionStyle attribute), 31  
no\_break\_after (rinoh.paragraph.ParagraphStyle attribute), 41  
no\_break\_after (rinoh.reference.NoteMarkerStyle attribute), 52  
no\_break\_after (rinoh.reference.ReferencingParagraphStyle attribute), 50  
no\_break\_after (rinoh.structure.HeadingStyle attribute), 60  
no\_break\_after (rinoh.structure.ListItemLabelStyle attribute), 68  
no\_break\_after (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
no\_break\_after (rinoh.structure.TableOfContentsStyle attribute), 73  
no\_break\_after (rinoh.text.TextStyle attribute), 43  
NoBreakAfter (class in rinoh.text), 114  
Note (class in rinoh.reference), 117  
NoteMarkerBase (class in rinoh.reference), 117  
NoteMarkerByID (class in rinoh.reference), 117  
NoteMarkerStyle (class in rinoh.reference), 51  
NoteMarkerWithNote (class in rinoh.reference), 117  
number\_format (rinoh.image.CaptionStyle attribute), 27  
number\_format (rinoh.number.NumberStyle attribute), 111  
number\_format (rinoh.paragraph.ParagraphStyle attribute), 37  
number\_format (rinoh.reference.NoteMarkerStyle attribute), 53  
number\_format (rinoh.reference.ReferencingParagraphStyle attribute), 47  
number\_format (rinoh.structure.HeadingStyle attribute), 57  
number\_format (rinoh.structure.ListItemLabelStyle attribute), 64  
number\_format (rinoh.structure.ListStyle attribute), 63  
number\_format (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
number\_format (rinoh.structure.TableOfContentsStyle attribute), 71  
number\_separator (rinoh.image.CaptionStyle attribute), 28  
number\_separator (rinoh.paragraph.ParagraphStyle attribute), 38  
number\_separator (rinoh.reference.ReferencingParagraphStyle attribute), 47  
number\_separator (rinoh.structure.HeadingStyle attribute), 57

number\_separator (rinoh.structure.ListItemLabelStyle attribute), 64  
number\_separator (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
number\_separator (rinoh.structure.TableOfContentsStyle attribute), 72  
NumberFormat (class in rinoh.number), 110  
numbering\_level (rinoh.image.CaptionStyle attribute), 27  
numbering\_level (rinoh.paragraph.ParagraphStyle attribute), 38  
numbering\_level (rinoh.reference.ReferencingParagraphStyle attribute), 47  
numbering\_level (rinoh.structure.HeadingStyle attribute), 56  
numbering\_level (rinoh.structure.ListItemLabelStyle attribute), 65  
numbering\_level (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
numbering\_level (rinoh.structure.TableOfContentsStyle attribute), 72  
NumberStyle (class in rinoh.number), 111

## O

OptionSet (class in rinoh.attribute), 97  
ordered (rinoh.structure.ListStyle attribute), 61  
OverrideDefault (class in rinoh.attribute), 97

## P

padding (rinoh.flowable.FloatStyle attribute), 26  
padding (rinoh.flowable.FlowableStyle attribute), 19  
padding (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding (rinoh.image.CaptionStyle attribute), 29  
padding (rinoh.image.FigureStyle attribute), 33  
padding (rinoh.index.IndexStyle attribute), 35  
padding (rinoh.inline.InlineFlowableStyle attribute), 44  
padding (rinoh.paragraph.ParagraphStyle attribute), 38  
padding (rinoh.reference.ReferencingParagraphStyle attribute), 47  
padding (rinoh.structure.AdmonitionStyle attribute), 80  
padding (rinoh.structure.HeadingStyle attribute), 57  
padding (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding (rinoh.structure.ListItemLabelStyle attribute), 65  
padding (rinoh.structure.ListStyle attribute), 62  
padding (rinoh.structure.SectionStyle attribute), 54  
padding (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
padding (rinoh.structure.TableOfContentsStyle attribute), 70  
padding (rinoh.table.TableCellStyle attribute), 87  
padding (rinoh.table.TableStyle attribute), 84  
padding\_bottom (rinoh.flowable.FloatStyle attribute), 26  
padding\_bottom (rinoh.flowable.FlowableStyle attribute), 19  
padding\_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 22  
padding\_bottom (rinoh.image.CaptionStyle attribute), 29  
padding\_bottom (rinoh.image.FigureStyle attribute), 33  
padding\_bottom (rinoh.index.IndexStyle attribute), 36  
padding\_bottom (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_bottom (rinoh.paragraph.ParagraphStyle attribute), 39  
padding\_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 48  
padding\_bottom (rinoh.structure.AdmonitionStyle attribute), 80  
padding\_bottom (rinoh.structure.HeadingStyle attribute), 58  
padding\_bottom (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding\_bottom (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_bottom (rinoh.structure.ListStyle attribute), 62  
padding\_bottom (rinoh.structure.SectionStyle attribute), 55  
padding\_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
padding\_bottom (rinoh.structure.TableOfContentsStyle attribute), 70

padding\_bottom (rinoh.table.TableCellStyle attribute), 87  
padding\_bottom (rinoh.table.TableStyle attribute), 85  
padding\_left (rinoh.flowable.FloatStyle attribute), 26  
padding\_left (rinoh.flowable.FlowableStyle attribute), 19  
padding\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_left (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_left (rinoh.image.CaptionStyle attribute), 29  
padding\_left (rinoh.image.FigureStyle attribute), 33  
padding\_left (rinoh.index.IndexStyle attribute), 35  
padding\_left (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_left (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_left (rinoh.reference.ReferencingParagraphStyle attribute), 47  
padding\_left (rinoh.structure.AdmonitionStyle attribute), 80  
padding\_left (rinoh.structure.HeadingStyle attribute), 57  
padding\_left (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding\_left (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_left (rinoh.structure.ListStyle attribute), 62  
padding\_left (rinoh.structure.SectionStyle attribute), 54  
padding\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
padding\_left (rinoh.structure.TableOfContentsStyle attribute), 70  
padding\_left (rinoh.table.TableCellStyle attribute), 87  
padding\_left (rinoh.table.TableStyle attribute), 84  
padding\_right (rinoh.flowable.FloatStyle attribute), 26  
padding\_right (rinoh.flowable.FlowableStyle attribute), 19  
padding\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_right (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_right (rinoh.image.CaptionStyle attribute), 29  
padding\_right (rinoh.image.FigureStyle attribute), 33  
padding\_right (rinoh.index.IndexStyle attribute), 36  
padding\_right (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_right (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_right (rinoh.reference.ReferencingParagraphStyle attribute), 48  
padding\_right (rinoh.structure.AdmonitionStyle attribute), 80  
padding\_right (rinoh.structure.HeadingStyle attribute), 58  
padding\_right (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding\_right (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_right (rinoh.structure.ListStyle attribute), 62  
padding\_right (rinoh.structure.SectionStyle attribute), 55  
padding\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
padding\_right (rinoh.structure.TableOfContentsStyle attribute), 70  
padding\_right (rinoh.table.TableCellStyle attribute), 87  
padding\_right (rinoh.table.TableStyle attribute), 84  
padding\_top (rinoh.flowable.FloatStyle attribute), 26  
padding\_top (rinoh.flowable.FlowableStyle attribute), 19  
padding\_top (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_top (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_top (rinoh.image.CaptionStyle attribute), 29  
padding\_top (rinoh.image.FigureStyle attribute), 33  
padding\_top (rinoh.index.IndexStyle attribute), 36  
padding\_top (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_top (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_top (rinoh.reference.ReferencingParagraphStyle attribute), 48  
padding\_top (rinoh.structure.AdmonitionStyle attribute), 80  
padding\_top (rinoh.structure.HeadingStyle attribute), 58  
padding\_top (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding\_top (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_top (rinoh.structure.ListStyle attribute), 62  
padding\_top (rinoh.structure.SectionStyle attribute), 55

padding\_top (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
padding\_top (rinoh.structure.TableOfContentsStyle attribute), 70  
padding\_top (rinoh.table.TableCellStyle attribute), 87  
padding\_top (rinoh.table.TableStyle attribute), 85  
Page (class in rinoh.document), 100  
page (rinoh.document.Page property), 100  
page (rinoh.templates.article.Article attribute), 92  
page (rinoh.templates.book.Book attribute), 94  
page\_break (rinoh.flowable.FloatStyle attribute), 27  
page\_break (rinoh.flowable.FlowableStyle attribute), 20  
page\_break (rinoh.flowable.GroupedFlowablesStyle attribute), 25  
page\_break (rinoh.flowable.LabeledFlowableStyle attribute), 22  
page\_break (rinoh.image.CaptionStyle attribute), 30  
page\_break (rinoh.image.FigureStyle attribute), 34  
page\_break (rinoh.index.IndexStyle attribute), 37  
page\_break (rinoh.inline.InlineFlowableStyle attribute), 45  
page\_break (rinoh.paragraph.ParagraphStyle attribute), 39  
page\_break (rinoh.reference.ReferencingParagraphStyle attribute), 49  
page\_break (rinoh.structure.AdmonitionStyle attribute), 81  
page\_break (rinoh.structure.HeadingStyle attribute), 58  
page\_break (rinoh.structure.HorizontalRuleStyle attribute), 83  
page\_break (rinoh.structure.ListItemLabelStyle attribute), 66  
page\_break (rinoh.structure.ListStyle attribute), 63  
page\_break (rinoh.structure.SectionStyle attribute), 56  
page\_break (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
page\_break (rinoh.structure.TableOfContentsStyle attribute), 71  
page\_break (rinoh.table.TableCellStyle attribute), 88  
page\_break (rinoh.table.TableStyle attribute), 85  
page\_number\_format (rinoh.template.ContentsPartTemplate attribute), 125  
page\_number\_format (rinoh.template.DocumentPartTemplate attribute), 124  
page\_number\_format (rinoh.template.FixedDocumentPartTemplate attribute), 126  
page\_number\_format (rinoh.template.TitlePartTemplate attribute), 125  
page\_number\_prefix (rinoh.template.ContentsPartTemplate attribute), 125  
page\_number\_prefix (rinoh.template.DocumentPartTemplate attribute), 124  
page\_number\_prefix (rinoh.template.FixedDocumentPartTemplate attribute), 126  
page\_number\_prefix (rinoh.template.TitlePartTemplate attribute), 125  
page\_orientation (rinoh.template.BodyPageTemplate attribute), 129  
page\_orientation (rinoh.template.BodyPageTemplateBase attribute), 127  
page\_orientation (rinoh.template.PageTemplateBase attribute), 131  
page\_orientation (rinoh.template.TitlePageTemplate attribute), 130  
page\_size (rinoh.template.BodyPageTemplate attribute), 129  
page\_size (rinoh.template.BodyPageTemplateBase attribute), 127  
page\_size (rinoh.template.PageTemplateBase attribute), 131  
page\_size (rinoh.template.TitlePageTemplate attribute), 130  
PageBreak (class in rinoh.flowable), 102  
PageNumberFormat (class in rinoh.document), 100  
PageOrientation (class in rinoh.document), 100  
PageTemplateBase (class in rinoh.template), 131  
PageType (class in rinoh.document), 100  
Paper (class in rinoh.paper), 112  
Paragraph (class in rinoh.paragraph), 113  
ParagraphBase (class in rinoh.paragraph), 113  
ParagraphState (class in rinoh.paragraph), 113  
ParagraphStyle (class in rinoh.paragraph), 37  
parse\_string() (rinoh.color.Color class method), 98  
ParseError, 97  
parts (rinoh.template.DocumentTemplate attribute), 123  
parts (rinoh.templates.article.Article attribute), 91

parts (rinoh.templates.book.Book attribute), 92  
PartsList (class in rinoh.template), 124  
PERCENT (in module rinoh.dimension), 99  
PICA (in module rinoh.dimension), 99  
PL (in module rinoh.language), 110  
place() (rinoh.document.Page method), 100  
Polygon (class in rinoh.draw), 101  
position (rinoh.image.CaptionStyle attribute), 31  
position (rinoh.paragraph.ParagraphStyle attribute), 41  
position (rinoh.reference.NoteMarkerStyle attribute), 52  
position (rinoh.reference.ReferencingParagraphStyle attribute), 50  
position (rinoh.structure.HeadingStyle attribute), 60  
position (rinoh.structure.ListItemLabelStyle attribute), 67  
position (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
position (rinoh.structure.TableOfContentsStyle attribute), 73  
position (rinoh.text.TextStyle attribute), 42  
prepare() (rinoh.flowable.LabeledFlowable method), 102  
prepare() (rinoh.flowable.StaticGroupedFlowables method), 103  
prepare() (rinoh.paragraph.ParagraphBase method), 113  
prepare() (rinoh.reference.NoteMarkerBase method), 117  
prepare() (rinoh.reference.NoteMarkerWithNote method), 117  
prepare() (rinoh.structure.Heading method), 118  
prepare() (rinoh.table.Table method), 121  
prepare() (rinoh.table.TableRow method), 121  
prepare() (rinoh.table.TableSection method), 121  
prepare() (rinoh.text.MixedStyledText method), 114  
ProportionalSpacing (class in rinoh.paragraph), 115  
PT (in module rinoh.dimension), 99

## Q

QUARTERS (in module rinoh.dimension), 99  
quiet (rinoh.reference.NoteMarkerStyle attribute), 51

## R

Rectangle (class in rinoh.draw), 101  
Reference (class in rinoh.reference), 116  
ReferenceField (class in rinoh.reference), 116  
ReferenceText (class in rinoh.reference), 117  
ReferenceType (class in rinoh.reference), 117  
ReferencingParagraph (class in rinoh.reference), 117  
ReferencingParagraphStyle (class in rinoh.reference), 46  
render() (rinoh.document.Document method), 100  
render() (rinoh.document.Page method), 100  
render() (rinoh.flowable.GroupedFlowables method), 103  
render() (rinoh.flowable.GroupedLabeledFlowables method), 103  
render() (rinoh.flowable.LabeledFlowable method), 102  
render() (rinoh.paragraph.ParagraphBase method), 113  
render() (rinoh.structure.HorizontalRule method), 119  
render() (rinoh.table.Table method), 121  
repeat\_head (rinoh.table.TableStyle attribute), 84  
rgba (rinoh.color.Color property), 98  
right\_margin (rinoh.template.BodyPageTemplate attribute), 129  
right\_margin (rinoh.template.BodyPageTemplateBase attribute), 127  
right\_margin (rinoh.template.PageTemplateBase attribute), 131  
right\_margin (rinoh.template.TitlePageTemplate attribute), 130  
rinoh command line option  
    --docs, 6

```
--format, 5
--help, 5
--install-resources, 5
--list-fonts, 6
--list-formats, 6
--list-options, 6
--list-stylesheets, 5
--list-templates, 5
--option, 5
--output, 5
--paper, 5
--stylesheet, 5
--template, 5
--version, 6
--versions, 6
-f, 5
-h, 5
-i, 5
-O, 5
-o, 5
-p, 5
-s, 5
-t, 5
input, 5
rinoh.attribute
    module, 97
rinoh.color
    module, 98
rinoh.dimension
    module, 98
rinoh.document
    module, 99
rinoh.draw
    module, 101
rinoh.flowable
    module, 101
rinoh.font
    module, 104
rinoh.font.style
    module, 106
rinoh.image
    module, 106
rinoh.index
    module, 108
rinoh.inline
    module, 114
rinoh.language
    module, 108
rinoh.number
    module, 110
rinoh.paper
    module, 112
rinoh.paragraph
    module, 113
rinoh.reference
    module, 116
rinoh.strings
    module, 119
```

```
rinoh.structure
    module, 118
rinoh.style
    module, 119
rinoh.stylesheets
    module, 11
rinoh.table
    module, 121
rinoh.template
    module, 122
rinoh.templates.article
    module, 91
rinoh.templates.book
    module, 92
rinoh.text
    module, 113
rinoh_documents
    Sphinx builder configuration value, 7
rinoh_domain_indices
    Sphinx builder configuration value, 9
rinoh_logo
    Sphinx builder configuration value, 9
rinoh_metadata
    Sphinx builder configuration value, 9
rinoh_paper_size
    Sphinx builder configuration value, 8
rinoh_stylesheet
    Sphinx builder configuration value, 8
rinoh_targets
    Sphinx builder configuration value, 8
rinoh_template
    Sphinx builder configuration value, 8
root (rinoh.attribute.RuleSetFile property), 97
rotate (rinoh.image.ImageArgs attribute), 107
RuleSet (class in rinoh.attribute), 97
RuleSetFile (class in rinoh.attribute), 97
```

## S

```
same_page (rinoh.flowable.GroupedFlowablesStyle attribute), 23
same_page (rinoh.image.FigureStyle attribute), 34
same_page (rinoh.index.IndexStyle attribute), 35
same_page (rinoh.structure.AdmonitionStyle attribute), 79
same_page (rinoh.structure.ListStyle attribute), 61
same_page (rinoh.structure.SectionStyle attribute), 54
same_page (rinoh.structure.TableOfContentsStyle attribute), 69
same_page (rinoh.table.TableCellStyle attribute), 86
Scale (class in rinoh.image), 107
scale (rinoh.image.ImageArgs attribute), 107
script_level() (rinoh.text.StyledText method), 113
Section (class in rinoh.structure), 118
SectionStyle (class in rinoh.structure), 53
SetMetadataFlowable (class in rinoh.flowable), 102
Shape (class in rinoh.draw), 101
ShapeStyle (class in rinoh.draw), 18
show_in_toc (rinoh.structure.SectionStyle attribute), 53
sideways (rinoh.template.BodyPageTemplate attribute), 130
sideways (rinoh.template.BodyPageTemplateBase attribute), 128
```

sideways (`rinoh.template.PageTemplateBase` attribute), 132  
sideways (`rinoh.template.TitlePageTemplate` attribute), 131  
`SINGLE` (in module `rinoh.paragraph`), 116  
`SingleStyledText` (class in `rinoh.text`), 114  
`space_above` (`rinoh.flowable.FloatStyle` attribute), 25  
`space_above` (`rinoh.flowable.FlowableStyle` attribute), 18  
`space_above` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
`space_above` (`rinoh.flowable.LabeledFlowableStyle` attribute), 21  
`space_above` (`rinoh.image.CaptionStyle` attribute), 28  
`space_above` (`rinoh.image.FigureStyle` attribute), 32  
`space_above` (`rinoh.index.IndexStyle` attribute), 35  
`space_above` (`rinoh.inline.InlineFlowableStyle` attribute), 44  
`space_above` (`rinoh.paragraph.ParagraphStyle` attribute), 38  
`space_above` (`rinoh.reference.ReferencingParagraphStyle` attribute), 47  
`space_above` (`rinoh.structure.AdmonitionStyle` attribute), 79  
`space_above` (`rinoh.structure.HeadingStyle` attribute), 57  
`space_above` (`rinoh.structure.HorizontalRuleStyle` attribute), 81  
`space_above` (`rinoh.structure.ListItemLabelStyle` attribute), 65  
`space_above` (`rinoh.structure.ListStyle` attribute), 61  
`space_above` (`rinoh.structure.SectionStyle` attribute), 54  
`space_above` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75  
`space_above` (`rinoh.structure.TableOfContentsStyle` attribute), 69  
`space_above` (`rinoh.table.TableCellStyle` attribute), 86  
`space_above` (`rinoh.table.TableStyle` attribute), 84  
`space_below` (`rinoh.flowable.FloatStyle` attribute), 25  
`space_below` (`rinoh.flowable.FlowableStyle` attribute), 18  
`space_below` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
`space_below` (`rinoh.flowable.LabeledFlowableStyle` attribute), 21  
`space_below` (`rinoh.image.CaptionStyle` attribute), 28  
`space_below` (`rinoh.image.FigureStyle` attribute), 32  
`space_below` (`rinoh.index.IndexStyle` attribute), 35  
`space_below` (`rinoh.inline.InlineFlowableStyle` attribute), 44  
`space_below` (`rinoh.paragraph.ParagraphStyle` attribute), 38  
`space_below` (`rinoh.reference.ReferencingParagraphStyle` attribute), 47  
`space_below` (`rinoh.structure.AdmonitionStyle` attribute), 80  
`space_below` (`rinoh.structure.HeadingStyle` attribute), 57  
`space_below` (`rinoh.structure.HorizontalRuleStyle` attribute), 82  
`space_below` (`rinoh.structure.ListItemLabelStyle` attribute), 65  
`space_below` (`rinoh.structure.ListStyle` attribute), 62  
`space_below` (`rinoh.structure.SectionStyle` attribute), 54  
`space_below` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75  
`space_below` (`rinoh.structure.TableOfContentsStyle` attribute), 69  
`space_below` (`rinoh.table.TableCellStyle` attribute), 86  
`space_below` (`rinoh.table.TableStyle` attribute), 84  
`sphinx` (in module `rinoh.stylesheets`), 11  
`Sphinx builder configuration value`

- `rinoh_documents`, 7
- `rinoh_domain_indices`, 9
- `rinoh_logo`, 9
- `rinoh_metadata`, 9
- `rinoh_paper_size`, 8
- `rinoh_stylesheet`, 8
- `rinoh_targets`, 8
- `rinoh_template`, 8

`sphinx_article` (in module `rinoh.stylesheets`), 11  
`sphinx_base14` (in module `rinoh.stylesheets`), 11  
`split_minimum_rows` (`rinoh.table.TableStyle` attribute), 84  
`STANDARD` (in module `rinoh.paragraph`), 116

StaticGroupedFlowables (class in `rinoh.flowable`), 103  
StringField (class in `rinoh.strings`), 119  
Strings (class in `rinoh.strings`), 119  
strings (`rinoh.template.DocumentTemplate` attribute), 123  
strings (`rinoh.templates.article.Article` attribute), 91  
strings (`rinoh.templates.book.Book` attribute), 93  
Stroke (class in `rinoh.draw`), 101  
stroke (`rinoh.draw.LineStyle` attribute), 17  
stroke (`rinoh.draw.ShapeStyle` attribute), 18  
stroke (`rinoh.structure.HorizontalRuleStyle` attribute), 83  
stroke (`rinoh.table.TableCellBackgroundStyle` attribute), 89  
stroke (`rinoh.table.TableCellBorderStyle` attribute), 88  
Style (class in `rinoh.style`), 120  
style\_class (`rinoh.draw.Line` attribute), 101  
style\_class (`rinoh.draw.Shape` attribute), 101  
style\_class (`rinoh.flowable.Float` attribute), 104  
style\_class (`rinoh.flowable.GroupedFlowables` attribute), 103  
style\_class (`rinoh.flowable.LabeledFlowable` attribute), 102  
style\_class (`rinoh.image.Caption` attribute), 107  
style\_class (`rinoh.image.Figure` attribute), 107  
style\_class (`rinoh.index.Index` attribute), 108  
style\_class (`rinoh.inline.InlineFlowable` attribute), 114  
style\_class (`rinoh.paragraph.ParagraphBase` attribute), 113  
style\_class (`rinoh.reference.Note` attribute), 117  
style\_class (`rinoh.reference.NoteMarkerBase` attribute), 117  
style\_class (`rinoh.reference.ReferencingParagraph` attribute), 117  
style\_class (`rinoh.structure.Admonition` attribute), 119  
style\_class (`rinoh.structure.Heading` attribute), 118  
style\_class (`rinoh.structure.HorizontalRule` attribute), 119  
style\_class (`rinoh.structure.List` attribute), 118  
style\_class (`rinoh.structure.TableOfContents` attribute), 118  
style\_class (`rinoh.structure.TableOfContentsEntry` attribute), 119  
style\_class (`rinoh.style.Styled` attribute), 119  
style\_class (`rinoh.table.Table` attribute), 121  
style\_class (`rinoh.table.TableCell` attribute), 122  
style\_class (`rinoh.table.TableCellBackground` attribute), 122  
style\_class (`rinoh.table.TableCellBorder` attribute), 122  
style\_class (`rinoh.table.TableWithCaption` attribute), 121  
style\_class (`rinoh.text.StyledText` attribute), 114  
Styled (class in `rinoh.style`), 119  
StyledMatcher (class in `rinoh.style`), 121  
StyledText (class in `rinoh.text`), 113  
StyleSheet (class in `rinoh.style`), 120  
stylesheet (`rinoh.template.DocumentTemplate` attribute), 123  
stylesheet (`rinoh.templates.article.Article` attribute), 91  
stylesheet (`rinoh.templates.book.Book` attribute), 92  
StyleSheetFile (class in `rinoh.style`), 121

## T

tab\_stops (`rinoh.image.CaptionStyle` attribute), 28  
tab\_stops (`rinoh.paragraph.ParagraphStyle` attribute), 37  
tab\_stops (`rinoh.reference.ReferencingParagraphStyle` attribute), 46  
tab\_stops (`rinoh.structure.HeadingStyle` attribute), 56  
tab\_stops (`rinoh.structure.ListItemLabelStyle` attribute), 64  
tab\_stops (`rinoh.structure.TableOfContentsEntryStyle` attribute), 74  
tab\_stops (`rinoh.structure.TableOfContentsStyle` attribute), 71  
TabAlign (class in `rinoh.paragraph`), 116

Table (class in rinoh.table), 121  
TableBody (class in rinoh.table), 121  
TableCell (class in rinoh.table), 122  
TableCellBackground (class in rinoh.table), 122  
TableCellBackgroundColor (class in rinoh.table), 88  
TableCellBorder (class in rinoh.table), 122  
TableCellBorderStyle (class in rinoh.table), 88  
TableCellStyle (class in rinoh.table), 86  
TableHead (class in rinoh.table), 121  
TableOfContents (class in rinoh.structure), 118  
TableOfContentsEntry (class in rinoh.structure), 119  
TableOfContentsEntryStyle (class in rinoh.structure), 74  
TableOfContentsSection (class in rinoh.structure), 118  
TableOfContentsStyle (class in rinoh.structure), 69  
TableRow (class in rinoh.table), 121  
TableSection (class in rinoh.table), 121  
TableStyle (class in rinoh.table), 83  
TableWithCaption (class in rinoh.table), 121  
TABLOID (in module rinoh.paper), 112  
TabStop (class in rinoh.paragraph), 116  
TabStopList (class in rinoh.paragraph), 116  
target\_has\_class() (rinoh.reference.ReferencingParagraph method), 117  
target\_has\_classes() (rinoh.reference.ReferencingParagraph method), 117  
target\_is\_of\_type() (rinoh.reference.ReferencingParagraph method), 117  
target\_style() (rinoh.reference.ReferencingParagraph method), 117  
template (rinoh.template.TemplateConfiguration attribute), 123  
TemplateConfiguration (class in rinoh.template), 123  
text (rinoh.reference.ReferencingParagraphStyle attribute), 46  
text (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
text\_align (rinoh.image.CaptionStyle attribute), 28  
text\_align (rinoh.paragraph.ParagraphStyle attribute), 37  
text\_align (rinoh.reference.ReferencingParagraphStyle attribute), 46  
text\_align (rinoh.structure.HeadingStyle attribute), 56  
text\_align (rinoh.structure.ListItemLabelStyle attribute), 64  
text\_align (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
text\_align (rinoh.structure.TableOfContentsStyle attribute), 71  
TextAlign (class in rinoh.paragraph), 114  
TextPosition (class in rinoh.font.style), 106  
TextStyle (class in rinoh.text), 42  
title (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
title (rinoh.image.FigureStyle attribute), 34  
title (rinoh.index.IndexStyle attribute), 35  
title (rinoh.structure.AdmonitionStyle attribute), 79  
title (rinoh.structure.ListStyle attribute), 61  
title (rinoh.structure.SectionStyle attribute), 54  
title (rinoh.structure.TableOfContentsStyle attribute), 69  
title (rinoh.table.TableCellStyle attribute), 86  
title (rinoh.templates.book.Book attribute), 93  
title\_page (rinoh.templates.book.Book attribute), 94  
TitlePageTemplate (class in rinoh.template), 130  
TitlePartTemplate (class in rinoh.template), 125  
to\_string() (rinoh.index.InlineIndexTarget method), 108  
to\_string() (rinoh.text.StyledText method), 113  
top\_margin (rinoh.template.BodyPageTemplate attribute), 129  
top\_margin (rinoh.template.BodyPageTemplateBase attribute), 127  
top\_margin (rinoh.template.PageTemplateBase attribute), 131  
top\_margin (rinoh.template.TitlePageTemplate attribute), 130  
type (rinoh.reference.NoteMarkerStyle attribute), 51

Typeface (class in `rinoh.font`), 105  
typeface (`rinoh.image.CaptionStyle` attribute), 30  
typeface (`rinoh.paragraph.ParagraphStyle` attribute), 40  
typeface (`rinoh.reference.NoteMarkerStyle` attribute), 51  
typeface (`rinoh.reference.ReferencingParagraphStyle` attribute), 49  
typeface (`rinoh.structure.HeadingStyle` attribute), 59  
typeface (`rinoh.structure.ListItemLabelStyle` attribute), 67  
typeface (`rinoh.structure.TableOfContentsEntryStyle` attribute), 77  
typeface (`rinoh.structure.TableOfContentsStyle` attribute), 72  
typeface (`rinoh.text.TextStyle` attribute), 42

## U

`update()` (`rinoh.style.StyledMatcher` method), 121

## V

`vertical_align` (`rinoh.table.TableCellStyle` attribute), 86  
`VerticalAlign` (class in `rinoh.table`), 122

## W

`WarnFlowable` (class in `rinoh.flowable`), 102  
`width` (`rinoh.flowable.FloatStyle` attribute), 25  
`width` (`rinoh.flowable.FlowableStyle` attribute), 18  
`width` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
`width` (`rinoh.flowable.LabeledFlowableStyle` attribute), 21  
`width` (`rinoh.image.CaptionStyle` attribute), 27  
`width` (`rinoh.image.FigureStyle` attribute), 32  
`width` (`rinoh.image.ImageArgs` attribute), 107  
`width` (`rinoh.index.IndexStyle` attribute), 35  
`width` (`rinoh.inline.InlineFlowableStyle` attribute), 44  
`width` (`rinoh.paragraph.ParagraphStyle` attribute), 37  
`width` (`rinoh.reference.ReferencingParagraphStyle` attribute), 46  
`width` (`rinoh.structure.AdmonitionStyle` attribute), 79  
`width` (`rinoh.structure.HeadingStyle` attribute), 56  
`width` (`rinoh.structure.HorizontalRuleStyle` attribute), 81  
`width` (`rinoh.structure.ListItemLabelStyle` attribute), 64  
`width` (`rinoh.structure.ListStyle` attribute), 61  
`width` (`rinoh.structure.SectionStyle` attribute), 54  
`width` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 74  
`width` (`rinoh.structure.TableOfContentsStyle` attribute), 69  
`width` (`rinoh.table.TableCellStyle` attribute), 86  
`width` (`rinoh.table.TableStyle` attribute), 84  
`wrap_label` (`rinoh.flowable.LabeledFlowableStyle` attribute), 21

## Y

`y_offset()` (`rinoh.text.StyledText` method), 114