



# rinohtype

## Reference Guide

Release 0.5.3



# Contents

<b>5</b>	<b>Chapter 1: rino</b>
<b>7</b>	<b>Chapter 2: Sphinx Builder</b>
<b>8</b>	Legacy Configuration Variables
<b>11</b>	<b>Chapter 3: Style Sheets</b>
<b>11</b>	Included Style Sheets
<b>11</b>	Default Matcher
<b>16</b>	Element Style Classes
<b>89</b>	<b>Chapter 4: Standard Document Templates</b>
<b>89</b>	Article
<b>91</b>	Book
<b>95</b>	<b>Chapter 5: API Documentation</b>
<b>95</b>	Attribute ( <code>rinoh.attribute</code> )
<b>96</b>	Color ( <code>rinoh.color</code> )
<b>96</b>	Dimension ( <code>rinoh.dimension</code> )
<b>97</b>	Document ( <code>rinoh.document</code> )
<b>98</b>	Drawing Primitives ( <code>rinoh.draw</code> )
<b>99</b>	Flowable ( <code>rinoh.flowable</code> )
<b>101</b>	Fonts and Typefaces ( <code>rinoh.font</code> )
<b>103</b>	Images and Figures ( <code>rinoh.image</code> )
<b>105</b>	Index ( <code>rinoh.index</code> )
<b>105</b>	Language ( <code>rinoh.language</code> )
<b>110</b>	Number ( <code>rinoh.number</code> )
<b>111</b>	Paper sizes ( <code>rinoh.paper</code> )
<b>112</b>	Paragraph ( <code>rinoh.paragraph</code> )
<b>115</b>	Cross-References and Fields ( <code>rinoh.reference</code> )
<b>116</b>	Structure ( <code>rinoh.structure</code> )
<b>120</b>	Strings ( <code>rinoh.strings</code> )
<b>120</b>	Style ( <code>rinoh.style</code> )
<b>122</b>	Tables ( <code>rinoh.table</code> )

**123** [Templates \(`rinoh.template`\)](#)

**133** [Python Module Index](#)

**135** [Index](#)

Render a structured document to PDF.

```
usage: rinoh [-h] [-f FORMAT] [-o OPTION=VALUE] [-t NAME or FILENAME]
              [-s NAME or FILENAME] [-O FILENAME or DIRECTORY] [-p PAPER] [-i]
              [--list-templates] [--list-stylesheets] [--list-fonts
              [FILENAME]] [--list-formats] [--list-options FRONTEND] [--version] [--docs]
              [input]
```

**input**

the document to render

**-h, --help**

show this help message and exit

**-f <format>, --format <format>**

the format of the input file (default: autodetect)

**-o <option=value>, --option <option=value>**

options to be passed to the input file reader

**-t <name or filename>, --template <name or filename>**

the document template or template configuration file to use (default: article)

**-s <name or filename>, --stylesheet <name or filename>**

the style sheet used to style the document elements (default: the template's default)

**-O <filename or directory>, --output <filename or directory>**

write the PDF output to FILENAME or to an existing DIRECTORY with a filename derived from the input filename (default: the current working directory)

**-p <paper>, --paper <paper>**

the paper size to render to (default: the template's default)

**-i, --install-resources**

automatically install missing resources (fonts, templates, style sheets) from PyPI

**--list-templates**

list the installed document templates and exit

**--list-stylesheets**

list the installed style sheets and exit

```
--list-fonts <filename>
    list the installed fonts or, if FILENAME is given, write a PDF file displaying all the fonts

--list-formats
    list the supported input formats and exit

--list-options <frontend>
    list the options supported by the given frontend and exit

--version
    show program's version number and exit

--docs
    open the online documentation in the default browser
```

`rinoh.frontent.sphinx` is a Sphinx extension module. It provides a Sphinx builder with the name `rinoh`. The builder recognizes the following `conf.py` options. Of these, only `rinoh_documents` (or `latex_documents`) is required.

## **`rinoh_documents`**

Determines which PDF documents to build. Its format is a list of dictionaries, one for each document to be generated. The supported keys for these dictionaries are listed below. Two of them are required:

### **`doc (required)`**

String that specifies the name of the master document (typically `index`).

### **`target (required)`**

The name of the target PDF file without the extension.

The following keys allow overriding the content included on the document's title page and page headers/footers (depending on the template and its configuration). The values for text content can be plain text or `StyledText`.

### **`logo (no default)`**

Path (absolute or relative to the location of the `conf.py` file) to an image file, typically included on the title page.

### **`title (default: "project documentation")`**

The title of the document.

### **`subtitle (default: "Release release")`**

Subtitle of the document.

### **`author (default: "author")`**

The document's author.

### **`date (default: determined from today and today_fmt)`**

The document (build) date.

The remaining keys control what is included in the document and the document template (configuration) to use.

### **`toctree_only (default: False)`**

Must be `True` or `False`. If true, the document itself is not included in the output, only the documents referenced by it via TOC trees.

### **`domain_indices (default: True)`**

If true, generate domain-specific indices in addition to the general index. It is equivalent to the `html_domain_indices` and `latex_domain_indices` configuration variables.

### **`template (default: Book)`**

Determines the template used to render the document. It takes:

- the filename of a template configuration file,
- a `TemplateConfiguration` instance,

- the name of an installed template (see `rinoh --list-templates`), or
- a `DocumentTemplate` subclass

`rinoh_documents` will also accept other keys than those listed above. These items will be available as document metadata and can be used in a custom document template.

Example:

```
rinoh_documents = [
    dict(doc='index', target='manual', toctree_only=False,
         template='manual.rtt', logo='logo.pdf'),
    dict(doc='ref', target='reference', title='Reference Manual',
         template='reference.rtt', stamp='DRAFT'),
]
```

#### `rinoh_targets`

Limits rendering to the specified set of targets. This variable accepts either a list of strings or a string containing comma-separated values. The target names should match those set in `rinoh_documents`.

To render only the ‘manual’ target, you can set the following in `conf.py`:

```
rinoh_targets = ['manual']
```

The same can be achieved from the command line using the by using the string form with `sphinx-build -D`:

```
spinx-build -b rinoh -D rinoh_targets="manual" source build
```

## 2.1 Legacy Configuration Variables

The configuration variables below are no longer supported. Instead, their functionality can now be configured per document in `rinoh_documents`.

#### `rinoh_template`

This configuration variable is **no longer supported** since the document template can be specified in `rinoh_documents` entries.

#### `rinoh_stylesheet`

This configuration variable is **no longer supported** since it is not obvious which style sheet will be used when the template configuration also specifies a style sheet. Please specify the style sheet to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book
stylesheet = my_stylesheet.rts
```

#### `rinoh_paper_size`

This configuration variable is **no longer supported** since it was not obvious which paper size was being used when the template configuration (`rinoh_template`) also specified a paper size. Please specify the `paper_size` to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book
```

```
[VARIABLES]
```

```
paper_size = A5
```

#### **rinoh\_logo**

This configuration variable is **no longer supported** since the logo can be specified in the `rinoh_documents` entries.

#### **rinoh\_domain\_indices**

This configuration variable is **no longer supported** since the `domain_indices` can be specified in the `rinoh_documents` entries.

#### **rinoh\_metadata**

This configuration variable is **no longer supported**. Metadata entries can now be added to `rinoh_documents` entries.



## 3.1 Included Style Sheets

These style sheets are included with rinohtype:

`rinoh.stylesheets.sphinx`

Mostly a copy of the LaTeX style included with Sphinx  
Entry point name: `sphinx`

`rinoh.stylesheets.sphinx_article`

The Sphinx stylesheet adjusted for the article template  
Entry point name: `sphinx_article`

`rinoh.stylesheets.sphinx_base14`

The Sphinx stylesheet, but using the fonts from the PDF core set (yielding smaller PDF files)  
Entry point name: `sphinx_base14`

Additional style sheets can be installed from PyPI. The installed style sheets can be listed using  
`rinoh --list-stylesheets`.

## 3.2 Default Matcher

The default matcher provides the selectors for the styles used in the standard style sheets.

`rinoh.stylesheets.matcher`

The default matcher defines the following styles

- `title page rule`: `HorizontalRuleStyle`
- `title page logo`: `FlowableStyle`
- `title page title`: `ParagraphStyle`
- `title page subtitle`: `ParagraphStyle`
- `title page author`: `ParagraphStyle`
- `title page date`: `ParagraphStyle`
- `title page extra`: `ParagraphStyle`
- `front matter section title`: `ParagraphStyle`
- `body matter chapter label`: `ParagraphStyle`
- `body matter chapter number`: `TextStyle`
- `body matter chapter title`: `ParagraphStyle`
- `fallback`: `TextStyle`
- `italic`: `TextStyle`

- **bold:** TextStyle
- **monospaced:** TextStyle
- **emphasis:** TextStyle
- **strong:** TextStyle
- **literal emphasis:** TextStyle
- **literal strong:** TextStyle
- **inline math:** TextStyle
- **quote:** TextStyle
- **file path:** TextStyle
- **keystrokes:** TextStyle
- **regular expression:** TextStyle
- **code with variable:** TextStyle
- **mail header:** TextStyle
- **MIME type:** TextStyle
- **newsgroup:** TextStyle
- **command:** TextStyle
- **make variable:** TextStyle
- **program:** TextStyle
- **man page:** TextStyle
- **window title:** TextStyle
- **UI control:** TextStyle
- **UI control accelerator:** TextStyle
- **menu cascade:** TextStyle
- **draft comment:** TextStyle
- **title reference:** TextStyle
- **error:** TextStyle
- **linked reference:** ReferenceStyle
- **external hyperlink:** TextStyle
- **broken hyperlink:** TextStyle
- **glossary inline definition:** TextStyle
- **body:** ParagraphStyle
- **code block:** ParagraphStyle
- **code block caption:** CaptionStyle
- **math block:** ParagraphStyle
- **attribution:** ParagraphStyle
- **centered:** ParagraphStyle
- **line block:** ParagraphStyle
- **block quote:** GroupedFlowablesStyle
- **chapter:** SectionStyle
- **content chapter:** SectionStyle
- **heading level 1:** HeadingStyle
- **unnumbered heading level 1:** HeadingStyle
- **heading level 2:** HeadingStyle
- **unnumbered heading level 2:** HeadingStyle
- **heading level 3:** HeadingStyle
- **unnumbered heading level 3:** HeadingStyle
- **heading level 4:** HeadingStyle
- **unnumbered heading level 4:** HeadingStyle
- **heading level 5:** HeadingStyle
- **unnumbered heading level 5:** HeadingStyle
- **other heading levels:** HeadingStyle
- **appendix:** SectionStyle
- **appendix heading level 1:** HeadingStyle

- **appendix heading level 2:** HeadingStyle
- **appendix heading level 3:** HeadingStyle
- **appendix heading level 4:** HeadingStyle
- **appendix heading level 5:** HeadingStyle
- **title:** ParagraphStyle
- **prerequisites:** GroupedFlowablesStyle
- **prerequisites title:** ParagraphStyle
- **post requirement:** GroupedFlowablesStyle
- **abstract:** GroupedFlowablesStyle
- **abstract paragraph:** ParagraphStyle
- **example:** GroupedFlowablesStyle
- **example title:** ParagraphStyle
- **topic:** GroupedFlowablesStyle
- **topic title:** ParagraphStyle
- **rubric:** ParagraphStyle
- **sidebar:** GroupedFlowablesStyle
- **sidebar title:** ParagraphStyle
- **sidebar subtitle:** ParagraphStyle
- **list item label:** ListItemLabelStyle
- **list item body:** GroupedFlowablesStyle
- **list item paragraph:** ParagraphStyle
- **enumerated list:** ListStyle
- **enumerated list item:** LabeledFlowableStyle
- **enumerated list item label:** ListItemLabelStyle
- **nested enumerated list:** ListStyle
- **(table) enumerated list:** ListStyle
- **(table) enumerated list item:** LabeledFlowableStyle
- **(table) enumerated list item label:** ListItemLabelStyle
- **bulleted list:** ListStyle
- **compact bulleted list:** ListStyle
- **bulleted list item:** LabeledFlowableStyle
- **bulleted list item label:** ListItemLabelStyle
- **nested bulleted list:** ListStyle
- **(table) bulleted list:** ListStyle
- **(table) bulleted list item:** LabeledFlowableStyle
- **(table) bulleted list item label:** ListItemLabelStyle
- **steps list:** ListStyle
- **steps list title:** ParagraphStyle
- **steps list item:** LabeledFlowableStyle
- **steps list item label:** ListItemLabelStyle
- **unordered steps list:** ListStyle
- **unordered steps list title:** ParagraphStyle
- **unordered steps list item:** LabeledFlowableStyle
- **unordered steps list item label:** ListItemLabelStyle
- **choices list:** ListStyle
- **choices list item:** LabeledFlowableStyle
- **choices list item label:** ListItemLabelStyle
- **definition list:** GroupedFlowablesStyle
- **definition list item:** LabeledFlowableStyle
- **definition term:** GroupedFlowablesStyle
- **definition term paragraph:** ParagraphStyle
- **definition term classifier:** TextStyle
- **definition:** GroupedFlowablesStyle

- **definition paragraph:** ParagraphStyle
- **related links:** GroupedFlowablesStyle
- **related links section title:** ParagraphStyle
- **related links list:** ListStyle
- **related links list item:** LabeledFlowableStyle
- **related links list item label:** ListItemLabelStyle
- **related links list item paragraph:** ReferencingParagraphStyle
- **related link title reference:** ReferenceStyle
- **related link page reference:** ReferenceStyle
- **related link number reference:** ReferenceStyle
- **related link reference:** ReferenceStyle
- **versionmodified:** TextStyle
- **object description:** LabeledFlowableStyle
- **object signatures:** GroupedFlowablesStyle
- **object signature:** ParagraphStyle
- **object name:** TextStyle
- **additional name part:** TextStyle
- **object type:** TextStyle
- **object returns:** TextStyle
- **object parentheses:** TextStyle
- **object parameter list:** TextStyle
- **object parameter:** TextStyle
- **object parameter (no emphasis):** TextStyle
- **object brackets:** TextStyle
- **object optional parameter:** TextStyle
- **object annotation:** TextStyle
- **object description content:** GroupedFlowablesStyle
- **object description content paragraph:** ParagraphStyle
- **production list:** GroupedFlowablesStyle
- **production:** LabeledFlowableStyle
- **token name:** ParagraphStyle
- **token definition:** ParagraphStyle
- **field list:** GroupedFlowablesStyle
- **field list item:** LabeledFlowableStyle
- **field name:** ParagraphStyle
- **option list:** GroupedFlowablesStyle
- **option list item:** LabeledFlowableStyle
- **option:** ParagraphStyle
- **option string:** TextStyle
- **option argument:** TextStyle
- **admonition:** AdmonitionStyle
- **admonition title:** ParagraphStyle
- **admonition inline title:** TextStyle
- **attention admonition:** AdmonitionStyle
- **attention admonition title:** ParagraphStyle
- **attention admonition inline title:** TextStyle
- **caution admonition:** AdmonitionStyle
- **caution admonition title:** ParagraphStyle
- **caution admonition inline title:** TextStyle
- **danger admonition:** AdmonitionStyle
- **danger admonition title:** ParagraphStyle
- **danger admonition inline title:** TextStyle
- **error admonition:** AdmonitionStyle

- **error admonition title:** ParagraphStyle
- **error admonition inline title:** TextStyle
- **hint admonition:** AdmonitionStyle
- **hint admonition title:** ParagraphStyle
- **hint admonition inline title:** TextStyle
- **important admonition:** AdmonitionStyle
- **important admonition title:** ParagraphStyle
- **important admonition inline title:** TextStyle
- **note admonition:** AdmonitionStyle
- **note admonition title:** ParagraphStyle
- **note admonition inline title:** TextStyle
- **tip admonition:** AdmonitionStyle
- **tip admonition title:** ParagraphStyle
- **tip admonition inline title:** TextStyle
- **warning admonition:** AdmonitionStyle
- **warning admonition title:** ParagraphStyle
- **warning admonition inline title:** TextStyle
- **seealso admonition:** AdmonitionStyle
- **seealso admonition title:** ParagraphStyle
- **seealso admonition inline title:** TextStyle
- **header:** ParagraphStyle
- **footer:** ParagraphStyle
- **footnote marker:** NoteMarkerStyle
- **citation marker:** NoteMarkerStyle
- **footnote paragraph:** ParagraphStyle
- **footnote label:** ParagraphStyle
- **image:** FlowableStyle
- **inline image:** InlineFlowableStyle
- **figure:** FigureStyle
- **figure image:** FlowableStyle
- **figure caption:** CaptionStyle
- **figure legend:** GroupedFlowablesStyle
- **figure legend paragraph:** ParagraphStyle
- **table of contents section:** SectionStyle
- **table of contents title:** HeadingStyle
- **table of contents:** TableOfContentsStyle
- **local table of contents:** TableOfContentsStyle
- **toc level 1:** TableOfContentsEntryStyle
- **toc level 2:** TableOfContentsEntryStyle
- **toc level 3:** TableOfContentsEntryStyle
- **L3 toc level 3:** TableOfContentsEntryStyle
- **toc entry number reference field:** ReferenceStyle
- **list of figures section:** SectionStyle
- **list of figures:** ListOfStyle
- **list of figures entry:** ListOfEntryStyle
- **list of tables section:** SectionStyle
- **list of tables:** ListOfStyle
- **list of tables entry:** ListOfEntryStyle
- **table:** TableStyle
- **table with caption:** TableWithCaptionStyle
- **table caption:** CaptionStyle
- **choices table:** TableStyle
- **table cell:** TableCellStyle

- table body cell background on even row: TableCellBackgroundStyle
- table body cell background on odd row: TableCellBackgroundStyle
- table body cell paragraph: ParagraphStyle
- table first column paragraph: ParagraphStyle
- table body cell list item number: ParagraphStyle
- table head cell: TableCellStyle
- table head cell background: TableCellBackgroundStyle
- table head cell paragraph: ParagraphStyle
- table cell left border: TableCellBorderStyle
- table cell top border: TableCellBorderStyle
- table cell right border: TableCellBorderStyle
- table cell bottom border: TableCellBorderStyle
- table top border: TableCellBorderStyle
- table bottom border: TableCellBorderStyle
- table left border: TableCellBorderStyle
- table right border: TableCellBorderStyle
- table head cell left border: TableCellBorderStyle
- table head cell right border: TableCellBorderStyle
- table head bottom border: TableCellBorderStyle
- table head left border: TableCellBorderStyle
- table head right border: TableCellBorderStyle
- table body top border: TableCellBorderStyle
- table body left border: TableCellBorderStyle
- table body right border: TableCellBorderStyle
- horizontal rule: HorizontalRuleStyle
- index: IndexStyle
- index section label: ParagraphStyle
- level 1 index entry: ParagraphStyle
- level 2 index entry: ParagraphStyle
- level 3 index entry: ParagraphStyle
- level 4 index entry: ParagraphStyle
- domain index entry name: TextStyle

### 3.3 Element Style Classes

These are the style classes corresponding to each type of document element. For each style class, the supported style attributes are listed along with the values that can be assigned to them in a style sheet.

<code>draw.LineStyle</code>	Style class for Line
<code>draw.ShapeStyle</code>	Style class for Shape
<code>flowable.FlowableStyle</code>	Style class for Flowable
<code>flowable.LabeledFlowableStyle</code>	Style class for LabeledFlowable
<code>flowable.GroupedFlowablesStyle</code>	Style class for GroupedFlowables
<code>flowable.FloatStyle</code>	Style class for Float
<code>image.CaptionStyle</code>	Style class for Caption
<code>image.FigureStyle</code>	Style class for Figure
<code>index.IndexStyle</code>	Style class for Index
<code>paragraph.ParagraphStyle</code>	Style class for Paragraph
<code>text.TextStyle</code>	Style class for Text

inline.InlineFlowableStyle	Style class for <code>InlineFlowable</code>
reference.ReferencingParagraphStyle	Style class for <code>ReferencingParagraph</code>
reference.NoteMarkerStyle	Style class for <code>NoteMarker</code>
structure.SectionStyle	Style class for <code>Section</code>
structure.HeadingStyle	Style class for <code>Heading</code>
structure.ListStyle	Style class for <code>List</code>
structure.ListItemLabelStyle	Style class for <code>ListItemLabel</code>
structure.TableOfContentsStyle	Style class for <code>TableOfContents</code>
structure.TableOfContentsEntryStyle	Style class for <code>TableOfContentsEntry</code>
structure.AdmonitionStyle	Style class for <code>Admonition</code>
structure.HorizontalRuleStyle	Style class for <code>HorizontalRule</code>
table.TableStyle	Style class for <code>Table</code>
table.TableCellStyle	Style class for <code>TableCell</code>
table.TableCellBorderStyle	Style class for <code>TableCellBorder</code>
table.TableCellBackgroundColor	Style class for <code>TableCellBackground</code>

### 3.3.1 LineStyle

```
class rinoх.draw.LineStyle ( base=None, **attributes )
    Style class for Line

stroke
    Width and color used to draw the line
    Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by
    a comma ( , )
    Default: 1pt, #000

hide
    Suppress rendering this element (inherited from Style)
    Accepts Bool: true or false
    Default: false
```

### 3.3.2 ShapeStyle

```
class rinoх.draw.ShapeStyle ( base=None, **attributes )
    Style class for Shape

fill_color
    Color to fill the shape
    Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA,
    #RGB or #RGBA)
    Default: #e5e5e5

stroke
    Width and color used to draw the line (inherited from LineStyle)
    Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by
    a comma ( , )
    Default: 1pt, #000
```

**hide**  
Suppress rendering this element (inherited from `Style`)  
*Accepts* `Bool`: `true` or `false`  
*Default*: `false`

### 3.3.3 FlowableStyle

```
class rinoh.flowable.FlowableStyle ( base=None, **attributes )  
    Style class for Flowable  
  
width  
    Width to render the flowable at  
    Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,  
    pc, mm, cm, %, /2, /4)  
    Default: auto  
  
horizontal_align  
    Horizontal alignment of the flowable  
    Accepts HorizontalAlignment: left, right, center  
    Default: left  
  
space_above  
    Vertical space preceding the flowable  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
    Default: 0  
  
space_below  
    Vertical space following the flowable  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
    Default: 0  
  
margin_left  
    Left margin  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
    Default: 0  
  
margin_right  
    Right margin  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
    Default: 0  
  
padding  
    Padding  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
    Default: 0  
  
padding_left  
    Left padding  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
    Default: 0  
  
padding_right  
    Right padding  
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
    Default: 0
```

**padding\_top**  
 Top padding  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_bottom**  
 Bottom padding  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**keep\_with\_next**  
 Keep this flowable and the next on the same page  
*Accepts Bool:* true or false  
*Default:* false

**border**  
 Border surrounding the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

**border\_left**  
 Border left of the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

**border\_right**  
 Border right of the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

**border\_top**  
 Border above the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

**border\_bottom**  
 Border below the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

**background\_color**  
 Color of the area within the flowable's borders  
*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default:* none

**page\_break**  
 Type of page break to insert before rendering this flowable  
*Accepts Break:* none, any, left, right, any restart, left restart, right restart  
*Default:* None

**hide**  
Suppress rendering this element (inherited from `Style`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.4 LabeledFlowableStyle

```
class rinoh.flowable.LabeledFlowableStyle ( base=None, **attributes )
    Style class for LabeledFlowable

    label_min_width
        Minimum label width
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 12pt

    label_max_width
        Maximum label width
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 80pt

    label_spacing
        Spacing between a label and the labeled flowable
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 3pt

    align_baselines
        Line up the baselines of the label and the labeled flowable
        Accepts Bool: true or false
        Default: true

    wrap_label
        Wrap the label at label_max_width
        Accepts Bool: true or false
        Default: false

    width
        Width to render the flowable at (inherited from FlowableStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: auto

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* `none`

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* `none`

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.5 GroupedFlowablesStyle

```
class rinoh.flowable.GroupedFlowablesStyle ( base=None, **attributes )
```

Style class for `GroupedFlowables`

**width**

Overrides the default set in `FlowableStyle`

*Accepts FlowableWidth:* auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**horizontal\_align**  
Horizontal alignment of the flowable (inherited from `FlowableStyle`)  
*Accepts* `HorizontalAlignment: left, right, center`  
*Default:* `left`

**space\_above**  
Vertical space preceding the flowable (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**space\_below**  
Vertical space following the flowable (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**margin\_left**  
Left margin (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**margin\_right**  
Right margin (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**padding**  
Padding (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**padding\_left**  
Left padding (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**padding\_right**  
Right padding (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**padding\_top**  
Top padding (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**padding\_bottom**  
Bottom padding (inherited from `FlowableStyle`)  
*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`  
*Default:* `0`

**keep\_with\_next**  
Keep this flowable and the next on the same page (inherited from `FlowableStyle`)  
*Accepts* `Bool: true or false`  
*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: `none`

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: `none`

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: `none`

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: `none`

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: `none`

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: `none`

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: `none`, `any`, `left`, `right`, `any restart`, `left restart`, `right restart`

*Default*: `None`

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: `true` or `false`

*Default*: `false`

### 3.3.6 FloatStyle

```
class rinoh.flowable.FloatStyle( base=None, **attributes )
```

Style class for `Float`

**float**

Float the flowable to the top or bottom of the page

*Accepts* Bool: true or false

*Default:* false

#### **width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.7 CaptionStyle

```
class rinoh.image.CaptionStyle( base=None, **attributes )
    Style class for Caption

    number_format
        Overrides the default set in ParagraphStyle
        Accepts NumberFormat: none, number, symbol, lowercase character,
        uppercase character, lowercase roman, uppercase roman
        Default: number

    numbering_level
        Overrides the default set in ParagraphStyle
        Accepts Integer: a natural number (positive integer)
        Default: 1

    width
        Width to render the flowable at (inherited from ParagraphStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
        pc, mm, cm, %, /2, /4)
        Default: fill

    indent_first
        Indentation of the first line of text (inherited from ParagraphStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0pt

    line_spacing
        Spacing between the baselines of two successive lines of text (inherited from
        ParagraphStyle)
        Accepts LineSpacing: a predefined line spacing type or the name of a line spacing
        type followed by comma-separated arguments enclosed in braces: <spacing
        type>(<arg1>, <arg2>, ...)
        Default: default

    text_align
        Alignment of text to the margins (inherited from ParagraphStyle)
        Accepts TextAlign: left, right, center, justify
        Default: justify

    tab_stops
        List of tab positions (inherited from ParagraphStyle)
        Accepts TabStopList: a comma-separated list of tab stops. A tab stop is specified as
        <position> [align] [fill string], where position (Dimension) is
        required and align (TabAlign) and fill string (string enclosed in quotes) are
        optional.
        Default: (no value)

    number_separator
        Characters inserted between the number label of this element's parent and this
        element's own number label. If None, only show this item's number label. (inherited
        from ParagraphStyle)
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
        string is a quoted string (' or "), optionally followed by a style name enclosed in
        braces: 'text string' (style name)
```

*Default:* '.'

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool: true or false`

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fon`ts for a list of the available typefaces.

*Default*: Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default*: 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default*: upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default*: 5

**font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default*: 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default*: normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default*: normal

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

### 3.3.8 FigureStyle

```
class rinoh.image.FigureStyle ( base=None, **attributes )
```

Style class for `Figure`

**float**

Float the flowable to the top or bottom of the page (inherited from `FloatStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool: true or false`

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**flowable\_spacing**  
Spacing between flowables (inherited from GroupedFlowablesStyle)  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

### 3.3.9 IndexStyle

```
class rinoh.index.IndexStyle ( base=None, **attributes )
    Style class for Index

    initials
        Group index entries based on their first letter
        Accepts Bool: true or false
        Default: true

    width
        Width to render the flowable at (inherited from GroupedFlowablesStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
        pc, mm, cm, %, /2, /4)
        Default: fill

    title
        Title to precede the flowables (inherited from GroupedFlowablesStyle)
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
        string is a quoted string (' or "), optionally followed by a style name enclosed in
        braces: 'text string' (style name)
        Default: (no value)

    flowable_spacing
        Spacing between flowables (inherited from GroupedFlowablesStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_right
        Right margin (inherited from FlowableStyle)
```

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**  
 Border below the flowable (inherited from `FlowableStyle`)  
*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,  
*Default*: none

**background\_color**  
 Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default*: none

**page\_break**  
 Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart  
*Default*: None

**hide**  
 Suppress rendering this element (inherited from `Style`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.10 ParagraphStyle

```
class rinoh.paragraph.ParagraphStyle ( base=None, **attributes )
    Style class for Paragraph
```

**width**  
 Overrides the default set in `FlowableStyle`  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: fill

**indent\_first**  
 Indentation of the first line of text  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0pt

**line\_spacing**  
 Spacing between the baselines of two successive lines of text  
*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)  
*Default*: default

**text\_align**  
 Alignment of text to the margins  
*Accepts* `TextAlign`: left, right, center, justify  
*Default*: justify

**tab\_stops**  
 List of tab positions  
*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as

<position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

Overrides the default set in NumberStyle

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label.

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**  
Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

**hide**  
Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default:* false

**label\_prefix**  
Text to prepend to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**label\_suffix**  
Text to append to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**custom\_label**  
Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* Bool: true or false  
*Default:* false

**typeface**  
Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* Typeface: the name of a typeface. See `rinoh --list-fon`t for a list of the available typefaces.  
*Default:* Times

**font\_weight**  
Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

**font\_slant**  
Slope style of the font (inherited from `TextStyle`)  
*Accepts* `FontSlant`: upright, oblique, italic  
*Default:* upright

**font\_width**  
Stretch of the characters (inherited from `TextStyle`)  
*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded  
*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* FontVariant: `normal`, `small` `capital`, `oldstyle` `figures`

*Default:* `normal`

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* TextPosition: `normal`, `superscript`, `subscript`

*Default:* `normal`

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `true`

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `true`

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `true`

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* Integer: a natural number (positive integer)

*Default:* 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* Locale: locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

### 3.3.11 TextStyle

```
class rinoх.text.TextStyle ( base=None, **attributes )
```

Style class for `Text`

**typeface**

Typeface to set the text in

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fonTs` for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

**font\_size**

Height of characters

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

**font\_color**

Color of the font

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default:* normal

**position**

Vertical text position

*Accepts* `TextPosition`: normal, superscript, subscript  
*Default*: normal

#### **kerning**

Improve inter-letter spacing  
*Accepts* `Bool`: true or false  
*Default*: true

#### **ligatures**

Run letters together where possible  
*Accepts* `Bool`: true or false  
*Default*: true

#### **hyphenate**

Allow words to be broken over two lines  
*Accepts* `Bool`: true or false  
*Default*: true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word  
*Accepts* `Integer`: a natural number (positive integer)  
*Default*: 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US'  
*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format  
*Default*: en\_US

#### **before**

Item to insert before this one (inherited from `InlineStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default*: (no value)

#### **after**

Item to insert after this one (inherited from `InlineStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default*: (no value)

#### **hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.12 **InlineFlowableStyle**

```
class rinoh.inline.InlineFlowableStyle ( base=None, **attributes )  
    Style class for InlineFlowable
```

#### **baseline**

The location of the flowable's baseline relative to the bottom edge  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

#### **width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth: auto, fill` or a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* `auto`

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

#### **space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text

string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **after**

Item to insert after this one (inherited from `InlineStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

### **3.3.13 ReferencingParagraphStyle**

`class rinoх.reference.ReferencingParagraphStyle ( base=None, **attributes )`

Style class for `ReferencingParagraph`

#### **text**

The text content of this paragraph  
*Accepts* `ReferenceText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* '{TITLE}'

#### **width**

Width to render the flowable at (inherited from `ParagraphStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* fill

#### **indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)  
*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)  
*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)  
*Accepts*  `TextAlign`: left, right, center, justify  
*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)  
*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.  
*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from `ParagraphStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from `ParagraphStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default:* (no value)

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* `Bool`: true or false  
*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* Typeface: the name of a typeface. See `rino --list-fon`t for a list of the available typefaces.  
*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)  
*Accepts* `FontSlant`: upright, oblique, italic  
*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)  
*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded  
*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default*: normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default*: normal

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**hide**  
Suppress rendering this element (inherited from `Style`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.14 NoteMarkerStyle

```
class rinoh.reference.NoteMarkerStyle ( base=None, **attributes )  
    Style class for NoteMarker
```

**type**  
Overrides the default set in `ReferenceStyle`  
*Accepts* `ReferenceType`: reference, number, title, page, custom  
*Default*: number

**link**  
Create a hyperlink to the reference target (inherited from `ReferenceStyle`)  
*Accepts* `Bool`: true or false  
*Default*: true

**quiet**  
If the given reference type does not exist for the target, resolve to an empty string instead of making a fuss about it (inherited from `ReferenceStyle`)  
*Accepts* `Bool`: true or false  
*Default*: false

**typeface**  
Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fs` for a list of the available typefaces.  
*Default*: Times

**font\_weight**  
Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default*: 500

**font\_slant**  
Slope style of the font (inherited from `TextStyle`)  
*Accepts* `FontSlant`: upright, oblique, italic  
*Default*: upright

**font\_width**  
Stretch of the characters (inherited from `TextStyle`)  
*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded  
*Default*: 5

**font\_size**  
Height of characters (inherited from `TextStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default*: normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default*: normal

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**number\_format**

How numbers are formatted (inherited from NumberStyle)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* number

**label\_prefix**

Text to prepend to the label (inherited from LabelStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from LabelStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from LabelStyle)

*Accepts* Bool: true or false

*Default:* false

**hide**

Suppress rendering this element (inherited from Style)

*Accepts* Bool: true or false

*Default:* false

### 3.3.15 SectionStyle

```
class rinoh.structure.SectionStyle( base=None, **attributes )
```

Style class for Section

**show\_in\_toc**

List this section in the table of contents

*Accepts* Bool: true or false

*Default:* true

**width**

Width to render the flowable at (inherited from GroupedFlowablesStyle)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables (inherited from GroupedFlowablesStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables (inherited from GroupedFlowablesStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.16 **HeadingStyle**

```
class rinoх.structure.HeadingStyle ( base=None, **attributes )  
    Style class for Heading
```

**keep\_with\_next**

Overrides the default set in `FlowableStyle`

*Accepts* `Bool`: true or false

*Default*: true

**numbering\_level**

Overrides the default set in `ParagraphStyle`

*Accepts* `Integer`: a natural number (positive integer)

*Default*: -1

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default*: fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default*: 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default*: default

**text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts* `TextAlign`: left, right, center, justify

*Default*: justify

**tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.

*Default*: (no value)

**number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default*: None

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from `ParagraphStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: '.'

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, )`

*Default:* `none`

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma ( , )

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma ( , )

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma ( , )

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma ( , )

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**typeface**

Typeface to set the text in (inherited from TextStyle)

*Accepts* Typeface: the name of a typeface. See `rinoh --list-fs` for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from TextStyle)

*Accepts* FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font (inherited from TextStyle)

*Accepts* FontSlant: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters (inherited from TextStyle)

*Accepts* FontWidth: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

**font\_size**

Height of characters (inherited from TextStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

**font\_color**

Color of the font (inherited from TextStyle)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from TextStyle)

*Accepts* FontVariant: normal, small capital, oldstyle figures

*Default:* normal

**position**

Vertical text position (inherited from TextStyle)

*Accepts* TextPosition: normal, superscript, subscript

*Default:* normal

**kerning**

Improve inter-letter spacing (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

**ligatures**

Run letters together where possible (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

### 3.3.17 `ListStyle`

```
class rinoh.structure.ListStyle( base=None, **attributes )
```

Style class for `List`

**ordered**

This list is ordered or unordered

*Accepts* `Bool`: true or false

*Default*: false

**bullet**

Bullet to use in unordered lists

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: '•'

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* fill

#### **title**

Title to precede the flowables (inherited from GroupedFlowablesStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **flowable\_spacing**

Spacing between flowables (inherited from GroupedFlowablesStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_right**

Right padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

**number\_format**

How numbers are formatted (inherited from `NumberStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* number

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.18 ListItemLabelStyle

`class rinoh.structure.ListItemLabelStyle( base=None, **attributes )`

Style class for `ListItemLabel`

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins (inherited from ParagraphStyle)

*Accepts* TextAlign: left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions (inherited from ParagraphStyle)

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from ParagraphStyle)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from ParagraphStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fon`t s for a list of the available typefaces.

*Default*: Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default*: 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default*: upright

**font\_width**

Stretch of the characters (inherited from TextStyle)

*Accepts* FontWeight: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

**font\_size**

Height of characters (inherited from TextStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

**font\_color**

Color of the font (inherited from TextStyle)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from TextStyle)

*Accepts* FontVariant: normal, small capital, oldstyle figures

*Default:* normal

**position**

Vertical text position (inherited from TextStyle)

*Accepts* TextPosition: normal, superscript, subscript

*Default:* normal

**kerning**

Improve inter-letter spacing (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

**ligatures**

Run letters together where possible (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

**hyphenate**

Allow words to be broken over two lines (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from TextStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from TextStyle)

*Accepts* Locale: locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.19 `TableOfContentsStyle`

```
class rinoth.structure.TableOfContentsStyle ( base=None, **attributes )  
    Style class for TableOfContents
```

**depth**

The number of section levels to include in the table of contents

*Accepts* `Integer`: a natural number (positive integer)

*Default:* 3

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts LineSpacing:* a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts TextAlign:* left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as `<position> [align] [fill string]`, where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If `None`, only show this item's number label. (inherited from `ParagraphStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from `ParagraphStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default:* (no value)

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fon`t for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from TextStyle)

*Accepts* FontSlant: upright, oblique, italic

*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from TextStyle)

*Accepts* FontWeight: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

#### **font\_size**

Height of characters (inherited from TextStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from TextStyle)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

#### **font\_variant**

Variant of the font (inherited from TextStyle)

*Accepts* FontVariant: normal, small capital, oldstyle figures

*Default:* normal

#### **position**

Vertical text position (inherited from TextStyle)

*Accepts* TextPosition: normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from TextStyle)

*Accepts* Bool: true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from TextStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format  
*Default:* en\_US

#### **before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

### 3.3.20 **TableOfContentsEntryStyle**

**class** `rinoх.structure.TableOfContentsEntryStyle` (`base=None, **attributes`)

Style class for `TableOfContentsEntry`

#### **text**

Overrides the default set in `ReferencingParagraphStyle`

*Accepts ReferenceText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '{NUMBER}' '\t' '{TITLE}' '\t' '{PAGE}'

#### **width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts FlowableWidth:* auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

#### **indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts LineSpacing:* a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts TextAlign:* left, right, center, justify

*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from ParagraphStyle)

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

How numbers are formatted (inherited from ParagraphStyle)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)  
(inherited from ParagraphStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* Bool: true or false  
*Default:* false

#### **typeface**

Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* Typeface: the name of a typeface. See `rinoh --list-fon`t s for a list of the available typefaces.  
*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from `TextStyle`)  
*Accepts* FontSlant: upright, oblique, italic  
*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from `TextStyle`)  
*Accepts* FontWidth: ultra-condensed, extra-condensed, condensed,

semi-condensed, normal, medium, semi-expanded, expanded,  
extra-expanded, ultra-expanded  
*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

#### **font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts FontVariant:* normal, small capital, oldstyle figures

*Default:* normal

#### **position**

Vertical text position (inherited from `TextStyle`)

*Accepts TextPosition:* normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

#### **before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.21 AdmonitionStyle

**class** `rinoh.structure.AdmonitionStyle` (`base=None, **attributes`)

Style class for `Admonition`

**inline\_title**

Show the admonition's title inline with the body text, if possible

*Accepts* `Bool`: true or false

*Default:* true

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by

a comma (, )  
*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.22 HorizontalRuleStyle

```
class rinoh.structure.HorizontalRuleStyle( base=None, **attributes )  
    Style class for HorizontalRule
```

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts FlowableWidth:* auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts HorizontalAlignment:* left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)  
*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)  
*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

#### **hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default:* false

#### **stroke**

Width and color used to draw the line (inherited from `LineStyle`)  
*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* 1pt, #000

### 3.3.23 `TableStyle`

```
class rinoth.table.TableStyle( base=None, **attributes )  
    Style class for Table  
  
    column_widths  
        Absolute or relative widths of each column  
        Accepts ColumnWidths: a whitespace-delimited list of column widths; Dimensions  
        (absolute width), integers (relative width) and/or 'auto' (automatic width)  
        Default: none  
  
    split_minimum_rows  
        The minimum number of rows to display when the table is split across pages  
        Accepts Integer: a natural number (positive integer)  
        Default: (no value)
```

**repeat\_head**

Repeat the head when the table is split across pages

*Accepts* Bool: true or false

*Default:* false

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth: auto, fill` or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.24 TableCellStyle

```
class rino.h.table.TableCellStyle( base=None, **attributes )
    Style class for TableCell

    vertical_align
        Vertical alignment of the cell contents within the available space
        Accepts VerticalAlign: top, middle, bottom
        Default: middle

    width
        Width to render the flowable at (inherited from GroupedFlowablesStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
        pc, mm, cm, %, /2, /4)
        Default: fill

    title
        Title to precede the flowables (inherited from GroupedFlowablesStyle)
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
        string is a quoted string (' or "), optionally followed by a style name enclosed in
        braces: 'text string' (style name)
        Default: (no value)

    flowable_spacing
        Spacing between flowables (inherited from GroupedFlowablesStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_right
        Right margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

#### **hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default:* false

### 3.3.25 `TableCellBorderStyle`

**class** `rinoh.table.TableCellStyle` (`base=None, **attributes`)

Style class for `TableCellBorder`

#### **stroke**

Overrides the default set in `LineStyle`  
*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default:* false

### 3.3.26 `TableCellBackgroundStyle`

**class** `rinoh.table.TableCellBackgroundStyle` (`base=None, **attributes`)

Style class for `TableCellBackground`

#### **fill\_color**

Overrides the default set in `ShapeStyle`  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default:* none

#### **stroke**

Overrides the default set in `LineStyle`  
*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: `true` or `false`

*Default*: `false`



# Standard Document Templates

4

Rinohype includes a number of document templates. These are configurable and therefore should cater for most documents.

## 4.1 Article

The article template consists of a title page, an optional table of contents and the body text. By default, it uses a single numbering style for all pages and the same template for even and odd pages.

```
class rinoh.templates.article.Article ( document_tree, configuration=None, backend=None )
```

### stylesheet

Overrides the default set in `DocumentTemplate`

*Accepts* `StyleSheet`: the name of an `Section 3.1` or the filename of a stylesheet file (with the `.rts` extension)

*Default*: `sphinx_article` (= `rinoh.stylesheets.sphinx_article`)

### table\_of\_contents

Show or hide the table of contents

*Accepts* `Bool`: true or false

*Default*: true

### abstract\_location

Where to place the abstract

*Accepts* `AbstractLocation`: title, front matter

*Default*: front matter

### parts

Overrides the default set in `DocumentTemplate`

*Accepts* `PartsList`: a space-separated list of document part template names

*Default*: title front\_matter contents

### language

The main language of the document (inherited from `DocumentTemplate`)

*Accepts* `Language`: the code of one of the supported languages

*Default*: EN (English)

### strings

Strings to override standard element names (inherited from `DocumentTemplate`)

*Accepts* `Strings`: strings need to be entered in INI sections named after the `StringCollection` subclasses

*Default:* none

**title**

base: None

Type

TitlePartTemplate

**front\_matter**

base: None

Overrides these defaults:

- page\_number\_format = continue

Type

ArticleFrontMatter

**contents**

base: None

Overrides these defaults:

- page\_number\_format = continue

Type

ContentsPartTemplate

**page**

base: None

Overrides these defaults:

- page\_size = \${paper\_size}

Type

PageTemplate

**title\_page**

base: page

Overrides these defaults:

- top\_margin = 8cm

Type

TitlePageTemplate

**front\_matter\_page**

base: page

Type

PageTemplate

**contents\_page**

base: page

Type

PageTemplate

**Configuration**

alias of `rinoh.template.ArticleConfiguration`

```
ConfigurationFile
    alias of rinoth.template.ArticleConfigurationFile

class rinoth.templates.article.AbstractLocation
    Where to place the article's abstract
    Accepts: title, front matter
```

## 4.2 Book

The book template consists of a title page, the table of contents, the body text and an index. The front matter pages are numbered using lowercase roman numerals. The template uses different templates for even and odd pages.

```
class rinoth.templates.book.Book (document_tree, configuration=None, backend=None)

stylesheet
    Overrides the default set in DocumentTemplate
    Accepts StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file
    (with the .rts extension)
    Default: sphinx (= rinoth.stylesheets.sphinx)

parts
    Overrides the default set in DocumentTemplate
    Accepts PartsList: a space-separated list of document part template names
    Default: title front_matter contents back_matter

language
    The main language of the document (inherited from DocumentTemplate)
    Accepts Language: the code of one of the supported languages
    Default: EN (English)

strings
    Strings to override standard element names (inherited from DocumentTemplate)
    Accepts Strings: strings need to be entered in INI sections named after the
    StringCollection subclasses
    Default: none

cover
    base: None
    Overrides these defaults:
    • drop_if_empty = False
    • page_number_format = None
    • end_at_page = left

    Type
    FixedDocumentPartTemplate

title
    base: None
    Overrides these defaults:
    • page_number_format = number
    • end_at_page = left
```

Type  
TitlePartTemplate

**front\_matter**  
base: None  
Overrides these defaults:

- flowables = [TableOfContentsSection(), ListOfFiguresSection(), ListOfTablesSection()]
- page\_number\_format = lowercase roman
- end\_at\_page = left

Type  
FixedDocumentPartTemplate

**contents**  
base: None  
Overrides these defaults:

- page\_number\_format = number
- end\_at\_page = left

Type  
ContentsPartTemplate

**back\_matter**  
base: None  
Overrides these defaults:

- page\_number\_format = continue
- end\_at\_page = left

Type  
BackMatterTemplate

**page**  
base: None  
Overrides these defaults:

- page\_size = \$(paper\_size)
- left\_margin = 1in
- right\_margin = 1in
- top\_margin = 1in
- bottom\_margin = 1in

Type  
PageTemplate

**cover\_page**  
base: page

Type  
PageTemplate

**title\_page**  
base: page

Type  
TitlePageTemplate

**front\_matter\_page**  
 base: page  
 Overrides these defaults:  

- header\_footer\_distance = 0
- header\_text = None

 Type  
 PageTemplate

**front\_matter\_right\_page**  
 base: front\_matter\_page  
 Overrides these defaults:  

- footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_header\_text = None
- chapter\_footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_title\_height = 2.5in
- chapter\_title\_flowables = [<rinoh.paragraph.Paragraph object at 0x7f1465e881f0>]

 Type  
 PageTemplate

**front\_matter\_left\_page**  
 base: front\_matter\_page  
 Overrides these defaults:  

- footer\_text = '{PAGE\_NUMBER}'

 Type  
 PageTemplate

**contents\_page**  
 base: page  
 Overrides these defaults:  

- header\_footer\_distance = 0

 Type  
 PageTemplate

**contents\_right\_page**  
 base: contents\_page  
 Overrides these defaults:  

- header\_text = '\t' '\t' '{DOCUMENT\_TITLE}' ',' '' '{DOCUMENT\_SUBTITLE}'
- footer\_text = '{SECTION\_NUMBER(2)}' '.' '{SECTION\_TITLE(2)}' '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_header\_text = None
- chapter\_footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_title\_height = 2.4in
- chapter\_title\_flowables = [<rinoh.paragraph.Paragraph object at 0x7f1465df6910>, <rinoh.paragraph.Paragraph object at 0x7f1465df6760>]

 Type  
 PageTemplate

```

contents_left_page
base: contents_page
Overrides these defaults:
• header_text = '{DOCUMENT_TITLE} ', '{DOCUMENT_SUBTITLE}'
• footer_text = '{PAGE_NUMBER}' '\t' '\t'
'{SectionTitles.chapter}' ' ' '{SECTION_NUMBER(1)}' '.'
'{SECTION_TITLE(1)}'

Type
PageTemplate

back_matter_page
base: page
Overrides these defaults:
• columns = 2
• header_footer_distance = 0

Type
PageTemplate

back_matter_right_page
base: back_matter_page
Overrides these defaults:
• header_text = '\t' '\t' '{DOCUMENT_TITLE}' ', '
'{DOCUMENT_SUBTITLE}'
• footer_text = '{SECTION_TITLE(1)}' '\t' '\t' '{PAGE_NUMBER}'
• chapter_header_text = None
• chapter_footer_text = '\t' '\t' '{PAGE_NUMBER}'
• chapter_title_height = 2.5in
• chapter_title_flowables = [<rinoh.paragraph.Paragraph object
at 0x7f1465e881f0>]

Type
PageTemplate

back_matter_left_page
base: back_matter_page
Overrides these defaults:
• header_text = '{DOCUMENT_TITLE} ', '{DOCUMENT_SUBTITLE}'
• footer_text = '{PAGE_NUMBER}' '\t' '\t' '{SECTION_TITLE(1)}'

Type
PageTemplate

Configuration
alias of rinoth.template.BookConfiguration

ConfigurationFile
alias of rinoth.template.BookConfigurationFile

```

# API Documentation

5

---

## Note

The API documentation is still incomplete.

---

### 5.1 Attribute (`rinoh.attribute`)

```
class rinoh.attribute.AcceptNoneAttributeType
    Accepts 'none' (besides other values)

class rinoh.attribute.OptionSet
    Accepts the values listed in values
    Accepts:

class rinoh.attribute.Attribute ( accepted_type, default_value, description )
    Descriptor used to describe a style attribute

class rinoh.attribute.OverrideDefault ( default_value )
    Overrides the default value of an attribute defined in a superclass

class rinoh.attribute.AttributesDictionary ( base=None, **attributes )

class rinoh.attribute.RuleSet ( name, base=None, source=None, **kwargs )
    find_source ( name )
        Find top-most ruleset where configuration name is defined

class rinoh.attribute.RuleSetFile ( filename, base=None, source=None, **kwargs )
    property location
        Textual representation of this source

    property root
        Directory path for resolving paths relative to this source

class rinoh.attribute.Bool
    Expresses a binary choice

class rinoh.attribute.Integer
    Accepts natural numbers

exception rinoh.attribute.ParseError
```

## 5.2 Color (`rinoh.color`)

```
class rinoh.color.Color( red, green, blue, alpha=1 )
    Color defined by component values

    Parameters
        • red(float) – red component (0 .. 1)
        • blue(float) – blue component (0 .. 1)
        • green(float) – green component (0 .. 1)
        • alpha(float) – opacity (0 .. 1)

    property rgba

    classmethod parse_string( string, source )

    classmethod doc_format( )

class rinoh.color.HexColor( string )
    Color defined as a hexadecimal string

    Parameters
        string(str) – #RGB or #RRGGBBAA (# and A are optional)

class rinoh.color.Gray( luminance, alpha=1 )
    Shade of gray

    Parameters
        • luminance(float) – brightness (0 .. 1)
        • alpha(float) – opacity (0 .. 1)
```

## 5.3 Dimension (`rinoh.dimension`)

Classes for expressing dimensions: lengths, widths, line thickness, etc.

Each dimension is expressed in terms of a unit. Several common units are defined here as constants. To create a new dimension, multiply number with a unit:

```
height = 100*PT
width = 50*PERCENT
```

Fractional dimensions are evaluated within the context they are defined in. For example, the width of a `Flowable` is evaluated with respect to the total width available to it.

```
class rinoh.dimension.Dimension( value=0, unit=None )
    A simple dimension

    Parameters
        • value(int or float) – the magnitude of the dimension
        • unit(DimensionUnit) – the unit this dimension is expressed in. Default: PT.

    grow( value )
        Grow this dimension (in-place)
        The value is interpreted as a magnitude expressed in the same unit as this dimension.
```

Parameters

**value** (*int or float*) – the amount to add to the magnitude of this dimension

Returns

`Dimension` – this (growed) dimension itself

```
rinoh.dimension.PT = DimensionUnit(1.0, 'pt')
```

PostScript points

```
rinoh.dimension.PICA = DimensionUnit(12.0, 'pc')
```

computer pica

```
rinoh.dimension.INCH = DimensionUnit(72.0, 'in')
```

imperial/US inch

```
rinoh.dimension.MM = DimensionUnit(2.8346456692913384, 'mm')
```

millimeter

```
rinoh.dimension.CM = DimensionUnit(28.346456692913385, 'cm')
```

centimeter

```
rinoh.dimension.PERCENT = FractionUnit(100, '%')
```

fraction of 100

```
rinoh.dimension.QUARTERS = FractionUnit(4, '1/4')
```

fraction of 4

## 5.4 Document (`rinoh.document`)

```
class rinoh.document.DocumentTree (flowables, options=None, style=None, source=None )
```

Holds the document's contents as a tree of flowables

Parameters

- **flowables** (*list [Flowable]*) – the list of top-level flowables
- **options** (*Reader*) – frontend-specific options

```
class rinoh.document.Document ( document_tree, stylesheet, language, strings=None, backend=None )
```

Renders a document tree to pages

Parameters

- **document\_tree** (*DocumentTree*) – a tree of the document's contents
- **stylesheet** (*StyleSheet*) – style sheet used to style document elements
- **language** (*Language*) – the language to use for standard strings
- **strings** (*Strings*) – overrides localized strings provided by *language*
- **backend** – the backend used for rendering the document

```
render (filename_root=None, file=None )
```

Render the document repeatedly until the output no longer changes due to cross-references that need some iterations to converge.

### 5.4.1 Pages

```
class rinoh.document.Page( document_part, number, paper, orientation='portrait' )
```

A single page in a document.

A Page is a Container, so other containers can be added as children.

Parameters

- **document\_part** (*DocumentPart*) – the document part this page is part of
- **number** (*int*) – the 1-based index of this page in the document part
- **paper** (*Paper*) – determines the dimensions of this page
- **orientation** (*PageOrientation*) – the orientation of this page

**property page**

Returns the page itself.

**render( )**

Render the contents of this container to its canvas.

Note that the rendered contents need to be `place()`d on the parent container's canvas before they become visible.

**place( )**

Place this container's canvas onto the parent container's canvas.

```
class rinoh.document.PageOrientation
```

Accepts: portrait, landscape

```
class rinoh.document.PageType
```

Accepts: left, right, any

```
class rinoh.document.PageNumberFormat
```

How (or if) page numbers are displayed

Accepts: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

## 5.5 Drawing Primitives (`rinoh.draw`)

```
class rinoh.draw.Stroke( width, color )
```

The display properties of a line

Parameters

- **width** (*Dimension*) – the width of the line
- **color** (*Color*) – the color of the line

```
class rinoh.draw.Line( start, end, style=None, parent=None )
```

Draws a line

Parameters

- **start** (2-tuple) – coordinates for the start point of the line
- **end** (2-tuple) – coordinates for the end point of the line

**style\_class**

alias of `rinoh.draw.LineStyle`

```

class rinoh.draw.Shape (style=None, parent=None)
    Base class for closed shapes

    style_class
        alias of rinoh.draw.ShapeStyle

class rinoh.draw.Polygon (points, style=None, parent=None)

class rinoh.draw.Rectangle (bottom_left, width, height, style=None, parent=None)

```

## 5.6 Flowable (rinoh.flowable)

```

class rinoh.flowable.Flowable (align=None, width=None, id=None, style=None, parent=None, source=None)

```

A document element that can be “flowed” into a container on the page.

A flowable can adapt to the width of the container, or it can horizontally align itself in the container.

Parameters

- **align** (*HorizontalAlignment*) – horizontal alignment of the flowable
- **width** (*FlowableWidth or DimensionBase*) – the width of the flowable.

```

class rinoh.flowable.FlowableState (flowable, _initial=True)

```

Stores a flowable’s rendering state, which can be copied.

This enables saving the rendering state at certain points in the rendering process, so rendering can later be resumed at those points, if needed.

### 5.6.1 No-Output Flowables

These flowables do not directly place anything on the page. All except `DummyFlowable` do have side-effects however. Some of these side-effects affect the rendering of the document in an indirect way.

```

class rinoh.flowable.DummyFlowable (id=None, parent=None)

```

A flowable that does not directly place anything on the page.

Subclasses can produce side-effects to affect the output in another way.

```

class rinoh.flowable.AnchorFlowable (id=None, parent=None)

```

A dummy flowable that registers a destination anchor.

Places a destination for the flowable’s ID at the current cursor position.

```

class rinoh.flowable.SetMetadataFlowable (parent=None, **metadata)

```

A dummy flowable that stores metadata in the document.

The metadata is passed as keyword arguments. It will be available to other flowables during the rendering stage.

```

class rinoh.flowable.WarnFlowable (message, parent=None)

```

A dummy flowable that emits a warning during the rendering stage.

Parameters

- message** (*str*) – the warning message to emit

```

class rinoh.flowable.PageBreak (page_break='any')

```

## 5.6.2 Labeled Flowables

```
class rinoh.flowable.LabeledFlowable ( label, flowable, id=None, style=None, parent=None )
```

A flowable with a label.

The flowable and the label are rendered side-by-side. If the label exceeds the `label_max_width` style attribute value, the flowable is rendered below the label.

Parameters

- **label** (`Flowable`) – the label for the flowable
- **flowable** (`Flowable`) – the flowable to label

**style\_class**

alias of `rinoh.flowable.LabeledFlowableStyle`

**prepare** (`flowable_target`)

Determine number labels and register references with the document

**render** ( `container, last_descender, state, label_column_width=None, space_below=0, **kwargs` )

Renders the flowable's content to `container`, with the flowable's top edge lining up with the container's cursor. `descender` is the descender height of the preceding line or `None`.

```
class rinoh.flowable.LabeledFlowableState ( flowable, content_flowable_state, _initial=True )
```

## 5.6.3 Grouping Flowables

```
class rinoh.flowable.GroupedFlowables ( align=None, width=None, id=None, style=None, parent=None, source=None )
```

Groups a list of flowables and renders them one below the other.

Makes sure that a flowable for which `keep_with_next` is enabled is not separated from the flowable that follows it.

Subclasses should implement `flowables()`.

**style\_class**

alias of `rinoh.flowable.GroupedFlowablesStyle`

**flowables** ( `container` )

Generator yielding the `Flowables` to group

**render** ( `container, descender, state, first_line_only=False, **kwargs` )

Renders the flowable's content to `container`, with the flowable's top edge lining up with the container's cursor. `descender` is the descender height of the preceding line or `None`.

```
class rinoh.flowable.GroupedFlowablesState ( groupedflowables, flowables, first_flowable_state=None, _initial=True, _index=0 )
```

```
class rinoh.flowable.StaticGroupedFlowables ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )
```

Groups a static list of flowables.

Parameters

- **flowables** (`iterable[Flowable]`) – the flowables to group

```

flowables (container)
    Generator yielding the Flowables to group

build_document (flowable_target)
    Set document metadata and populate front and back matter

prepare (flowable_target)
    Determine number labels and register references with the document

class rinoх.flowable.GroupedLabeledFlowables ( align=None, width=None, id=None,
style=None, parent=None, source=None )
    Groups a list of labeled flowables, lining them up.

render (container, descender, state, **kwargs)
    Renders the flowable's content to container, with the flowable's top edge lining up with
    the container's cursor. descender is the descender height of the preceding line or None.

```

## 5.6.4 Floating Flowables

```

class rinoх.flowable.Float ( align=None, width=None, id=None, style=None, parent=None,
source=None )
    A flowable that can optionally be placed elsewhere on the page.
    If this flowable's float style attribute is set to True, it is not flowed in line with the
    surrounding flowables, but it is instead flowed into another container pointed to by the
    former's Container.float_space attribute.
    This is typically used to place figures and tables at the top or bottom of a page, instead of in
    between paragraphs.

flow (container, last_descender, state=None, **kwargs)
    Flow this flowable into container and return the vertical space consumed.
    The flowable's contents are preceded by a vertical space with a height as specified in its
    style's space_above attribute. Similarly, the flowed content is followed by a vertical space
    with a height given by the space_below style attribute.

```

## 5.6.5 Styling Properties

```

class rinoх.flowable.HorizontalAlignment
    Controls horizontal placement
    Accepts: left, right, center

class rinoх.flowable.FlowableWidth
    Controls the width of a flowable
    Accepts: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

```

## 5.7 Fonts and Typefaces (`rinoх.font`)

Classes for fonts and typefaces.

```

class rinoх.font.Font (filename, weight, slant, width )
    A collection of glyphs in a particular style
    This is a base class for classes that parse different font formats. See rinoх.font.type1
    and rinoх.font.opentype.

```

Parameters

- **filename** (*str*) – filename of the font file to load
- **weight** (*FontWeight*) – weight of the font
- **slant** (*FontSlant*) – slant of the font
- **width** (*FontWidth*) – width of the font

#### **encoding**

If no encoding is set for the `Font`, glyphs are addressed by glyph ID (and thus support more than 256 glyphs).

#### **get\_glyph** (*char, variant* )

Return the glyph for a particular character

If the glyph of requested font variant is not present in the font, the *normal* variant is returned instead. If that is not present either, an exception is raised.

Parameters

- **char** (*str of length 1*) – the character for which to find the glyph
- **variant** (*FontVariant*) – the variant of the glyph to return

Returns

*GlyphMetrics* – the requested glyph

Raises

`MissingGlyphException` – when the requested glyph is not present in the font

#### **get\_ligature** (*glyph, successor\_glyph* )

Return the ligature to replace the given glyphs

If no ligature is defined in the font for the given glyphs, return `None`.

Parameters

- **glyph** (*GlyphMetrics*) – the first of the glyphs to combine
- **successor\_glyph** (*GlyphMetrics*) – the second of the glyphs to combine

Returns

*GlyphMetrics or None* – the ligature to replace the given glyphs

#### **get\_kerning** (*a, b* )

Look up the kerning for two glyphs

Parameters

- **a** (*GlyphMetrics*) – the first of the glyphs
- **b** (*GlyphMetrics*) – the second of the glyphs

Returns

*float* – the kerning value in font units

### **class rinoh.font.Typeface** (*name, \*fonts* )

A set of fonts that share common design features

The fonts collected in a typeface differ in weight, width and/or slant.

Parameters

- **\*fonts** (`Font`) – the fonts that make up this typeface

#### **fonts** ( )

Generator yielding all fonts of this typeface

Yields

*Font* – the next font in this typeface

**get\_font** (*weight*=400, *slant*='upright', *width*=5)

Return the font matching or closest to the given style

If a font with the given weight, slant and width is available, return it. Otherwise, return the font that is closest in style.

Parameters

- **weight** (*FontWeight*) – weight of the font
- **slant** (*FontSlant*) – slant of the font
- **width** (*FontWidth*) – width of the font

Returns

*Font* – the requested font

**class rinoх.font.style.FontWeight**

Accepts: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

**class rinoх.font.style.FontSlant**

Accepts: upright, oblique, italic

**class rinoх.font.style.FontWidth**

Accepts: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

**class rinoх.font.style.FontVariant**

Accepts: normal, small capital, oldstyle figures

**class rinoх.font.style.TextPosition**

Accepts: normal, superscript, subscript

## 5.8 Images and Figures (`rinoх.image`)

**class rinoх.image.Image** ( *filename\_or\_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *limit\_width*=*<rinoх.dimension.Fraction object>*, *align*=None, *id*=None, *style*=None, *parent*=None, *source*=None )

**class rinoх.image.InlineImage** ( *filename\_or\_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *baseline*=None, *id*=None, *style*=None, *parent*=None, *source*=None )

**arguments**

alias of `rinoх.image.InlineImageArgs`

**class rinoх.image.BackgroundImage** ( *filename\_or\_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *limit\_width*=*<rinoх.dimension.Fraction object>*, *align*=None, *id*=None, *style*=None, *parent*=None, *source*=None )

Image to place in the background of a page

Takes the same arguments as `Image`.

**arguments**

alias of `rinoх.image.ImageArgs`

```

class rinoх.image.ImageArgs ( base=None, **attributes )

    limit_width
        Limit the image width when none of scale, width and height are given and the
        image would be wider than the container
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 100%

    align
        How to align the image within the page
        Accepts HorizontalAlignment: left, right, center
        Default: left

    file_or_filename
        Path to the image file (inherited from ImageArgsBase)
        Accepts ImagePath: path to an image file enclosed in quotes
        Default: none

    scale
        Scaling factor for the image (inherited from ImageArgsBase)
        Accepts Scale: fit, fill or a float larger than 0
        Default: fit

    width
        The width to scale the image to (inherited from ImageArgsBase)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: none

    height
        The height to scale the image to (inherited from ImageArgsBase)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: none

    dpi
        Overrides the DPI value set in the image (inherited from ImageArgsBase)
        Accepts Integer: a natural number (positive integer)
        Default: (no value)

    rotate
        Angle in degrees to rotate the image (inherited from ImageArgsBase)
        Accepts Integer: a natural number (positive integer)
        Default: (no value)

class rinoх.image.Scale
    Scaling factor for images
    Can be a numerical value where a value of 1 keeps the image's original size or one of
    values.
    Accepts: fit, fill or a float larger than 0

class rinoх.image.Caption ( content, custom_label=None, align=None, width=None, id=None,
style=None, parent=None, source=None )

    style_class
        alias of rinoх.image.CaptionStyle

```

```

class rinoх.image.Figure ( flowables, align=None, width=None, id=None, style=None,
parent=None, source=None )

style_class
    alias of rinoх.image.FigureStyle

class rinoх.image.ListOfFiguresSection

list_class
    alias of rinoх.image.ListOfFigures

class rinoх.image.ListOfFigures ( local=False, id=None, style=None, parent=None )

```

## 5.9 Index (rinoх.index)

```

class rinoх.index.IndexSection ( title=None, flowables=None, style=None )

class rinoх.index.Index ( id=None, style=None, parent=None )

style_class
    alias of rinoх.index.IndexStyle

flowables ( container )
    Generator yielding the Flowables to group

class rinoх.index.IndexLabel ( content, custom_label=None, align=None, width=None,
id=None, style=None, parent=None, source=None )

class rinoх.index.IndexTerm ( *levels )

class rinoх.index.InlineIndexTarget ( index_terms, *args, **kwargs )

to_string ( flowable_target )
    Return the text content of this styled text.

class rinoх.index.IndexTarget ( index_terms, parent=None )

flow ( container, last_descender, state=None, **kwargs )
    Flow this flowable into container and return the vertical space consumed.
    The flowable's contents are preceded by a vertical space with a height as specified in its
    style's space_above attribute. Similarly, the flowed content is followed by a vertical space
    with a height given by the space_below style attribute.

```

## 5.10 Language (rinoх.language)

```

class rinoх.language.Language ( code, name )
    Collects localized strings for a particular language

    Parameters
        • code (str) – short code identifying the language
        • name (str) – native name of the language

    languages
        Dictionary mapping codes to Languages

```

The following languages are supported:

`rinoх.language.EN = Language('en', 'English')`

Localized strings for English

SectionTitles

Contents

Table of Contents

List\_of\_figures

List of Figures

List\_of\_tables

List of Tables

Chapter

Chapter

Index

Index

AdmonitionTitles

Attention

Attention!

Caution

Caution!

Danger

!DANGER!

Error

Error

Hint

Hint

Important

Important

Note

Note

Tip Tip

Warning

Warning

Seealso

See also

`rinoх.language.FR = Language('fr', 'Français')`

Localized strings for Français

SectionTitles

Contents

Table des Matières

List\_of\_figures

Liste des Figures

```
List_of_tables
    Liste des Tableaux
Chapter
    Chapitre
Index
    Index
AdmonitionTitles
Attention
    Attention!
Caution
    Prudence!
Danger
    !DANGER!
Error
    Erreur
Hint
    Conseil
Important
    Important
Note
    Note
Tip Astuce
Warning
    Avertissement
Seealso
    Voir aussi

rinoh.language.ITALIANO = Language('it', 'Italiano')
    Localized strings for Italiano
SectionTitles
Contents
    Contenuti
List_of_figures
    Elenco delle Figure
List_of_tables
    Elenco delle Tabelle
Chapter
    Capitolo
Index
    Indice
AdmonitionTitles
```

Attention  
Attenzione!  
Caution  
Prudenza!  
Danger  
!PERICOLO!  
Error  
Errore  
Hint  
Consiglio  
Important  
Importante  
Note  
Nota  
Tip Suggerimento  
Warning  
Avvertimento  
Seealso  
Vedi anche

```
rinoh.language.NL = Language('nl', 'Nederlands')
Localized strings for Nederlands
SectionTitles
Contents
    Inhoudsopgave
List_of_figures
    Lijst van Figuren
List_of_tables
    Lijst van Tabellen
Chapter
    Hoofdstuk
Index
    Index
AdmonitionTitles
Attention
    Opgelet!
Caution
    Pas op!
Danger
    !GEVAAR!
Error
    Fout
```

Hint

Hint

Important

Belangrijk

Note

Noot

Tip Tip

Warning

Waarschuwing

Seealso

Zie ook

`rinoh.language.PL = Language('pl', 'Polski')`

Localized strings for Polski

SectionTitles

Contents

Spis Treści

List\_of\_figures

Spis Ilustracji

List\_of\_tables

Spis Tabel

Chapter

Rozdział

Index

Skorowidz

AdmonitionTitles

Attention

Uwaga!

Caution

Ostrożnie!

Danger

!NIEBEZPIECZEŃSTWO!

Error

Błąd

Hint

Wskazówka

Important

Ważne

Note

Notatka

Tip Porada

Warning

Ostrzeżenie

Seealso

Zobacz również

## 5.11 Number (rinoh.number)

**class** `rinoh.number.NumberFormat`

How (or if) numbers are displayed

Instead of a numbering format, it's possible to supply a custom label (`StyledText`) to show instead of the number.

*Accepts:* none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

**class** `rinoh.number.Label ( custom_label=None )`

Mixin class that formats a label

Parameters

**custom\_label** (`StyledText`) – a frontend can supply a custom label to use instead of an automatically determined label (typically a number)

**class** `rinoh.number.LabelStyle ( base=None, **attributes )`

Style class for `Label`

**label\_prefix**

Text to prepend to the label

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified

*Accepts* `Bool`: true or false

*Default:* false

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

**class** `rinoh.number.NumberStyle ( base=None, **attributes )`

Style class for `Number`

**number\_format**

How numbers are formatted

*Accepts* `NumberFormat`: none, number, symbol, lowercase character,

uppercase character, lowercase roman, uppercase roman  
*Default:* number

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

`rinoh.number.format_number( number, format )`  
Format *number* according the given *format* (`NumberFormat`)

## 5.12 Paper sizes (`rinoh.paper`)

The `Paper` class and a number of predefined paper formats.

**class rinoh.paper.Paper( name, width, height )**

Defines a paper size.

Parameters

- **name** (*str*) – the name of this paper type
- **width** (*Dimension*) – the (portrait) width of this paper type
- **height** (*Dimension*) – the (portrait) height of this paper type

`rinoh.paper.A0 = Paper('A0', width=841*MM, height=1189*MM)`

`rinoh.paper.A1 = Paper('A1', width=594*MM, height=841*MM)`

`rinoh.paper.A2 = Paper('A2', width=420*MM, height=594*MM)`

`rinoh.paper.A3 = Paper('A3', width=297*MM, height=420*MM)`

`rinoh.paper.A4 = Paper('A4', width=210*MM, height=297*MM)`

`rinoh.paper.A5 = Paper('A5', width=148*MM, height=210*MM)`

`rinoh.paper.A6 = Paper('A6', width=105*MM, height=148*MM)`

`rinoh.paper.A7 = Paper('A7', width=74*MM, height=105*MM)`

```

rinoh.paper.A8 = Paper('A8', width=52*MM, height=74*MM)
rinoh.paper.A9 = Paper('A9', width=37*MM, height=52*MM)
rinoh.paper.A10 = Paper('A10', width=26*MM, height=37*MM)
rinoh.paper.LETTER = Paper('letter', width=8.5*INCH, height=11*INCH)
rinoh.paper.LEGAL = Paper('legal', width=8.5*INCH, height=14*INCH)
rinoh.paper.JUNIOR_LEGAL = Paper('junior legal', width=8*INCH, height=5*INCH)
rinoh.paper.LEDGER = Paper('ledger', width=17*INCH, height=11*INCH)
rinoh.paper.TABLOID = Paper('tabloid', width=11*INCH, height=17*INCH)

```

## 5.13 Paragraph (rinoh.paragraph)

```

class rinoh.paragraph.ParagraphBase ( custom_label=None, align=None, width=None,
id=None, style=None, parent=None, source=None )
    Base class for paragraphs
    A paragraph holds styled text and other line elements to be flowed into a container.

    style_class
        alias of rinoh.paragraph.ParagraphStyle

    prepare (flowable_target)
        Determine number labels and register references with the document

    render ( container, descender, state, space_below=0, first_line_only=False )
        Typeset the paragraph
        The paragraph is typeset in the given container starting below the current cursor position of the container. When the end of the container is reached, the rendering state is preserved to continue setting the rest of the paragraph when this method is called with a new container.

        Parameters
            • container (Container) – the container to render to
            • descender (float or None) – descender height of the preceding line
            • state (ParagraphState) – the state where rendering will continue
            • first_line_only (bool) – typeset only the first line

```

```

class rinoh.paragraph.Paragraph ( content, custom_label=None, align=None, width=None,
id=None, style=None, parent=None, source=None )

class rinoh.paragraph.ParagraphState ( paragraph, words, nested_flowable_state=None,
_first_word=None, _initial=True )

```

### 5.13.1 Styled Text (rinoh.text)

```

class rinoh.text.StyledText ( id=None, style=None, parent=None, source=None )
    Base class for text that has a TextStyle associated with it.

    to_string (flowable_target)
        Return the text content of this styled text.

```

**is\_script ( container )**  
 Returns *True* if this styled text is super/subscript.

**script\_level ( container )**  
 Nesting level of super/subscript.

**height ( container )**  
 Font size after super/subscript size adjustment.

**y\_offset ( container )**  
 Vertical baseline offset (up is positive).

**property items**  
 The list of items in this StyledText.

**style\_class**  
 alias of `rinoh.text.TextStyle`

**class rinoh.text.SingleStyledText ( text, style=None, parent=None, source=None )**  
 Text with a single style applied

**class rinoh.text.MixedStyledText ( text\_or\_items, id=None, style=None, parent=None, source=None )**  
 Concatenation of styled text

Parameters

- **text\_or\_items** (`str`, `StyledText` or iterable of these) – mixed styled text
- **style** – see `StyledText`
- **parent** – see `DocumentElement`

**prepare ( flowable\_target )**  
 Determine number labels and register references with the document

**append ( item )**  
 Append *item* (`StyledText` or `str`) to the end of this mixed-styled text.  
 The parent of *item* is set to this mixed-styled text.

**property items**  
 The list of items in this StyledText.

**copy ( parent=None )**  
 Return a shallow copy of the list.

**class rinoh.text.Locale**  
 Selects a language

## 5.13.2 Inline Elements (`rinoh.inline`)

**class rinoh.inline.InlineFlowable ( baseline=None, id=None, style=None, parent=None, source=None )**

**style\_class**  
 alias of `rinoh.inline.InlineFlowableStyle`

### 5.13.3 Styling Properties

**class rinoх.paragraph.TextAlign**

Text justification

Accepts: left, right, center, justify

#### Line Spacing

**class rinoх.paragraph.LineSpacing**

Base class for line spacing types

Line spacing is defined as the distance between the baselines of two consecutive lines of text in a paragraph.

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.DefaultSpacing**

The default line spacing as specified by the font.

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.ProportionalSpacing ( factor )**

Line spacing proportional to the line height

Parameters

**factor ( float )** – amount by which the line height is multiplied to obtain the line spacing

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.FixedSpacing ( pitch, minimum=ProportionalSpacing(1.0) )**

Fixed line spacing, with optional minimum spacing

Parameters

- **pitch ( Dimension )** – the distance between the baseline of two consecutive lines of text
- **minimum ( LineSpacing )** – the minimum line spacing to prevent lines with large fonts (or inline elements) from overlapping; set to None if no minimum is required, set to None

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.Leading ( leading )**

Line spacing determined by the space in between two lines

Parameters

**leading ( Dimension )** – the space between the bottom of a line and the top of the next line of text

```
advance ( line, last_descender, container )
```

Return the distance between the descender of the previous line and the baseline of the current line.

The following standard line spacings have been predefined:

```
rinoh.paragraph.DEFAULT = DefaultSpacing()
```

The default line spacing as specified by the font.

```
rinoh.paragraph.STANDARD = ProportionalSpacing(1.2)
```

Line spacing of 1.2 times the line height.

```
rinoh.paragraph.SINGLE = ProportionalSpacing(1.0)
```

Line spacing equal to the line height (no leading).

```
rinoh.paragraph.DOUBLE = ProportionalSpacing(2.0)
```

Line spacing of double the line height.

### Tabulation

```
class rinoh.paragraph.TabAlign
```

Alignment of text with respect to a tab stop

Accepts: left, right, center

```
class rinoh.paragraph.TabStop ( position, align='left', fill=None )
```

Horizontal position for aligning text of successive lines

Parameters

- **position** (Dimension or Fraction) – tab stop position
- **align** (*TabAlign*) – the alignment of text with respect to the tab stop positon
- **fill** (*str*) – string pattern to fill the empty tab space with

```
get_position ( line_width )
```

Return the absolute position of this tab stop.

```
class rinoh.paragraph.TabStopList ( iterable=(), / )
```

List of tab stop positions (with alignment and fill string)

### 5.13.4 Rendering Internals

```
class rinoh.paragraph.Glyph ( glyph, width, char )
```

```
class rinoh.paragraph.GlyphsSpan ( span, chars_to_glyphs, glyphs_and_widths=[] )
```

### 5.13.5 Miscellaneous Internals

```
class rinoh.paragraph.HyphenatorStore
```

## 5.14 Cross-References and Fields (`rinoh.reference`)

```
class rinoh.reference.Reference ( target_id, *args, **kwargs )
```

```
class rinoh.reference.ReferenceField ( type=None, custom_title=None, style=None, parent=None, source=None )
```

```

class rinoh.reference.ReferenceText (id=None, style=None, parent=None, source=None)

class rinoh.reference.ReferenceType
    Accepts: reference, number, title, page, custom

class rinoh.reference.ReferencingParagraph (target_id_or_flowable, id=None, style=None, parent=None)
    style_class
        alias of rinoh.reference.ReferencingParagraphStyle

    target_style (document)
        Filter selection on the style attribute of the target flowable

    target_has_class (document)
        Filter selection on a class of the target flowable

    target_has_classes (document)
        Filter selection on a set of classes of the target flowable

    target_is_of_type (document)
        Filter selection on the type of the target flowable

class rinoh.reference.Note (flowable, id=None, style=None, parent=None)

class rinoh.reference.RegisterNote (note, parent=None)
    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoh.reference.NoteMarkerBase (custom_label=None, **kwargs)
    style_class
        alias of rinoh.reference.NoteMarkerStyle

    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoh.reference.NoteMarkerByID (target_id, *args, **kwargs)

class rinoh.reference.NoteMarkerWithNote (referenceable, type='number', **kwargs)
    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoh.reference.Field (type, id=None, style=None, parent=None, source=None)

```

## 5.15 Structure (rinoh.structure)

### 5.15.1 Sections

```

class rinoh.structure.Section (flowables, align=None, width=None, id=None, style=None, parent=None, source=None)
    A subdivision of a document
    A section usually has a heading associated with it, which is optionally numbered.

```

```

class rinoh.structure.Heading ( content, custom_label=None, align=None, width=None,
id=None, style=None, parent=None, source=None )
    The title for a section

    Parameters
        title (StyledText) – this heading's text

        style_class
            alias of rinoh.structure.HeadingStyle

        prepare (container)
            Determine number labels and register references with the document

        flow (container, last_descender, state=None, **kwargs)
            Flow this flowable into container and return the vertical space consumed.
            The flowable's contents are preceded by a vertical space with a height as specified in its
            style's space_above attribute. Similarly, the flowed content is followed by a vertical space
            with a height given by the space_below style attribute.

class rinoh.structure.SectionTitles ( **strings )
    Collection of localized titles for common sections

    contents
        Title for the table of contents section
        Type
            String

    list_of_figures
        Title for the list of figures section
        Type
            String

    list_of_tables
        Title for the list of tables section
        Type
            String

    chapter
        Label for top-level sections
        Type
            String

    index
        Title for the index section
        Type
            String

```

## 5.15.2 Lists

```
class rinoх.structure.List ( list_items, start_index=1, id=None, style=None, parent=None )  
    style_class  
        alias of rinoх.structure.ListStyle  
  
class rinoх.structure.DefinitionList ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )
```

## 5.15.3 Table of Contents

```
class rinoх.structure.TableOfContentsSection  
  
class rinoх.structure.TableOfContents ( local=False, id=None, style=None, parent=None )  
    style_class  
        alias of rinoх.structure.TableOfContentsStyle  
  
    flowables ( container )  
        Generator yielding the Flowables to group  
  
class rinoх.structure.TableOfContentsEntry ( flowable, id=None, style=None, parent=None )  
    style_class  
        alias of rinoх.structure.TableOfContentsEntryStyle
```

## 5.15.4 Adminitions

```
class rinoх.structure.Admonition ( flowables, title=None, type=None, id=None, style=None, parent=None )  
    style_class  
        alias of rinoх.structure.AdmonitionStyle  
  
    flowables ( container )  
        Generator yielding the Flowables to group  
  
class rinoх.structure.AdmonitionTitles ( **strings )  
    Collection of localized titles for common admonitions  
  
    attention  
        Title for attention admonitions  
        Type  
            String  
  
    caution  
        Title for caution admonitions  
        Type  
            String
```

```

danger
    Title for danger admonitions
    Type
        String

error
    Title for error admonitions
    Type
        String

hint
    Title for hint admonitions
    Type
        String

important
    Title for important admonitions
    Type
        String

note
    Title for note admonitions
    Type
        String

tip
    Title for tip admonitions
    Type
        String

warning
    Title for warning admonitions
    Type
        String

seealso
    Title for see-also admonitions
    Type
        String

```

### 5.15.5 Horizontal Rule

```

class rinoh.structure.HorizontalRule ( align=None, width=None, id=None, style=None,
parent=None, source=None )

style_class
    alias of rinoh.structure.HorizontalRuleStyle

render ( container, descender, state, **kwargs )
    Renders the flowable's content to container, with the flowable's top edge lining up with

```

the container's cursor. *descender* is the descender height of the preceding line or *None*.

## 5.16 Strings (`rinoх.strings`)

**class** `rinoх.strings.String` (*description*)

Descriptor used to describe a configurable string

Parameters

**description** (*str*) – a short description for this string

**class** `rinoх.strings.StringCollection` (*\*\*strings*)

A collection of related configurable strings

Subclasses

- `AdmonitionTitles`
- `SectionTitles`
- `UserStrings`

**class** `rinoх.strings.UserStrings` (*\*\*strings*)

Collection of user-specified strings

Unlike other string collections, these are not limited to a predefined set.

Attributes:

**class** `rinoх.strings.Strings` (*\*string\_collections*)

Stores several `StringCollection`s

**class** `rinoх.strings.StringField` (*strings\_class, key, style=None, parent=None, source=None*)

Styled text that will be substituted with a configured string

The displayed string is either the localized string as determined by the language set for the document or the user-supplied string passed to the `TemplateConfiguration`.

## 5.17 Style (`rinoх.style`)

**class** `rinoх.style.Styled` (*id=None, style=None, parent=None, source=None*)

A document element who's style can be configured.

Parameters

**style** (*str, Style*) – the style to associate with this element. If *style* is a string, the corresponding style is lookup up in the document's style sheet by means of selectors.

**style\_class**

The `Style` subclass that corresponds to this `Styled` subclass.

**property has\_id**

Filter selection on an ID of this `Styled`

**property has\_class**

Filter selection on a class of this `Styled`

**property has\_classes**

Filter selection on a set of classes of this `Styled`

```
class rinoх.style.Style (base=None, **attributes)  

    Dictionary storing style attributes.  

    The style attributes associated with this Style are specified as class attributes of type Attribute.  

    Style attributes can also be accessed as object attributes.  

hide  

    Suppress rendering this element  

    Accepts Bool: true or false  

    Default: false
```

### 5.17.1 Style Sheet

```
class rinoх.style.StyleSheet (name, matcher=None, base=None, source=None, description=None, pygments_style=None, **user_options)  

    Dictionary storing a collection of related styles by name.  

    Styles stored in a StyleSheet can refer to their base style by name.  

    Parameters  

        • name (str) – a label for this style sheet  

        • matcher (StyledMatcher) – the matcher providing the selectors the styles contained in this style sheet map to. If no matcher is given and base is specified, the base's matcher is used. If base is not set, the default matcher is used.  

        • base (StyleSheet or str) – the style sheet to extend  

        • description (str) – a short string describing this style sheet  

        • pygments_style (str) – the Pygments style to use for styling code blocks
```

**get\_selector** (*name*)  
 Find a selector mapped to a style in this or a base style sheet.

Parameters  
**name** (`str`) – a style name

Returns  
 Selector – the selector mapped to the style *name*

Raises  
**KeyError** – if the style *name* was not found in this or a base style sheet

```
class rinoх.style.StyleSheetFile (filename, base=None, source=None, **kwargs)  

    Loads styles defined in a .rts file (INI format).
```

Parameters  
**filename** (`str`) – the path to the style sheet file  
`StyleSheetFile` takes the same optional arguments as `StyleSheet`. These can also be specified in the `[STYLESHEET]` section of the style sheet file. If an argument is specified in both places, the one passed as an argument overrides the one specified in the style sheet file.

```
class rinoх.style.StyledMatcher (mapping_or_iterable=None, **kwargs)  

    Dictionary mapping labels to selectors.  

    This matcher can be initialized in the same way as a dict by passing a mapping, an iterable and/or keyword arguments.  

update (**F [, E]) → None. Update D from dict/iterable E and F.  

    If E is present and has a .keys() method, then does: for k in E: D[k] = E[k] If E is
```

present and lacks a `.keys()` method, then does: for k, v in E: `D[k] = v` In either case, this is followed by: for k in F: `D[k] = F[k]`

## 5.18 Tables (`rinoх.table`)

```
class rinoх.table.Table ( body, head=None, align=None, width=None, column_widths=None, id=None, style=None, parent=None )

    style_class
        alias of rinoх.table.TableStyle

    prepare (flowable_target)
        Determine number labels and register references with the document

    render ( container, last_descender, state, space_below=0, **kwargs )
        Renders the flowable's content to container, with the flowable's top edge lining up with the container's cursor. descender is the descender height of the preceding line or None.

class rinoх.table.TableWithCaption ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )

    style_class
        alias of rinoх.table.TableWithCaptionStyle

class rinoх.table.TableSection ( rows, style=None, parent=None )

    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoх.table.TableHead ( rows, style=None, parent=None )

class rinoх.table.TableBody ( rows, style=None, parent=None )

class rinoх.table.TableRow ( cells, style=None, parent=None )

    prepare (flowable_target)
        Determine number labels and register references with the document

    get_rowspanned_columns ( )
        Return a dictionary mapping column indices to the number of columns spanned.

class rinoх.table.TableCell ( flowables, rowspan=1, colspan=1, id=None, style=None, parent=None )

    style_class
        alias of rinoх.table.TableCellStyle

class rinoх.table.TableCellBorder ( rendered_cell, cell_height, position, style=None )

    style_class
        alias of rinoх.table.TableCellBorderStyle

class rinoх.table.TableCellBackground ( bottom_left, width, height, style=None, parent=None )

    style_class
        alias of rinoх.table.TableCellBackgroundStyle
```

```

class rinohtable.VerticalAlign
    Accepts: top, middle, bottom

class rinohtable.ListOfTables ( local=False, id=None, style=None, parent=None )

class rinohtable.ListOfTablesSection

    list_class
        alias of rinohtable.ListOfTables

```

## 5.19 Templates (`rinoh.template`)

### 5.19.1 Documents

Document templates are created by subclassing `DocumentTemplate`, just like the Chapter 4 shipped with `rinohtype`.

```

class rinohtemplate.DocumentTemplate ( document_tree, configuration=None,
backend=None )
    Template for documents

Parameters
    • document_tree (DocumentTree) – a tree of the document's contents
    • configuration (TemplateConfiguration) – configuration for this template
    • backend – the backend used for rendering the document

```

#### **language**

The main language of the document

*Accepts Language:* the code of one of the supported languages

*Default:* EN (English)

#### **strings**

Strings to override standard element names

*Accepts Strings:* strings need to be entered in INI sections named after the `StringCollection` subclasses

*Default:* none

#### **stylesheet**

The stylesheet to use for styling document elements

*Accepts StyleSheet:* the name of an Section 3.1 or the filename of a stylesheet file (with the `.rts` extension)

*Default:* `sphinx` (= `rinoh.stylesheets.sphinx`)

#### **parts**

The parts making up this document

*Accepts PartsList:* a space-separated list of document part template names

*Default:* (empty list)

#### **Configuration**

alias of `rinoh.template.DocumentTemplateConfiguration`

#### **ConfigurationFile**

alias of `rinoh.template.DocumentTemplateConfigurationFile`

Document templates can be customized by setting values for the configuration attributes

defined in a `DocumentTemplate` subclass in a `TemplateConfiguration`. An template configuration can be passed as `configuration` on template instantiation. However, it is better to make use of the `document` method, however.

```
class rinoth.template.TemplateConfiguration ( name, base=None, source=None, template=None, description=None, **options )
```

Stores a configuration for a `DocumentTemplate`

Parameters

- `name` (`str`) – a label for this template configuration
- `base` (`TemplateConfiguration`) – the template configuration to extend
- `template` (`DocumentTemplateMeta` or `str`) – the document template to configure
- `description` (`str`) – a short string describing this style sheet
- `**options` – configuration values for the configuration attributes defined by the document template

`template = None`

The `DocumentTemplate` subclass to configure

`document ( document_tree, backend=None )`

Create a `DocumentTemplate` object based on the given document tree and this template configuration

Parameters

- `document_tree` (`DocumentTree`) – tree of the document's contents
- `backend` – the backend to use when rendering the document

```
class rinoth.template.PartsList (*parts)
```

Stores the names of the document part templates making up a document

Parameters

`*parts ( list [str] )` – the names of the document parts

## 5.19.2 Document Parts

```
class rinoth.template.DocumentPart ( template, document, flowables, last_number_format )
```

Part of a document.

Parameters

- `template` (`DocumentPartTemplate`) – the template that determines the contents and style of this document part
- `document` (`Document`) – the document this part belongs to
- `flowables` (`list [Flowable]`) – the flowables to render in this document part

`configuration_class`

alias of `rinoth.template.DocumentPartTemplate`

`add_page ( page )`

Append `page` (`Page`) to this `DocumentPart`.

`new_page ( page_number, new_chapter, **kwargs )`

Called by `render()` with the `Chain`'s` that need more `:class:`Container`'s`. This method should create a new `:class:`Page`` which contains a container associated with `chain`.

The document part templates which are listed by name in `DocumentTemplate.parts` are

looked up as attributes of the `DocumentTemplate` subclass. They are instances of `DocumentPartTemplate` subclasses:

```
class rinoh.template.DocumentPartTemplate ( base=None, **attributes )
```

A template that produces a document part

The document part is created given a set of flowables, and page templates. The latter are looked up in the `TemplateConfiguration` where this part template was.

#### `page_number_prefix`

Text to place in front of the page number.

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

#### `page_number_format`

The format for page numbers in this document part.

*Accepts* `PageNumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default*: number

#### `end_at_page`

The type of page to end this document part on

*Accepts* `PageType`: left, right, any

*Default*: any

#### `drop_if_empty`

Exclude this part from the document if it is empty (no flowables)

*Accepts* `Bool`: true or false

*Default*: true

The following document part templates are used in the standard document templates:

```
class rinoh.template.TitlePartTemplate ( base=None, **attributes )
```

The title page of a document.

#### `drop_if_empty`

Overrides the default set in `DocumentPartTemplate`

*Accepts* `Bool`: true or false

*Default*: false

#### `page_number_prefix`

Text to place in front of the page number. (inherited from `DocumentPartTemplate`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

#### `page_number_format`

The format for page numbers in this document part. (inherited from `DocumentPartTemplate`)

*Accepts* `PageNumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default*: number

#### `end_at_page`

The type of page to end this document part on (inherited from `DocumentPartTemplate`)

*Accepts* PageType: left, right, any  
*Default:* any

**class rinohtemplate.ContentsPartTemplate ( base=None, \*\*attributes )**

The body of a document.

Renders all of the content present in the DocumentTree passed to the DocumentTemplate.

**page\_number\_prefix**

Text to place in front of the page number. (inherited from DocumentPartTemplate)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**page\_number\_format**

The format for page numbers in this document part. (inherited from DocumentPartTemplate)

*Accepts* PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default:* number

**end\_at\_page**

The type of page to end this document part on (inherited from DocumentPartTemplate)

*Accepts* PageType: left, right, any

*Default:* any

**drop\_if\_empty**

Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)

*Accepts* Bool: true or false

*Default:* true

**class rinohtemplate.FixedDocumentPartTemplate ( base=None, \*\*attributes )**

A document part template that renders a fixed list of flowables

**flowables**

The list of flowables to include in this document part

*Accepts* FlowablesList: Python source code that represents a list of Flowables

*Default:* []

**page\_number\_prefix**

Text to place in front of the page number. (inherited from DocumentPartTemplate)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**page\_number\_format**

The format for page numbers in this document part. (inherited from DocumentPartTemplate)

*Accepts* PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default:* number

**end\_at\_page**  
The type of page to end this document part on (inherited from DocumentPartTemplate)  
*Accepts* PageType: left, right, any  
*Default:* any

**drop\_if\_empty**  
Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)  
*Accepts* Bool: true or false  
*Default:* true

### 5.19.3 Page Templates

The document templates make use of page templates:

```
class rinoh.template.PageTemplate( base=None, **attributes )

    header_footer_distance
        Distance of the header and footer to the content area
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 14pt

    columns
        The number of columns for the body text
        Accepts Integer: a natural number (positive integer)
        Default: 1

    column_spacing
        The spacing between columns
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 1cm

    header_text
        The text to place in the page header
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
        Default: '{SECTION_NUMBER(1)}' ' ' '{SECTION_TITLE(1)}'

    footer_text
        The text to place in the page footer
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
        Default: '\t' '{PAGE_NUMBER}' ' / ' '{NUMBER_OF_PAGES}'

    chapter_header_text
        The text to place in the header on a page that starts a new chapter
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)
        Default: (no value)

    chapter_footer_text
        The text to place in the footer on a page that starts a new chapter
```

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **chapter\_title\_flowables**

Generator that yields the flowables to represent the chapter title

*Accepts* `FlowablesList`: Python source code that represents a list of `Flowables`

*Default:* none

#### **chapter\_title\_height**

The height of the container holding the chapter title

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 150pt

#### **page\_size**

The format of the pages in the document (inherited from `PageTemplateBase`)

*Accepts* `Paper`: the name of a Section 5.12 or `<width> * <height>` where width and height are `Dimensions`

*Default:* A4

#### **page\_orientation**

The orientation of pages in the document (inherited from `PageTemplateBase`)

*Accepts* `PageOrientation`: `portrait`, `landscape`

*Default:* `portrait`

#### **left\_margin**

The margin size on the left of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **right\_margin**

The margin size on the right of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **top\_margin**

The margin size at the top of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **bottom\_margin**

The margin size at the bottom of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 3cm

#### **background**

An image to place in the background of the page (inherited from `PageTemplateBase`)

*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed

*Default:* none

#### **after\_break\_background**

An image to place in the background after a page break (inherited from `PageTemplateBase`)

*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed

*Default:* `None`

```
class rinoх.template.TitlePageTemplate( base=None, **attributes )
```

#### **show\_date**

Show or hide the document's date

*Accepts* `Bool`: `true` or `false`

*Default:* `true`

#### **show\_author**

Show or hide the document's author

*Accepts* `Bool`: `true` or `false`

*Default:* `true`

#### **extra**

Extra text to include on the title page below the title

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **page\_size**

The format of the pages in the document (inherited from `PageTemplateBase`)

*Accepts* `Paper`: the name of a Section 5.12 or `<width> * <height>` where `width` and `height` are `Dimensions`

*Default:* `A4`

#### **page\_orientation**

The orientation of pages in the document (inherited from `PageTemplateBase`)

*Accepts* `PageOrientation`: `portrait`, `landscape`

*Default:* `portrait`

#### **left\_margin**

The margin size on the left of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* `3cm`

#### **right\_margin**

The margin size on the right of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* `3cm`

#### **top\_margin**

The margin size at the top of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* `3cm`

#### **bottom\_margin**

The margin size at the bottom of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* `3cm`

#### **background**

An image to place in the background of the page (inherited from

`PageTemplateBase)`  
*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed  
*Default:* none

#### **`after_break_background`**

An image to place in the background after a page break (inherited from `PageTemplateBase`)  
*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed  
*Default:* none

The base class for these collects the common options:

```
class rinoh.template.PageTemplateBase ( base=None, **attributes )
```

#### **`page_size`**

The format of the pages in the document  
*Accepts* `Paper`: the name of a Section 5.12 or `<width> * <height>` where width and height are `Dimensions`  
*Default:* A4

#### **`page_orientation`**

The orientation of pages in the document  
*Accepts* `PageOrientation`: `portrait`, `landscape`  
*Default:* `portrait`

#### **`left_margin`**

The margin size on the left of the page  
*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

#### **`right_margin`**

The margin size on the right of the page  
*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

#### **`top_margin`**

The margin size at the top of the page  
*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

#### **`bottom_margin`**

The margin size at the bottom of the page  
*Accepts* `Dimension`: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

#### **`background`**

An image to place in the background of the page  
*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed  
*Default:* none

#### **`after_break_background`**

An image to place in the background after a page break

*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed

*Default:* `none`



# Python Module Index

r

rinoh

- rinoh.attribute, 95
- rinoh.color, 96
- rinoh.dimension, 96
- rinoh.document, 97
- rinoh.draw, 98
- rinoh.flowable, 99
- rinoh.font, 101
- rinoh.font.style, 103
- rinoh.image, 103
- rinoh.index, 105
- rinoh.inline, 113
- rinoh.language, 105
- rinoh.number, 110
- rinoh.paper, 111
- rinoh.paragraph, 112
- rinoh.reference, 115
- rinoh.strings, 120
- rinoh.structure, 116
- rinoh.style, 120
- rinoh.stylesheets, 11
- rinoh.table, 122
- rinoh.template, 123
- rinoh.templates.article, 89
- rinoh.templates.book, 91
- rinoh.text, 112



# Index

## Symbols

- docs
  - rinoh command line option, 6
- format <format>
  - rinoh command line option, 5
- help
  - rinoh command line option, 5
- install-resources
  - rinoh command line option, 5
- list-fonts <filename>
  - rinoh command line option, 6
- list-formats
  - rinoh command line option, 6
- list-options <frontend>
  - rinoh command line option, 6
- list-stylesheets
  - rinoh command line option, 5
- list-templates
  - rinoh command line option, 5
- option <option=value>
  - rinoh command line option, 5
- output <filename or directory>
  - rinoh command line option, 5
- paper <paper>
  - rinoh command line option, 5
- stylesheet <name or filename>
  - rinoh command line option, 5
- template <name or filename>
  - rinoh command line option, 5
- version
  - rinoh command line option, 6
- f <format>
  - rinoh command line option, 5
- h
  - rinoh command line option, 5
- i
  - rinoh command line option, 5
- O <filename or directory>
  - rinoh command line option, 5
- o <option=value>
  - rinoh command line option, 5
- p <paper>

```
    rino command line option, 5
-s <name or filename>
    rino command line option, 5
-t <name or filename>
    rino command line option, 5
```

## A

A0 (in module rino.paper), 111  
A1 (in module rino.paper), 111  
A10 (in module rino.paper), 112  
A2 (in module rino.paper), 111  
A3 (in module rino.paper), 111  
A4 (in module rino.paper), 111  
A5 (in module rino.paper), 111  
A6 (in module rino.paper), 111  
A7 (in module rino.paper), 111  
A8 (in module rino.paper), 112  
A9 (in module rino.paper), 112  
abstract\_location (rino.templates.article.Article attribute), 89  
AbstractLocation (class in rino.templates.article), 91  
AcceptNoneAttributeType (class in rino.attribute), 95  
add\_page() (rino.template.DocumentPart method), 124  
Admonition (class in rino.structure), 118  
AdmonitionStyle (class in rino.structure), 77  
AdmonitionTitles (class in rino.structure), 118  
advance() (rino.paragraph.DefaultSpacing method), 114  
advance() (rino.paragraph.FixedSpacing method), 114  
advance() (rino.paragraph.Leading method), 115  
advance() (rino.paragraph.LineSpacing method), 114  
advance() (rino.paragraph.ProportionalSpacing method), 114  
after (rino.image.CaptionStyle attribute), 31  
after (rino.inline.InlineFlowableStyle attribute), 45  
after (rino.paragraph.ParagraphStyle attribute), 41  
after (rino.reference.NoteMarkerStyle attribute), 51  
after (rino.reference.ReferencingParagraphStyle attribute), 49  
after (rino.structure.HeadingStyle attribute), 59  
after (rino.structure.ListItemLabelStyle attribute), 67  
after (rino.structure.TableOfContentsEntryStyle attribute), 77  
after (rino.structure.TableOfContentsStyle attribute), 72  
after (rino.text.TextStyle attribute), 42  
after\_break\_background (rino.template.PageTemplate attribute), 128  
after\_break\_background (rino.template.PageTemplateBase attribute), 130  
after\_break\_background (rino.template.TitlePageTemplate attribute), 130  
align (rino.image.ImageArgs attribute), 104  
align\_baselines (rino.flowable.LabeledFlowableStyle attribute), 20  
AnchorFlowable (class in rino.flowable), 99  
append() (rino.text.MixedStyledText method), 113  
arguments (rino.image.BackgroundImage attribute), 103  
arguments (rino.image.InlineImage attribute), 103  
Article (class in rino.templates.article), 89  
attention (rino.structure.AdmonitionTitles attribute), 118  
Attribute (class in rino.attribute), 95  
AttributesDictionary (class in rino.attribute), 95

## B

back\_matter (rino.templates.book.Book attribute), 92  
back\_matter\_left\_page (rino.templates.book.Book attribute), 94

back\_matter\_page (rinoh.templates.book.Book attribute), 94  
back\_matter\_right\_page (rinoh.templates.book.Book attribute), 94  
background (rinoh.template.PageTemplate attribute), 128  
background (rinoh.template.PageTemplateBase attribute), 130  
background (rinoh.template.TitlePageTemplate attribute), 129  
background\_color (rinoh.flowable.FloatStyle attribute), 26  
background\_color (rinoh.flowable.FlowableStyle attribute), 19  
background\_color (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
background\_color (rinoh.flowable.LabeledFlowableStyle attribute), 22  
background\_color (rinoh.image.CaptionStyle attribute), 29  
background\_color (rinoh.image.FigureStyle attribute), 33  
background\_color (rinoh.index.IndexStyle attribute), 36  
background\_color (rinoh.inline.InlineFlowableStyle attribute), 44  
background\_color (rinoh.paragraph.ParagraphStyle attribute), 38  
background\_color (rinoh.reference.ReferencingParagraphStyle attribute), 47  
background\_color (rinoh.structure.AdmonitionStyle attribute), 79  
background\_color (rinoh.structure.HeadingStyle attribute), 57  
background\_color (rinoh.structure.HorizontalRuleStyle attribute), 81  
background\_color (rinoh.structure.ListItemLabelStyle attribute), 65  
background\_color (rinoh.structure.ListStyle attribute), 61  
background\_color (rinoh.structure.SectionStyle attribute), 54  
background\_color (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
background\_color (rinoh.structure.TableOfContentsStyle attribute), 69  
background\_color (rinoh.table.TableCellStyle attribute), 86  
background\_color (rinoh.table.TableStyle attribute), 83  
BackgroundImage (class in rinoh.image), 103  
baseline (rinoh.inline.InlineFlowableStyle attribute), 42  
before (rinoh.image.CaptionStyle attribute), 31  
before (rinoh.inline.InlineFlowableStyle attribute), 44  
before (rinoh.paragraph.ParagraphStyle attribute), 40  
before (rinoh.reference.NoteMarkerStyle attribute), 51  
before (rinoh.reference.ReferencingParagraphStyle attribute), 49  
before (rinoh.structure.HeadingStyle attribute), 59  
before (rinoh.structure.ListItemLabelStyle attribute), 67  
before (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
before (rinoh.structure.TableOfContentsStyle attribute), 72  
before (rinoh.text.TextStyle attribute), 42  
Book (class in rinoh.templates.book), 91  
Bool (class in rinoh.attribute), 95  
border (rinoh.flowable.FloatStyle attribute), 26  
border (rinoh.flowable.FlowableStyle attribute), 19  
border (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border (rinoh.flowable.LabeledFlowableStyle attribute), 21  
border (rinoh.image.CaptionStyle attribute), 29  
border (rinoh.image.FigureStyle attribute), 33  
border (rinoh.index.IndexStyle attribute), 35  
border (rinoh.inline.InlineFlowableStyle attribute), 44  
border (rinoh.paragraph.ParagraphStyle attribute), 38  
border (rinoh.reference.ReferencingParagraphStyle attribute), 47  
border (rinoh.structure.AdmonitionStyle attribute), 78  
border (rinoh.structure.HeadingStyle attribute), 56  
border (rinoh.structure.HorizontalRuleStyle attribute), 80  
border (rinoh.structure.ListItemLabelStyle attribute), 64  
border (rinoh.structure.ListStyle attribute), 61  
border (rinoh.structure.SectionStyle attribute), 54  
border (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
border (rinoh.structure.TableOfContentsStyle attribute), 68  
border (rinoh.table.TableCellStyle attribute), 85

border (rinoh.table.TableStyle attribute), 83  
border\_bottom (rinoh.flowable.FloatStyle attribute), 26  
border\_bottom (rinoh.flowable.FlowableStyle attribute), 19  
border\_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_bottom (rinoh.image.CaptionStyle attribute), 29  
border\_bottom (rinoh.image.FigureStyle attribute), 33  
border\_bottom (rinoh.index.IndexStyle attribute), 36  
border\_bottom (rinoh.inline.InlineFlowableStyle attribute), 44  
border\_bottom (rinoh.paragraph.ParagraphStyle attribute), 38  
border\_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 47  
border\_bottom (rinoh.structure.AdmonitionStyle attribute), 79  
border\_bottom (rinoh.structure.HeadingStyle attribute), 57  
border\_bottom (rinoh.structure.HorizontalRuleStyle attribute), 81  
border\_bottom (rinoh.structure.ListItemLabelStyle attribute), 65  
border\_bottom (rinoh.structure.ListStyle attribute), 61  
border\_bottom (rinoh.structure.SectionStyle attribute), 54  
border\_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
border\_bottom (rinoh.structure.TableOfContentsStyle attribute), 69  
border\_bottom (rinoh.table.TableCellStyle attribute), 85  
border\_bottom (rinoh.table.TableStyle attribute), 83  
border\_left (rinoh.flowable.FloatStyle attribute), 26  
border\_left (rinoh.flowable.FlowableStyle attribute), 19  
border\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_left (rinoh.flowable.LabeledFlowableStyle attribute), 21  
border\_left (rinoh.image.CaptionStyle attribute), 29  
border\_left (rinoh.image.FigureStyle attribute), 33  
border\_left (rinoh.index.IndexStyle attribute), 35  
border\_left (rinoh.inline.InlineFlowableStyle attribute), 44  
border\_left (rinoh.paragraph.ParagraphStyle attribute), 38  
border\_left (rinoh.reference.ReferencingParagraphStyle attribute), 47  
border\_left (rinoh.structure.AdmonitionStyle attribute), 78  
border\_left (rinoh.structure.HeadingStyle attribute), 57  
border\_left (rinoh.structure.HorizontalRuleStyle attribute), 80  
border\_left (rinoh.structure.ListItemLabelStyle attribute), 64  
border\_left (rinoh.structure.ListStyle attribute), 61  
border\_left (rinoh.structure.SectionStyle attribute), 54  
border\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
border\_left (rinoh.structure.TableOfContentsStyle attribute), 68  
border\_left (rinoh.table.TableCellStyle attribute), 85  
border\_left (rinoh.table.TableStyle attribute), 83  
border\_right (rinoh.flowable.FloatStyle attribute), 26  
border\_right (rinoh.flowable.FlowableStyle attribute), 19  
border\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_right (rinoh.flowable.LabeledFlowableStyle attribute), 21  
border\_right (rinoh.image.CaptionStyle attribute), 29  
border\_right (rinoh.image.FigureStyle attribute), 33  
border\_right (rinoh.index.IndexStyle attribute), 35  
border\_right (rinoh.inline.InlineFlowableStyle attribute), 44  
border\_right (rinoh.paragraph.ParagraphStyle attribute), 38  
border\_right (rinoh.reference.ReferencingParagraphStyle attribute), 47  
border\_right (rinoh.structure.AdmonitionStyle attribute), 78  
border\_right (rinoh.structure.HeadingStyle attribute), 57  
border\_right (rinoh.structure.HorizontalRuleStyle attribute), 80  
border\_right (rinoh.structure.ListItemLabelStyle attribute), 64  
border\_right (rinoh.structure.ListStyle attribute), 61  
border\_right (rinoh.structure.SectionStyle attribute), 54  
border\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 74

border\_right (rinoh.structure.TableOfContentsStyle attribute), 69  
border\_right (rinoh.table.TableCellStyle attribute), 85  
border\_right (rinoh.table.TableStyle attribute), 83  
border\_top (rinoh.flowable.FloatStyle attribute), 26  
border\_top (rinoh.flowable.FlowableStyle attribute), 19  
border\_top (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_top (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_top (rinoh.image.CaptionStyle attribute), 29  
border\_top (rinoh.image.FigureStyle attribute), 33  
border\_top (rinoh.index.IndexStyle attribute), 35  
border\_top (rinoh.inline.InlineFlowableStyle attribute), 44  
border\_top (rinoh.paragraph.ParagraphStyle attribute), 38  
border\_top (rinoh.reference.ReferencingParagraphStyle attribute), 47  
border\_top (rinoh.structure.AdmonitionStyle attribute), 79  
border\_top (rinoh.structure.HeadingStyle attribute), 57  
border\_top (rinoh.structure.HorizontalRuleStyle attribute), 81  
border\_top (rinoh.structure.ListItemLabelStyle attribute), 64  
border\_top (rinoh.structure.ListStyle attribute), 61  
border\_top (rinoh.structure.SectionStyle attribute), 54  
border\_top (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
border\_top (rinoh.structure.TableOfContentsStyle attribute), 69  
border\_top (rinoh.table.TableCellStyle attribute), 85  
border\_top (rinoh.table.TableStyle attribute), 83  
bottom\_margin (rinoh.template.PageTemplate attribute), 128  
bottom\_margin (rinoh.template.PageTemplateBase attribute), 130  
bottom\_margin (rinoh.template.TitlePageTemplate attribute), 129  
build\_document() (rinoh.flowable.StaticGroupedFlowables method), 101  
bullet (rinoh.structure.ListStyle attribute), 59

## C

Caption (class in rinoh.image), 104  
CaptionStyle (class in rinoh.image), 27  
caution (rinoh.structure.AdmonitionTitles attribute), 118  
chapter (rinoh.structure.SectionTitles attribute), 117  
chapter\_footer\_text (rinoh.template.PageTemplate attribute), 127  
chapter\_header\_text (rinoh.template.PageTemplate attribute), 127  
chapter\_title\_flowables (rinoh.template.PageTemplate attribute), 128  
chapter\_title\_height (rinoh.template.PageTemplate attribute), 128  
CM (in module rinoh.dimension), 97  
Color (class in rinoh.color), 96  
column\_spacing (rinoh.template.PageTemplate attribute), 127  
column\_widths (rinoh.table.TableStyle attribute), 81  
columns (rinoh.template.PageTemplate attribute), 127  
Configuration (rinoh.template.DocumentTemplate attribute), 123  
Configuration (rinoh.templates.article.Article attribute), 90  
Configuration (rinoh.templates.book.Book attribute), 94  
configuration\_class (rinoh.template.DocumentPart attribute), 124  
ConfigurationFile (rinoh.template.DocumentTemplate attribute), 123  
ConfigurationFile (rinoh.templates.article.Article attribute), 91  
ConfigurationFile (rinoh.templates.book.Book attribute), 94  
contents (rinoh.structure.SectionTitles attribute), 117  
contents (rinoh.templates.article.Article attribute), 90  
contents (rinoh.templates.book.Book attribute), 92  
contents\_left\_page (rinoh.templates.book.Book attribute), 94  
contents\_page (rinoh.templates.article.Article attribute), 90  
contents\_page (rinoh.templates.book.Book attribute), 93  
contents\_right\_page (rinoh.templates.book.Book attribute), 93

ContentsPartTemplate (class in `rinoh.template`), 126  
copy() (`rinoh.text.MixedStyledText` method), 113  
cover (`rinoh.templates.book.Book` attribute), 91  
cover\_page (`rinoh.templates.book.Book` attribute), 92  
custom\_label (`rinoh.image.CaptionStyle` attribute), 30  
custom\_label (`rinoh.number.LabelStyle` attribute), 110  
custom\_label (`rinoh.number.NumberStyle` attribute), 111  
custom\_label (`rinoh.paragraph.ParagraphStyle` attribute), 39  
custom\_label (`rinoh.reference.NoteMarkerStyle` attribute), 52  
custom\_label (`rinoh.reference.ReferencingParagraphStyle` attribute), 48  
custom\_label (`rinoh.structure.HeadingStyle` attribute), 57  
custom\_label (`rinoh.structure.ListItemLabelStyle` attribute), 65  
custom\_label (`rinoh.structure.ListStyle` attribute), 62  
custom\_label (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75  
custom\_label (`rinoh.structure.TableOfContentsStyle` attribute), 70

## D

danger (`rinoh.structure.AdmonitionTitles` attribute), 119  
DEFAULT (in module `rinoh.paragraph`), 115  
DefaultSpacing (class in `rinoh.paragraph`), 114  
DefinitionList (class in `rinoh.structure`), 118  
depth (`rinoh.structure.TableOfContentsStyle` attribute), 67  
Dimension (class in `rinoh.dimension`), 96  
doc\_format() (`rinoh.color.Color` class method), 96  
Document (class in `rinoh.document`), 97  
document() (`rinoh.template.TemplateConfiguration` method), 124  
DocumentPart (class in `rinoh.template`), 124  
DocumentPartTemplate (class in `rinoh.template`), 125  
DocumentTemplate (class in `rinoh.template`), 123  
DocumentTree (class in `rinoh.document`), 97  
DOUBLE (in module `rinoh.paragraph`), 115  
dpi (`rinoh.image.ImageArgs` attribute), 104  
drop\_if\_empty (`rinoh.template.ContentsPartTemplate` attribute), 126  
drop\_if\_empty (`rinoh.template.DocumentPartTemplate` attribute), 125  
drop\_if\_empty (`rinoh.template.FixedDocumentPartTemplate` attribute), 127  
drop\_if\_empty (`rinoh.template.TitlePartTemplate` attribute), 125  
DummyFlowable (class in `rinoh.flowable`), 99

## E

EN (in module `rinoh.language`), 106  
encoding (`rinoh.font.Font` attribute), 102  
end\_at\_page (`rinoh.template.ContentsPartTemplate` attribute), 126  
end\_at\_page (`rinoh.template.DocumentPartTemplate` attribute), 125  
end\_at\_page (`rinoh.template.FixedDocumentPartTemplate` attribute), 127  
end\_at\_page (`rinoh.template.TitlePartTemplate` attribute), 125  
error (`rinoh.structure.AdmonitionTitles` attribute), 119  
extra (`rinoh.template.TitlePageTemplate` attribute), 129

## F

Field (class in `rinoh.reference`), 116  
Figure (class in `rinoh.image`), 105  
FigureStyle (class in `rinoh.image`), 31  
file\_or\_filename (`rinoh.image.ImageArgs` attribute), 104  
fill\_color (`rinoh.draw.ShapeStyle` attribute), 17  
fill\_color (`rinoh.table.TableCellBackgroundStyle` attribute), 86  
find\_source() (`rinoh.attribute.RuleSet` method), 95  
FixedDocumentPartTemplate (class in `rinoh.template`), 126

FixedSpacing (class in `rinoh.paragraph`), 114  
Float (class in `rinoh.flowable`), 101  
`float` (`rinoh.flowable.FloatStyle` attribute), 24  
`float` (`rinoh.image.FigureStyle` attribute), 31  
FloatStyle (class in `rinoh.flowable`), 24  
`flow()` (`rinoh.flowable.Float` method), 101  
`flow()` (`rinoh.index.IndexTarget` method), 105  
`flow()` (`rinoh.structure.Heading` method), 117  
Flowable (class in `rinoh.flowable`), 99  
`flowable_spacing` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 22  
`flowable_spacing` (`rinoh.image.FigureStyle` attribute), 34  
`flowable_spacing` (`rinoh.index.IndexStyle` attribute), 34  
`flowable_spacing` (`rinoh.structure.AdmonitionStyle` attribute), 77  
`flowable_spacing` (`rinoh.structure.ListStyle` attribute), 60  
`flowable_spacing` (`rinoh.structure.SectionStyle` attribute), 52  
`flowable_spacing` (`rinoh.structure.TableOfContentsStyle` attribute), 67  
`flowable_spacing` (`rinoh.table.TableCellStyle` attribute), 84  
`flowables` (`rinoh.template.FixedDocumentPartTemplate` attribute), 126  
`flowables()` (`rinoh.flowable.GroupedFlowables` method), 100  
`flowables()` (`rinoh.flowable.StaticGroupedFlowables` method), 101  
`flowables()` (`rinoh.index.Index` method), 105  
`flowables()` (`rinoh.structure.Admonition` method), 118  
`flowables()` (`rinoh.structure.TableOfContents` method), 118  
FlowableState (class in `rinoh.flowable`), 99  
FlowableStyle (class in `rinoh.flowable`), 18  
FlowableWidth (class in `rinoh.flowable`), 101  
Font (class in `rinoh.font`), 101  
`font_color` (`rinoh.image.CaptionStyle` attribute), 30  
`font_color` (`rinoh.paragraph.ParagraphStyle` attribute), 40  
`font_color` (`rinoh.reference.NoteMarkerStyle` attribute), 51  
`font_color` (`rinoh.reference.ReferencingParagraphStyle` attribute), 49  
`font_color` (`rinoh.structure.HeadingStyle` attribute), 58  
`font_color` (`rinoh.structure.ListItemLabelStyle` attribute), 66  
`font_color` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 76  
`font_color` (`rinoh.structure.TableOfContentsStyle` attribute), 71  
`font_color` (`rinoh.text.TextStyle` attribute), 41  
`font_size` (`rinoh.image.CaptionStyle` attribute), 30  
`font_size` (`rinoh.paragraph.ParagraphStyle` attribute), 40  
`font_size` (`rinoh.reference.NoteMarkerStyle` attribute), 50  
`font_size` (`rinoh.reference.ReferencingParagraphStyle` attribute), 48  
`font_size` (`rinoh.structure.HeadingStyle` attribute), 58  
`font_size` (`rinoh.structure.ListItemLabelStyle` attribute), 66  
`font_size` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 76  
`font_size` (`rinoh.structure.TableOfContentsStyle` attribute), 71  
`font_size` (`rinoh.text.TextStyle` attribute), 41  
`font_slant` (`rinoh.image.CaptionStyle` attribute), 30  
`font_slant` (`rinoh.paragraph.ParagraphStyle` attribute), 39  
`font_slant` (`rinoh.reference.NoteMarkerStyle` attribute), 50  
`font_slant` (`rinoh.reference.ReferencingParagraphStyle` attribute), 48  
`font_slant` (`rinoh.structure.HeadingStyle` attribute), 58  
`font_slant` (`rinoh.structure.ListItemLabelStyle` attribute), 65  
`font_slant` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75  
`font_slant` (`rinoh.structure.TableOfContentsStyle` attribute), 71  
`font_slant` (`rinoh.text.TextStyle` attribute), 41  
`font_variant` (`rinoh.image.CaptionStyle` attribute), 30  
`font_variant` (`rinoh.paragraph.ParagraphStyle` attribute), 40  
`font_variant` (`rinoh.reference.NoteMarkerStyle` attribute), 51  
`font_variant` (`rinoh.reference.ReferencingParagraphStyle` attribute), 49

font\_variant (rinoh.structure.HeadingStyle attribute), 58  
font\_variant (rinoh.structure.ListItemLabelStyle attribute), 66  
font\_variant (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
font\_variant (rinoh.structure.TableOfContentsStyle attribute), 71  
font\_variant (rinoh.text.TextStyle attribute), 41  
font\_weight (rinoh.image.CaptionStyle attribute), 30  
font\_weight (rinoh.paragraph.ParagraphStyle attribute), 39  
font\_weight (rinoh.reference.NoteMarkerStyle attribute), 50  
font\_weight (rinoh.reference.ReferencingParagraphStyle attribute), 48  
font\_weight (rinoh.structure.HeadingStyle attribute), 58  
font\_weight (rinoh.structure.ListItemLabelStyle attribute), 65  
font\_weight (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
font\_weight (rinoh.structure.TableOfContentsStyle attribute), 70  
font\_weight (rinoh.text.TextStyle attribute), 41  
font\_width (rinoh.image.CaptionStyle attribute), 30  
font\_width (rinoh.paragraph.ParagraphStyle attribute), 39  
font\_width (rinoh.reference.NoteMarkerStyle attribute), 50  
font\_width (rinoh.reference.ReferencingParagraphStyle attribute), 48  
font\_width (rinoh.structure.HeadingStyle attribute), 58  
font\_width (rinoh.structure.ListItemLabelStyle attribute), 66  
font\_width (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
font\_width (rinoh.structure.TableOfContentsStyle attribute), 71  
font\_width (rinoh.text.TextStyle attribute), 41  
fonts() (rinoh.font.Typeface method), 102  
FontSlant (class in rinoh.font.style), 103  
FontVariant (class in rinoh.font.style), 103  
FontWeight (class in rinoh.font.style), 103  
FontWidth (class in rinoh.font.style), 103  
footer\_text (rinoh.template.PageTemplate attribute), 127  
format\_number() (in module rinoh.number), 111  
FR (in module rinoh.language), 106  
front\_matter (rinoh.templates.article.Article attribute), 90  
front\_matter (rinoh.templates.book.Book attribute), 92  
front\_matter\_left\_page (rinoh.templates.book.Book attribute), 93  
front\_matter\_page (rinoh.templates.article.Article attribute), 90  
front\_matter\_page (rinoh.templates.book.Book attribute), 93  
front\_matter\_right\_page (rinoh.templates.book.Book attribute), 93

## G

get\_font() (rinoh.font.Typeface method), 103  
get\_glyph() (rinoh.font.Font method), 102  
get\_kerning() (rinoh.font.Font method), 102  
get\_ligature() (rinoh.font.Font method), 102  
get\_position() (rinoh.paragraph.TabStop method), 115  
get\_rowspanned\_columns() (rinoh.table.TableRow method), 122  
get\_selector() (rinoh.style.StyleSheet method), 121  
Glyph (class in rinoh.paragraph), 115  
GlyphsSpan (class in rinoh.paragraph), 115  
Gray (class in rinoh.color), 96  
GroupedFlowables (class in rinoh.flowable), 100  
GroupedFlowablesState (class in rinoh.flowable), 100  
GroupedFlowablesStyle (class in rinoh.flowable), 22  
GroupedLabeledFlowables (class in rinoh.flowable), 101  
grow() (rinoh.dimension.Dimension method), 96

## H

has\_class (rinoh.style.Styled property), 120

has\_classes (`rinoh.style.Styled` property), 120  
has\_id (`rinoh.style.Styled` property), 120  
header\_footer\_distance (`rinoh.template.PageTemplate` attribute), 127  
header\_text (`rinoh.template.PageTemplate` attribute), 127  
Heading (class in `rinoh.structure`), 117  
HeadingStyle (class in `rinoh.structure`), 54  
height (`rinoh.image.ImageArgs` attribute), 104  
height() (`rinoh.text.StyledText` method), 113  
HexColor (class in `rinoh.color`), 96  
hide (`rinoh.draw.LineStyle` attribute), 17  
hide (`rinoh.draw.ShapeStyle` attribute), 18  
hide (`rinoh.flowable.FloatStyle` attribute), 26  
hide (`rinoh.flowable.FlowableStyle` attribute), 20  
hide (`rinoh.flowable.GroupedFlowablesStyle` attribute), 24  
hide (`rinoh.flowable.LabeledFlowableStyle` attribute), 22  
hide (`rinoh.image.CaptionStyle` attribute), 31  
hide (`rinoh.image.FigureStyle` attribute), 33  
hide (`rinoh.index.IndexStyle` attribute), 36  
hide (`rinoh.inline.InlineFlowableStyle` attribute), 44  
hide (`rinoh.number.LabelStyle` attribute), 110  
hide (`rinoh.number.NumberStyle` attribute), 111  
hide (`rinoh.paragraph.ParagraphStyle` attribute), 39  
hide (`rinoh.reference.NoteMarkerStyle` attribute), 52  
hide (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
hide (`rinoh.structure.AdmonitionStyle` attribute), 79  
hide (`rinoh.structure.HeadingStyle` attribute), 59  
hide (`rinoh.structure.HorizontalRuleStyle` attribute), 81  
hide (`rinoh.structure.ListItemLabelStyle` attribute), 67  
hide (`rinoh.structure.ListStyle` attribute), 62  
hide (`rinoh.structure.SectionStyle` attribute), 54  
hide (`rinoh.structure.TableOfContentsEntryStyle` attribute), 77  
hide (`rinoh.structure.TableOfContentsStyle` attribute), 69  
hide (`rinoh.style.Style` attribute), 121  
hide (`rinoh.table.TableCellBackgroundStyle` attribute), 87  
hide (`rinoh.table.TableCellBorderStyle` attribute), 86  
hide (`rinoh.table.TableCellStyle` attribute), 86  
hide (`rinoh.table.TableStyle` attribute), 83  
hide (`rinoh.text.TextStyle` attribute), 42  
hint (`rinoh.structure.AdmonitionTitles` attribute), 119  
horizontal\_align (`rinoh.flowable.FloatStyle` attribute), 25  
horizontal\_align (`rinoh.flowable.FlowableStyle` attribute), 18  
horizontal\_align (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
horizontal\_align (`rinoh.flowable.LabeledFlowableStyle` attribute), 20  
horizontal\_align (`rinoh.image.CaptionStyle` attribute), 28  
horizontal\_align (`rinoh.image.FigureStyle` attribute), 32  
horizontal\_align (`rinoh.index.IndexStyle` attribute), 34  
horizontal\_align (`rinoh.inline.InlineFlowableStyle` attribute), 43  
horizontal\_align (`rinoh.paragraph.ParagraphStyle` attribute), 37  
horizontal\_align (`rinoh.reference.ReferencingParagraphStyle` attribute), 46  
horizontal\_align (`rinoh.structure.AdmonitionStyle` attribute), 77  
horizontal\_align (`rinoh.structure.HeadingStyle` attribute), 56  
horizontal\_align (`rinoh.structure.HorizontalRuleStyle` attribute), 79  
horizontal\_align (`rinoh.structure.ListItemLabelStyle` attribute), 63  
horizontal\_align (`rinoh.structure.ListStyle` attribute), 60  
horizontal\_align (`rinoh.structure.SectionStyle` attribute), 53  
horizontal\_align (`rinoh.structure.TableOfContentsEntryStyle` attribute), 73  
horizontal\_align (`rinoh.structure.TableOfContentsStyle` attribute), 67  
horizontal\_align (`rinoh.table.TableCellStyle` attribute), 84

horizontal\_align (rinoh.table.TableStyle attribute), 82  
HorizontalAlignment (class in rinoh.flowable), 101  
HorizontalRule (class in rinoh.structure), 119  
HorizontalRuleStyle (class in rinoh.structure), 79  
hyphen\_chars (rinoh.image.CaptionStyle attribute), 31  
hyphen\_chars (rinoh.paragraph.ParagraphStyle attribute), 40  
hyphen\_chars (rinoh.reference.NoteMarkerStyle attribute), 51  
hyphen\_chars (rinoh.reference.ReferencingParagraphStyle attribute), 49  
hyphen\_chars (rinoh.structure.HeadingStyle attribute), 59  
hyphen\_chars (rinoh.structure.ListItemLabelStyle attribute), 66  
hyphen\_chars (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
hyphen\_chars (rinoh.structure.TableOfContentsStyle attribute), 71  
hyphen\_chars (rinoh.text.TextStyle attribute), 42  
hyphen\_lang (rinoh.image.CaptionStyle attribute), 31  
hyphen\_lang (rinoh.paragraph.ParagraphStyle attribute), 40  
hyphen\_lang (rinoh.reference.NoteMarkerStyle attribute), 51  
hyphen\_lang (rinoh.reference.ReferencingParagraphStyle attribute), 49  
hyphen\_lang (rinoh.structure.HeadingStyle attribute), 59  
hyphen\_lang (rinoh.structure.ListItemLabelStyle attribute), 66  
hyphen\_lang (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
hyphen\_lang (rinoh.structure.TableOfContentsStyle attribute), 72  
hyphen\_lang (rinoh.text.TextStyle attribute), 42  
hyphenate (rinoh.image.CaptionStyle attribute), 31  
hyphenate (rinoh.paragraph.ParagraphStyle attribute), 40  
hyphenate (rinoh.reference.NoteMarkerStyle attribute), 51  
hyphenate (rinoh.reference.ReferencingParagraphStyle attribute), 49  
hyphenate (rinoh.structure.HeadingStyle attribute), 59  
hyphenate (rinoh.structure.ListItemLabelStyle attribute), 66  
hyphenate (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
hyphenate (rinoh.structure.TableOfContentsStyle attribute), 71  
hyphenate (rinoh.text.TextStyle attribute), 42  
HyphenatorStore (class in rinoh.paragraph), 115

|  
Image (class in rinoh.image), 103  
ImageArgs (class in rinoh.image), 104  
important (rinoh.structure.AdmonitionTitles attribute), 119  
INCH (in module rinoh.dimension), 97  
indent\_first (rinoh.image.CaptionStyle attribute), 27  
indent\_first (rinoh.paragraph.ParagraphStyle attribute), 36  
indent\_first (rinoh.reference.ReferencingParagraphStyle attribute), 45  
indent\_first (rinoh.structure.HeadingStyle attribute), 55  
indent\_first (rinoh.structure.ListItemLabelStyle attribute), 62  
indent\_first (rinoh.structure.TableOfContentsEntryStyle attribute), 72  
indent\_first (rinoh.structure.TableOfContentsStyle attribute), 69  
Index (class in rinoh.index), 105  
index (rinoh.structure.SectionTitles attribute), 117  
IndexLabel (class in rinoh.index), 105  
IndexSection (class in rinoh.index), 105  
IndexStyle (class in rinoh.index), 34  
IndexTarget (class in rinoh.index), 105  
IndexTerm (class in rinoh.index), 105  
initials (rinoh.index.IndexStyle attribute), 34  
inline\_title (rinoh.structure.AdmonitionStyle attribute), 77  
InlineFlowable (class in rinoh.inline), 113  
InlineFlowableStyle (class in rinoh.inline), 42  
InlineImage (class in rinoh.image), 103

InlineIndexTarget (class in rinoх.index), 105  
input  
    rinoх command line option, 5  
Integer (class in rinoх.attribute), 95  
is\_script() (rinoх.text.StyledText method), 113  
IT (in module rinoх.language), 107  
items (rinoх.text.MixedStyledText property), 113  
items (rinoх.text.StyledText property), 113

## J

JUNIOR\_LEGAL (in module rinoх.paper), 112

## K

keep\_with\_next (rinoх.flowable.FloatStyle attribute), 26  
keep\_with\_next (rinoх.flowable.FlowableStyle attribute), 19  
keep\_with\_next (rinoх.flowable.GroupedFlowablesStyle attribute), 23  
keep\_with\_next (rinoх.flowable.LabeledFlowableStyle attribute), 21  
keep\_with\_next (rinoх.image.CaptionStyle attribute), 28  
keep\_with\_next (rinoх.image.FigureStyle attribute), 32  
keep\_with\_next (rinoх.index.IndexStyle attribute), 35  
keep\_with\_next (rinoх.inline.InlineFlowableStyle attribute), 44  
keep\_with\_next (rinoх.paragraph.ParagraphStyle attribute), 38  
keep\_with\_next (rinoх.reference.ReferencingParagraphStyle attribute), 47  
keep\_with\_next (rinoх.structure.AdmonitionStyle attribute), 78  
keep\_with\_next (rinoх.structure.HeadingStyle attribute), 55  
keep\_with\_next (rinoх.structure.HorizontalRuleStyle attribute), 80  
keep\_with\_next (rinoх.structure.ListItemLabelStyle attribute), 64  
keep\_with\_next (rinoх.structure.ListStyle attribute), 61  
keep\_with\_next (rinoх.structure.SectionStyle attribute), 53  
keep\_with\_next (rinoх.structure.TableOfContentsEntryStyle attribute), 74  
keep\_with\_next (rinoх.structure.TableOfContentsStyle attribute), 68  
keep\_with\_next (rinoх.table.TableCellStyle attribute), 85  
keep\_with\_next (rinoх.table.TableStyle attribute), 83  
kerning (rinoх.image.CaptionStyle attribute), 30  
kerning (rinoх.paragraph.ParagraphStyle attribute), 40  
kerning (rinoх.reference.NoteMarkerStyle attribute), 51  
kerning (rinoх.reference.ReferencingParagraphStyle attribute), 49  
kerning (rinoх.structure.HeadingStyle attribute), 58  
kerning (rinoх.structure.ListItemLabelStyle attribute), 66  
kerning (rinoх.structure.TableOfContentsEntryStyle attribute), 76  
kerning (rinoх.structure.TableOfContentsStyle attribute), 71  
kerning (rinoх.text.TextStyle attribute), 42

## L

Label (class in rinoх.number), 110  
label\_max\_width (rinoх.flowable.LabeledFlowableStyle attribute), 20  
label\_min\_width (rinoх.flowable.LabeledFlowableStyle attribute), 20  
label\_prefix (rinoх.image.CaptionStyle attribute), 29  
label\_prefix (rinoх.number.LabelStyle attribute), 110  
label\_prefix (rinoх.number.NumberStyle attribute), 111  
label\_prefix (rinoх.paragraph.ParagraphStyle attribute), 39  
label\_prefix (rinoх.reference.NoteMarkerStyle attribute), 52  
label\_prefix (rinoх.reference.ReferencingParagraphStyle attribute), 48  
label\_prefix (rinoх.structure.HeadingStyle attribute), 57  
label\_prefix (rinoх.structure.ListItemLabelStyle attribute), 65  
label\_prefix (rinoх.structure.ListStyle attribute), 62  
label\_prefix (rinoх.structure.TableOfContentsEntryStyle attribute), 75

label\_prefix (rinoh.structure.TableOfContentsStyle attribute), 70  
label\_spacing (rinoh.flowable.LabeledFlowableStyle attribute), 20  
label\_suffix (rinoh.image.CaptionStyle attribute), 29  
label\_suffix (rinoh.number.LabelStyle attribute), 110  
label\_suffix (rinoh.number.NumberStyle attribute), 111  
label\_suffix (rinoh.paragraph.ParagraphStyle attribute), 39  
label\_suffix (rinoh.reference.NoteMarkerStyle attribute), 52  
label\_suffix (rinoh.reference.ReferencingParagraphStyle attribute), 48  
label\_suffix (rinoh.structure.HeadingStyle attribute), 57  
label\_suffix (rinoh.structure.ListItemLabelStyle attribute), 65  
label\_suffix (rinoh.structure.ListStyle attribute), 62  
label\_suffix (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
label\_suffix (rinoh.structure.TableOfContentsStyle attribute), 70  
LabeledFlowable (class in rinoh.flowable), 100  
LabeledFlowableState (class in rinoh.flowable), 100  
LabeledFlowableStyle (class in rinoh.flowable), 20  
LabelStyle (class in rinoh.number), 110  
Language (class in rinoh.language), 105  
language (rinoh.template.DocumentTemplate attribute), 123  
language (rinoh.templates.article.Article attribute), 89  
language (rinoh.templates.book.Book attribute), 91  
languages (rinoh.language.Language attribute), 105  
Leading (class in rinoh.paragraph), 114  
LEDGER (in module rinoh.paper), 112  
left\_margin (rinoh.template.PageTemplate attribute), 128  
left\_margin (rinoh.template.PageTemplateBase attribute), 130  
left\_margin (rinoh.template.TitlePageTemplate attribute), 129  
LEGAL (in module rinoh.paper), 112  
LETTER (in module rinoh.paper), 112  
ligatures (rinoh.image.CaptionStyle attribute), 31  
ligatures (rinoh.paragraph.ParagraphStyle attribute), 40  
ligatures (rinoh.reference.NoteMarkerStyle attribute), 51  
ligatures (rinoh.reference.ReferencingParagraphStyle attribute), 49  
ligatures (rinoh.structure.HeadingStyle attribute), 58  
ligatures (rinoh.structure.ListItemLabelStyle attribute), 66  
ligatures (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
ligatures (rinoh.structure.TableOfContentsStyle attribute), 71  
ligatures (rinoh.text.TextStyle attribute), 42  
limit\_width (rinoh.image.ImageArgs attribute), 104  
Line (class in rinoh.draw), 98  
line\_spacing (rinoh.image.CaptionStyle attribute), 27  
line\_spacing (rinoh.paragraph.ParagraphStyle attribute), 36  
line\_spacing (rinoh.reference.ReferencingParagraphStyle attribute), 45  
line\_spacing (rinoh.structure.HeadingStyle attribute), 55  
line\_spacing (rinoh.structure.ListItemLabelStyle attribute), 62  
line\_spacing (rinoh.structure.TableOfContentsEntryStyle attribute), 72  
line\_spacing (rinoh.structure.TableOfContentsStyle attribute), 69  
LineSpacing (class in rinoh.paragraph), 114  
LineStyle (class in rinoh.draw), 17  
link (rinoh.reference.NoteMarkerStyle attribute), 50  
List (class in rinoh.structure), 118  
list\_class (rinoh.image.ListOfFiguresSection attribute), 105  
list\_class (rinoh.table.ListOfTablesSection attribute), 123  
list\_of\_figures (rinoh.structure.SectionTitles attribute), 117  
list\_of\_tables (rinoh.structure.SectionTitles attribute), 117  
ListItemLabelStyle (class in rinoh.structure), 62  
ListOfFigures (class in rinoh.image), 105  
ListOfFiguresSection (class in rinoh.image), 105

ListOfTables (class in rinoh.table), 123  
ListOfTablesSection (class in rinoh.table), 123  
ListStyle (class in rinoh.structure), 59  
Locale (class in rinoh.text), 113  
location (rinoh.attribute.RuleSetFile property), 95

## M

margin\_left (rinoh.flowable.FloatStyle attribute), 25  
margin\_left (rinoh.flowable.FlowableStyle attribute), 18  
margin\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
margin\_left (rinoh.flowable.LabeledFlowableStyle attribute), 21  
margin\_left (rinoh.image.CaptionStyle attribute), 28  
margin\_left (rinoh.image.FigureStyle attribute), 32  
margin\_left (rinoh.index.IndexStyle attribute), 34  
margin\_left (rinoh.inline.InlineFlowableStyle attribute), 43  
margin\_left (rinoh.paragraph.ParagraphStyle attribute), 37  
margin\_left (rinoh.reference.ReferencingParagraphStyle attribute), 46  
margin\_left (rinoh.structure.AdmonitionStyle attribute), 78  
margin\_left (rinoh.structure.HeadingStyle attribute), 56  
margin\_left (rinoh.structure.HorizontalRuleStyle attribute), 80  
margin\_left (rinoh.structure.ListItemLabelStyle attribute), 63  
margin\_left (rinoh.structure.ListStyle attribute), 60  
margin\_left (rinoh.structure.SectionStyle attribute), 53  
margin\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 73  
margin\_left (rinoh.structure.TableOfContentsStyle attribute), 68  
margin\_left (rinoh.table.TableCellStyle attribute), 84  
margin\_left (rinoh.table.TableStyle attribute), 82  
margin\_right (rinoh.flowable.FloatStyle attribute), 25  
margin\_right (rinoh.flowable.FlowableStyle attribute), 18  
margin\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
margin\_right (rinoh.flowable.LabeledFlowableStyle attribute), 21  
margin\_right (rinoh.image.CaptionStyle attribute), 28  
margin\_right (rinoh.image.FigureStyle attribute), 32  
margin\_right (rinoh.index.IndexStyle attribute), 34  
margin\_right (rinoh.inline.InlineFlowableStyle attribute), 43  
margin\_right (rinoh.paragraph.ParagraphStyle attribute), 37  
margin\_right (rinoh.reference.ReferencingParagraphStyle attribute), 46  
margin\_right (rinoh.structure.AdmonitionStyle attribute), 78  
margin\_right (rinoh.structure.HeadingStyle attribute), 56  
margin\_right (rinoh.structure.HorizontalRuleStyle attribute), 80  
margin\_right (rinoh.structure.ListItemLabelStyle attribute), 63  
margin\_right (rinoh.structure.ListStyle attribute), 60  
margin\_right (rinoh.structure.SectionStyle attribute), 53  
margin\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 73  
margin\_right (rinoh.structure.TableOfContentsStyle attribute), 68  
margin\_right (rinoh.table.TableCellStyle attribute), 84  
margin\_right (rinoh.table.TableStyle attribute), 82  
matcher (in module rinoh.stylesheets), 11  
MixedStyledText (class in rinoh.text), 113  
MM (in module rinoh.dimension), 97  
module  
    rinoh.attribute, 95  
    rinoh.color, 96  
    rinoh.dimension, 96  
    rinoh.document, 97  
    rinoh.draw, 98  
    rinoh.flowable, 99

rinoh.font, 101  
rinoh.font.style, 103  
rinoh.image, 103  
rinoh.index, 105  
rinoh.inline, 113  
rinoh.language, 105  
rinoh.number, 110  
rinoh.paper, 111  
rinoh.paragraph, 112  
rinoh.reference, 115  
rinoh.strings, 120  
rinoh.structure, 116  
rinoh.style, 120  
rinoh.stylesheets, 11  
rinoh.table, 122  
rinoh.template, 123  
rinoh.templates.article, 89  
rinoh.templates.book, 91  
rinoh.text, 112

## N

new\_page() (rinoh.template.DocumentPart method), 124  
NL (in module rinoh.language), 108  
Note (class in rinoh.reference), 116  
note (rinoh.structure.AdmonitionTitles attribute), 119  
NoteMarkerBase (class in rinoh.reference), 116  
NoteMarkerByID (class in rinoh.reference), 116  
NoteMarkerStyle (class in rinoh.reference), 50  
NoteMarkerWithNote (class in rinoh.reference), 116  
number\_format (rinoh.image.CaptionStyle attribute), 27  
number\_format (rinoh.number.NumberStyle attribute), 110  
number\_format (rinoh.paragraph.ParagraphStyle attribute), 37  
number\_format (rinoh.reference.NoteMarkerStyle attribute), 52  
number\_format (rinoh.reference.ReferencingParagraphStyle attribute), 46  
number\_format (rinoh.structure.HeadingStyle attribute), 55  
number\_format (rinoh.structure.ListItemLabelStyle attribute), 63  
number\_format (rinoh.structure.ListStyle attribute), 62  
number\_format (rinoh.structure.TableOfContentsEntryStyle attribute), 73  
number\_format (rinoh.structure.TableOfContentsStyle attribute), 70  
number\_separator (rinoh.image.CaptionStyle attribute), 27  
number\_separator (rinoh.paragraph.ParagraphStyle attribute), 37  
number\_separator (rinoh.reference.ReferencingParagraphStyle attribute), 46  
number\_separator (rinoh.structure.HeadingStyle attribute), 55  
number\_separator (rinoh.structure.ListItemLabelStyle attribute), 63  
number\_separator (rinoh.structure.TableOfContentsEntryStyle attribute), 73  
number\_separator (rinoh.structure.TableOfContentsStyle attribute), 70  
NumberFormat (class in rinoh.number), 110  
numbering\_level (rinoh.image.CaptionStyle attribute), 27  
numbering\_level (rinoh.paragraph.ParagraphStyle attribute), 37  
numbering\_level (rinoh.reference.ReferencingParagraphStyle attribute), 46  
numbering\_level (rinoh.structure.HeadingStyle attribute), 55  
numbering\_level (rinoh.structure.ListItemLabelStyle attribute), 63  
numbering\_level (rinoh.structure.TableOfContentsEntryStyle attribute), 73  
numbering\_level (rinoh.structure.TableOfContentsStyle attribute), 70  
NumberStyle (class in rinoh.number), 110

## O

OptionSet (class in rinoh.attribute), 95  
ordered (rinoh.structure.ListStyle attribute), 59  
OverrideDefault (class in rinoh.attribute), 95

## P

padding (rinoh.flowable.FloatStyle attribute), 25  
padding (rinoh.flowable.FlowableStyle attribute), 18  
padding (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
padding (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding (rinoh.image.CaptionStyle attribute), 28  
padding (rinoh.image.FigureStyle attribute), 32  
padding (rinoh.index.IndexStyle attribute), 35  
padding (rinoh.inline.InlineFlowableStyle attribute), 43  
padding (rinoh.paragraph.ParagraphStyle attribute), 37  
padding (rinoh.reference.ReferencingParagraphStyle attribute), 46  
padding (rinoh.structure.AdmonitionStyle attribute), 78  
padding (rinoh.structure.HeadingStyle attribute), 56  
padding (rinoh.structure.HorizontalRuleStyle attribute), 80  
padding (rinoh.structure.ListItemLabelStyle attribute), 64  
padding (rinoh.structure.ListStyle attribute), 60  
padding (rinoh.structure.SectionStyle attribute), 53  
padding (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
padding (rinoh.structure.TableOfContentsStyle attribute), 68  
padding (rinoh.table.TableCellStyle attribute), 85  
padding (rinoh.table.TableStyle attribute), 82  
padding\_bottom (rinoh.flowable.FloatStyle attribute), 25  
padding\_bottom (rinoh.flowable.FlowableStyle attribute), 19  
padding\_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
padding\_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_bottom (rinoh.image.CaptionStyle attribute), 28  
padding\_bottom (rinoh.image.FigureStyle attribute), 32  
padding\_bottom (rinoh.index.IndexStyle attribute), 35  
padding\_bottom (rinoh.inline.InlineFlowableStyle attribute), 43  
padding\_bottom (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 47  
padding\_bottom (rinoh.structure.AdmonitionStyle attribute), 78  
padding\_bottom (rinoh.structure.HeadingStyle attribute), 56  
padding\_bottom (rinoh.structure.HorizontalRuleStyle attribute), 80  
padding\_bottom (rinoh.structure.ListItemLabelStyle attribute), 64  
padding\_bottom (rinoh.structure.ListStyle attribute), 61  
padding\_bottom (rinoh.structure.SectionStyle attribute), 53  
padding\_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
padding\_bottom (rinoh.structure.TableOfContentsStyle attribute), 68  
padding\_bottom (rinoh.table.TableCellStyle attribute), 85  
padding\_bottom (rinoh.table.TableStyle attribute), 83  
padding\_left (rinoh.flowable.FloatStyle attribute), 25  
padding\_left (rinoh.flowable.FlowableStyle attribute), 18  
padding\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
padding\_left (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_left (rinoh.image.CaptionStyle attribute), 28  
padding\_left (rinoh.image.FigureStyle attribute), 32  
padding\_left (rinoh.index.IndexStyle attribute), 35  
padding\_left (rinoh.inline.InlineFlowableStyle attribute), 43  
padding\_left (rinoh.paragraph.ParagraphStyle attribute), 37  
padding\_left (rinoh.reference.ReferencingParagraphStyle attribute), 46

padding\_left (rinoh.structure.AdmonitionStyle attribute), 78  
padding\_left (rinoh.structure.HeadingStyle attribute), 56  
padding\_left (rinoh.structure.HorizontalRuleStyle attribute), 80  
padding\_left (rinoh.structure.ListItemLabelStyle attribute), 64  
padding\_left (rinoh.structure.ListStyle attribute), 60  
padding\_left (rinoh.structure.SectionStyle attribute), 53  
padding\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
padding\_left (rinoh.structure.TableOfContentsStyle attribute), 68  
padding\_left (rinoh.table.TableCellStyle attribute), 85  
padding\_left (rinoh.table.TableStyle attribute), 82  
padding\_right (rinoh.flowable.FloatStyle attribute), 25  
padding\_right (rinoh.flowable.FlowableStyle attribute), 18  
padding\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
padding\_right (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_right (rinoh.image.CaptionStyle attribute), 28  
padding\_right (rinoh.image.FigureStyle attribute), 32  
padding\_right (rinoh.index.IndexStyle attribute), 35  
padding\_right (rinoh.inline.InlineFlowableStyle attribute), 43  
padding\_right (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_right (rinoh.reference.ReferencingParagraphStyle attribute), 47  
padding\_right (rinoh.structure.AdmonitionStyle attribute), 78  
padding\_right (rinoh.structure.HeadingStyle attribute), 56  
padding\_right (rinoh.structure.HorizontalRuleStyle attribute), 80  
padding\_right (rinoh.structure.ListItemLabelStyle attribute), 64  
padding\_right (rinoh.structure.ListStyle attribute), 60  
padding\_right (rinoh.structure.SectionStyle attribute), 53  
padding\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
padding\_right (rinoh.structure.TableOfContentsStyle attribute), 68  
padding\_right (rinoh.table.TableCellStyle attribute), 85  
padding\_right (rinoh.table.TableStyle attribute), 82  
padding\_top (rinoh.flowable.FloatStyle attribute), 25  
padding\_top (rinoh.flowable.FlowableStyle attribute), 19  
padding\_top (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
padding\_top (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_top (rinoh.image.CaptionStyle attribute), 28  
padding\_top (rinoh.image.FigureStyle attribute), 32  
padding\_top (rinoh.index.IndexStyle attribute), 35  
padding\_top (rinoh.inline.InlineFlowableStyle attribute), 43  
padding\_top (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_top (rinoh.reference.ReferencingParagraphStyle attribute), 47  
padding\_top (rinoh.structure.AdmonitionStyle attribute), 78  
padding\_top (rinoh.structure.HeadingStyle attribute), 56  
padding\_top (rinoh.structure.HorizontalRuleStyle attribute), 80  
padding\_top (rinoh.structure.ListItemLabelStyle attribute), 64  
padding\_top (rinoh.structure.ListStyle attribute), 61  
padding\_top (rinoh.structure.SectionStyle attribute), 53  
padding\_top (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
padding\_top (rinoh.structure.TableOfContentsStyle attribute), 68  
padding\_top (rinoh.table.TableCellStyle attribute), 85  
padding\_top (rinoh.table.TableStyle attribute), 82  
Page (class in rinoh.document), 98  
page (rinoh.document.Page property), 98  
page (rinoh.templates.article.Article attribute), 90  
page (rinoh.templates.book.Book attribute), 92  
page\_break (rinoh.flowable.FloatStyle attribute), 26  
page\_break (rinoh.flowable.FlowableStyle attribute), 19  
page\_break (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
page\_break (rinoh.flowable.LabeledFlowableStyle attribute), 22

page\_break (rinoh.image.CaptionStyle attribute), 29  
page\_break (rinoh.image.FigureStyle attribute), 33  
page\_break (rinoh.index.IndexStyle attribute), 36  
page\_break (rinoh.inline.InlineFlowableStyle attribute), 44  
page\_break (rinoh.paragraph.ParagraphStyle attribute), 39  
page\_break (rinoh.reference.ReferencingParagraphStyle attribute), 48  
page\_break (rinoh.structure.AdmonitionStyle attribute), 79  
page\_break (rinoh.structure.HeadingStyle attribute), 57  
page\_break (rinoh.structure.HorizontalRuleStyle attribute), 81  
page\_break (rinoh.structure.ListItemLabelStyle attribute), 65  
page\_break (rinoh.structure.ListStyle attribute), 61  
page\_break (rinoh.structure.SectionStyle attribute), 54  
page\_break (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
page\_break (rinoh.structure.TableOfContentsStyle attribute), 69  
page\_break (rinoh.table.TableCellStyle attribute), 86  
page\_break (rinoh.table.TableStyle attribute), 83  
page\_number\_format (rinoh.template.ContentsPartTemplate attribute), 126  
page\_number\_format (rinoh.template.DocumentPartTemplate attribute), 125  
page\_number\_format (rinoh.template.FixedDocumentPartTemplate attribute), 126  
page\_number\_format (rinoh.template.TitlePartTemplate attribute), 125  
page\_number\_prefix (rinoh.template.ContentsPartTemplate attribute), 126  
page\_number\_prefix (rinoh.template.DocumentPartTemplate attribute), 125  
page\_number\_prefix (rinoh.template.FixedDocumentPartTemplate attribute), 126  
page\_number\_prefix (rinoh.template.TitlePartTemplate attribute), 125  
page\_orientation (rinoh.template.PageTemplate attribute), 128  
page\_orientation (rinoh.template.PageTemplateBase attribute), 130  
page\_orientation (rinoh.template.TitlePageTemplate attribute), 129  
page\_size (rinoh.template.PageTemplate attribute), 128  
page\_size (rinoh.template.PageTemplateBase attribute), 130  
page\_size (rinoh.template.TitlePageTemplate attribute), 129  
PageBreak (class in rinoh.flowable), 99  
PageNumberFormat (class in rinoh.document), 98  
PageOrientation (class in rinoh.document), 98  
PageTemplate (class in rinoh.template), 127  
PageTemplateBase (class in rinoh.template), 130  
PageType (class in rinoh.document), 98  
Paper (class in rinoh.paper), 111  
Paragraph (class in rinoh.paragraph), 112  
ParagraphBase (class in rinoh.paragraph), 112  
ParagraphState (class in rinoh.paragraph), 112  
ParagraphStyle (class in rinoh.paragraph), 36  
parse\_string() (rinoh.color.Color class method), 96  
ParseError, 95  
parts (rinoh.template.DocumentTemplate attribute), 123  
parts (rinoh.templates.article.Article attribute), 89  
parts (rinoh.templates.book.Book attribute), 91  
PartsList (class in rinoh.template), 124  
PERCENT (in module rinoh.dimension), 97  
PICA (in module rinoh.dimension), 97  
PL (in module rinoh.language), 109  
place() (rinoh.document.Page method), 98  
Polygon (class in rinoh.draw), 99  
position (rinoh.image.CaptionStyle attribute), 30  
position (rinoh.paragraph.ParagraphStyle attribute), 40  
position (rinoh.reference.NoteMarkerStyle attribute), 51  
position (rinoh.reference.ReferencingParagraphStyle attribute), 49  
position (rinoh.structure.HeadingStyle attribute), 58  
position (rinoh.structure.ListItemLabelStyle attribute), 66

position (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
position (rinoh.structure.TableOfContentsStyle attribute), 71  
position (rinoh.text.TextStyle attribute), 41  
prepare() (rinoh.flowable.LabeledFlowable method), 100  
prepare() (rinoh.flowable.StaticGroupedFlowables method), 101  
prepare() (rinoh.paragraph.ParagraphBase method), 112  
prepare() (rinoh.reference.NoteMarkerBase method), 116  
prepare() (rinoh.reference.NoteMarkerWithNote method), 116  
prepare() (rinoh.reference.RegisterNote method), 116  
prepare() (rinoh.structure.Heading method), 117  
prepare() (rinoh.table.Table method), 122  
prepare() (rinoh.table.TableRow method), 122  
prepare() (rinoh.table.TableSection method), 122  
prepare() (rinoh.text.MixedStyledText method), 113  
ProportionalSpacing (class in rinoh.paragraph), 114  
PT (in module rinoh.dimension), 97

## Q

QUARTERS (in module rinoh.dimension), 97  
quiet (rinoh.reference.NoteMarkerStyle attribute), 50

## R

Rectangle (class in rinoh.draw), 99  
Reference (class in rinoh.reference), 115  
ReferenceField (class in rinoh.reference), 115  
ReferenceText (class in rinoh.reference), 116  
ReferenceType (class in rinoh.reference), 116  
ReferencingParagraph (class in rinoh.reference), 116  
ReferencingParagraphStyle (class in rinoh.reference), 45  
RegisterNote (class in rinoh.reference), 116  
render() (rinoh.document.Document method), 97  
render() (rinoh.document.Page method), 98  
render() (rinoh.flowable.GroupedFlowables method), 100  
render() (rinoh.flowable.GroupedLabeledFlowables method), 101  
render() (rinoh.flowable.LabeledFlowable method), 100  
render() (rinoh.paragraph.ParagraphBase method), 112  
render() (rinoh.structure.HorizontalRule method), 119  
render() (rinoh.table.Table method), 122  
repeat\_head (rinoh.table.TableStyle attribute), 82  
rgba (rinoh.color.Color property), 96  
right\_margin (rinoh.template.PageTemplate attribute), 128  
right\_margin (rinoh.template.PageTemplateBase attribute), 130  
right\_margin (rinoh.template.TitlePageTemplate attribute), 129  
rinoh command line option  
    --docs, 6  
    --format <format>, 5  
    --help, 5  
    --install-resources, 5  
    --list-fonts <filename>, 6  
    --list-formats, 6  
    --list-options <frontend>, 6  
    --list-stylesheets, 5  
    --list-templates, 5  
    --option <option=value>, 5  
    --output <filename or directory>, 5  
    --paper <paper>, 5  
    --stylesheet <name or filename>, 5

```
--template <name or filename>, 5
--version, 6
-f <format>, 5
-h, 5
-i, 5
-O <filename or directory>, 5
-o <option=value>, 5
-p <paper>, 5
-s <name or filename>, 5
-t <name or filename>, 5
    input, 5
rinoh.attribute
    module, 95
rinoh.color
    module, 96
rinoh.dimension
    module, 96
rinoh.document
    module, 97
rinoh.draw
    module, 98
rinoh.flowable
    module, 99
rinoh.font
    module, 101
rinoh.font.style
    module, 103
rinoh.image
    module, 103
rinoh.index
    module, 105
rinoh.inline
    module, 113
rinoh.language
    module, 105
rinoh.number
    module, 110
rinoh.paper
    module, 111
rinoh.paragraph
    module, 112
rinoh.reference
    module, 115
rinoh.strings
    module, 120
rinoh.structure
    module, 116
rinoh.style
    module, 120
rinoh.stylesheets
    module, 11
rinoh.table
    module, 122
rinoh.template
    module, 123
rinoh.templates.article
    module, 89
rinoh.templates.book
```

- module, 91
- rinoh.text
  - module, 112
- rinoh\_documents
  - Sphinx builder configuration value, 7
- rinoh\_domain\_indices
  - Sphinx builder configuration value, 9
- rinoh\_logo
  - Sphinx builder configuration value, 9
- rinoh\_metadata
  - Sphinx builder configuration value, 9
- rinoh\_paper\_size
  - Sphinx builder configuration value, 8
- rinoh\_stylesheet
  - Sphinx builder configuration value, 8
- rinoh\_targets
  - Sphinx builder configuration value, 8
- rinoh\_template
  - Sphinx builder configuration value, 8
- root (rinoh.attribute.RuleSetFile property), 95
- rotate (rinoh.image.ImageArgs attribute), 104
- RuleSet (class in rinoh.attribute), 95
- RuleSetFile (class in rinoh.attribute), 95

## S

- Scale (class in rinoh.image), 104
- scale (rinoh.image.ImageArgs attribute), 104
- script\_level() (rinoh.text.StyledText method), 113
- Section (class in rinoh.structure), 116
- SectionStyle (class in rinoh.structure), 52
- SectionTitles (class in rinoh.structure), 117
- seealso (rinoh.structure.AdmonitionTitles attribute), 119
- SetMetadataFlowable (class in rinoh.flowable), 99
- Shape (class in rinoh.draw), 99
- ShapeStyle (class in rinoh.draw), 17
- show\_author (rinoh.template.TitlePageTemplate attribute), 129
- show\_date (rinoh.template.TitlePageTemplate attribute), 129
- show\_in\_toc (rinoh.structure.SectionStyle attribute), 52
- SINGLE (in module rinoh.paragraph), 115
- SingleStyledText (class in rinoh.text), 113
- space\_above (rinoh.flowable.FloatStyle attribute), 25
- space\_above (rinoh.flowable.FlowableStyle attribute), 18
- space\_above (rinoh.flowable.GroupedFlowablesStyle attribute), 23
- space\_above (rinoh.flowable.LabeledFlowableStyle attribute), 20
- space\_above (rinoh.image.CaptionStyle attribute), 28
- space\_above (rinoh.image.FigureStyle attribute), 32
- space\_above (rinoh.index.IndexStyle attribute), 34
- space\_above (rinoh.inline.InlineFlowableStyle attribute), 43
- space\_above (rinoh.paragraph.ParagraphStyle attribute), 37
- space\_above (rinoh.reference.ReferencingParagraphStyle attribute), 46
- space\_above (rinoh.structure.AdmonitionStyle attribute), 77
- space\_above (rinoh.structure.HeadingStyle attribute), 56
- space\_above (rinoh.structure.HorizontalRuleStyle attribute), 79
- space\_above (rinoh.structure.ListItemLabelStyle attribute), 63
- space\_above (rinoh.structure.ListStyle attribute), 60
- space\_above (rinoh.structure.SectionStyle attribute), 53
- space\_above (rinoh.structure.TableOfContentsEntryStyle attribute), 73

space\_above (rinoh.structure.TableOfContentsStyle attribute), 67  
space\_above (rinoh.table.TableCellStyle attribute), 84  
space\_above (rinoh.table.TableStyle attribute), 82  
space\_below (rinoh.flowable.FloatStyle attribute), 25  
space\_below (rinoh.flowable.FlowableStyle attribute), 18  
space\_below (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
space\_below (rinoh.flowable.LabeledFlowableStyle attribute), 20  
space\_below (rinoh.image.CaptionStyle attribute), 28  
space\_below (rinoh.image.FigureStyle attribute), 32  
space\_below (rinoh.index.IndexStyle attribute), 34  
space\_below (rinoh.inline.InlineFlowableStyle attribute), 43  
space\_below (rinoh.paragraph.ParagraphStyle attribute), 37  
space\_below (rinoh.reference.ReferencingParagraphStyle attribute), 46  
space\_below (rinoh.structure.AdmonitionStyle attribute), 77  
space\_below (rinoh.structure.HeadingStyle attribute), 56  
space\_below (rinoh.structure.HorizontalRuleStyle attribute), 79  
space\_below (rinoh.structure.ListItemLabelStyle attribute), 63  
space\_below (rinoh.structure.ListStyle attribute), 60  
space\_below (rinoh.structure.SectionStyle attribute), 53  
space\_below (rinoh.structure.TableOfContentsEntryStyle attribute), 73  
space\_below (rinoh.structure.TableOfContentsStyle attribute), 68  
space\_below (rinoh.table.TableCellStyle attribute), 84  
space\_below (rinoh.table.TableStyle attribute), 82  
sphinx (in module rinoh.stylesheets), 11  
Sphinx builder configuration value  
    rinoh\_documents, 7  
    rinoh\_domain\_indices, 9  
    rinoh\_logo, 9  
    rinoh\_metadata, 9  
    rinoh\_paper\_size, 8  
    rinoh\_stylesheet, 8  
    rinoh\_targets, 8  
    rinoh\_template, 8  
sphinx\_article (in module rinoh.stylesheets), 11  
sphinx\_base14 (in module rinoh.stylesheets), 11  
split\_minimum\_rows (rinoh.table.TableStyle attribute), 81  
STANDARD (in module rinoh.paragraph), 115  
StaticGroupedFlowables (class in rinoh.flowable), 100  
String (class in rinoh.strings), 120  
StringCollection (class in rinoh.strings), 120  
StringField (class in rinoh.strings), 120  
Strings (class in rinoh.strings), 120  
strings (rinoh.template.DocumentTemplate attribute), 123  
strings (rinoh.templates.article.Article attribute), 89  
strings (rinoh.templates.book.Book attribute), 91  
Stroke (class in rinoh.draw), 98  
stroke (rinoh.draw.LineStyle attribute), 17  
stroke (rinoh.draw.ShapeStyle attribute), 17  
stroke (rinoh.structure.HorizontalRuleStyle attribute), 81  
stroke (rinoh.table.TableCellBackgroundStyle attribute), 86  
stroke (rinoh.table.TableCellBorderStyle attribute), 86  
Style (class in rinoh.style), 121  
style\_class (rinoh.draw.Line attribute), 98  
style\_class (rinoh.draw.Shape attribute), 99  
style\_class (rinoh.flowable.GroupedFlowables attribute), 100  
style\_class (rinoh.flowable.LabeledFlowable attribute), 100  
style\_class (rinoh.image.Caption attribute), 104  
style\_class (rinoh.image.Figure attribute), 105

style\_class (rinoh.index.Index attribute), 105  
style\_class (rinoh.inline.InlineFlowable attribute), 113  
style\_class (rinoh.paragraph.ParagraphBase attribute), 112  
style\_class (rinoh.reference.NoteMarkerBase attribute), 116  
style\_class (rinoh.reference.ReferencingParagraph attribute), 116  
style\_class (rinoh.structure.Admonition attribute), 118  
style\_class (rinoh.structure.Heading attribute), 117  
style\_class (rinoh.structure.HorizontalRule attribute), 119  
style\_class (rinoh.structure.List attribute), 118  
style\_class (rinoh.structure.TableOfContents attribute), 118  
style\_class (rinoh.structure.TableOfContentsEntry attribute), 118  
style\_class (rinoh.style.Styled attribute), 120  
style\_class (rinoh.table.Table attribute), 122  
style\_class (rinoh.table.TableCell attribute), 122  
style\_class (rinoh.table.TableCellBackground attribute), 122  
style\_class (rinoh.table.TableCellBorder attribute), 122  
style\_class (rinoh.table.TableWithCaption attribute), 122  
style\_class (rinoh.text.StyledText attribute), 113  
Styled (class in rinoh.style), 120  
StyledMatcher (class in rinoh.style), 121  
StyledText (class in rinoh.text), 112  
StyleSheet (class in rinoh.style), 121  
stylesheet (rinoh.template.DocumentTemplate attribute), 123  
stylesheet (rinoh.templates.article.Article attribute), 89  
stylesheet (rinoh.templates.book.Book attribute), 91  
StyleSheetFile (class in rinoh.style), 121

## T

tab\_stops (rinoh.image.CaptionStyle attribute), 27  
tab\_stops (rinoh.paragraph.ParagraphStyle attribute), 36  
tab\_stops (rinoh.reference.ReferencingParagraphStyle attribute), 45  
tab\_stops (rinoh.structure.HeadingStyle attribute), 55  
tab\_stops (rinoh.structure.ListItemLabelStyle attribute), 63  
tab\_stops (rinoh.structure.TableOfContentsEntryStyle attribute), 73  
tab\_stops (rinoh.structure.TableOfContentsStyle attribute), 70  
TabAlign (class in rinoh.paragraph), 115  
Table (class in rinoh.table), 122  
table\_of\_contents (rinoh.templates.article.Article attribute), 89  
TableBody (class in rinoh.table), 122  
TableCell (class in rinoh.table), 122  
TableCellBackground (class in rinoh.table), 122  
TableCellBackgroundColor (class in rinoh.table), 86  
TableCellBorder (class in rinoh.table), 122  
TableCellBorderStyle (class in rinoh.table), 86  
TableCellCellStyle (class in rinoh.table), 84  
TableHead (class in rinoh.table), 122  
TableOfContents (class in rinoh.structure), 118  
TableOfContentsEntry (class in rinoh.structure), 118  
TableOfContentsEntryStyle (class in rinoh.structure), 72  
TableOfContentsSection (class in rinoh.structure), 118  
TableOfContentsStyle (class in rinoh.structure), 67  
TableRow (class in rinoh.table), 122  
TableSection (class in rinoh.table), 122  
TableStyle (class in rinoh.table), 81  
TableWithCaption (class in rinoh.table), 122  
TABLOID (in module rinoh.paper), 112  
TabStop (class in rinoh.paragraph), 115

TabStopList (class in rinoh.paragraph), 115  
target\_has\_class() (rinoh.reference.ReferencingParagraph method), 116  
target\_has\_classes() (rinoh.reference.ReferencingParagraph method), 116  
target\_is\_of\_type() (rinoh.reference.ReferencingParagraph method), 116  
target\_style() (rinoh.reference.ReferencingParagraph method), 116  
template (rinoh.template.TemplateConfiguration attribute), 124  
TemplateConfiguration (class in rinoh.template), 124  
text (rinoh.reference.ReferencingParagraphStyle attribute), 45  
text (rinoh.structure.TableOfContentsEntryStyle attribute), 72  
text\_align (rinoh.image.CaptionStyle attribute), 27  
text\_align (rinoh.paragraph.ParagraphStyle attribute), 36  
text\_align (rinoh.reference.ReferencingParagraphStyle attribute), 45  
text\_align (rinoh.structure.HeadingStyle attribute), 55  
text\_align (rinoh.structure.ListItemLabelStyle attribute), 63  
text\_align (rinoh.structure.TableOfContentsEntryStyle attribute), 72  
text\_align (rinoh.structure.TableOfContentsStyle attribute), 69  
TextAlign (class in rinoh.paragraph), 114  
TextPosition (class in rinoh.font.style), 103  
TextStyle (class in rinoh.text), 41  
tip (rinoh.structure.AdmonitionTitles attribute), 119  
title (rinoh.flowable.GroupedFlowablesStyle attribute), 22  
title (rinoh.image.FigureStyle attribute), 33  
title (rinoh.index.IndexStyle attribute), 34  
title (rinoh.structure.AdmonitionStyle attribute), 77  
title (rinoh.structure.ListStyle attribute), 60  
title (rinoh.structure.SectionStyle attribute), 52  
title (rinoh.structure.TableOfContentsStyle attribute), 67  
title (rinoh.table.TableCellStyle attribute), 84  
title (rinoh.templates.article.Article attribute), 90  
title (rinoh.templates.book.Book attribute), 91  
title\_page (rinoh.templates.article.Article attribute), 90  
title\_page (rinoh.templates.book.Book attribute), 92  
TitlePageTemplate (class in rinoh.template), 129  
TitlePartTemplate (class in rinoh.template), 125  
to\_string() (rinoh.index.InlineIndexTarget method), 105  
to\_string() (rinoh.text.StyledText method), 112  
top\_margin (rinoh.template.PageTemplate attribute), 128  
top\_margin (rinoh.template.PageTemplateBase attribute), 130  
top\_margin (rinoh.template.TitlePageTemplate attribute), 129  
type (rinoh.reference.NoteMarkerStyle attribute), 50  
Typeface (class in rinoh.font), 102  
typeface (rinoh.image.CaptionStyle attribute), 30  
typeface (rinoh.paragraph.ParagraphStyle attribute), 39  
typeface (rinoh.reference.NoteMarkerStyle attribute), 50  
typeface (rinoh.reference.ReferencingParagraphStyle attribute), 48  
typeface (rinoh.structure.HeadingStyle attribute), 58  
typeface (rinoh.structure.ListItemLabelStyle attribute), 65  
typeface (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
typeface (rinoh.structure.TableOfContentsStyle attribute), 70  
typeface (rinoh.text.TextStyle attribute), 41

## U

update() (rinoh.style.StyledMatcher method), 121  
UserStrings (class in rinoh.strings), 120

## V

vertical\_align (rinoh.table.TableCellStyle attribute), 84

VerticalAlign (class in `rinoh.table`), 123

## W

WarnFlowable (class in `rinoh.flowable`), 99  
warning (`rinoh.structure.AdmonitionTitles` attribute), 119  
width (`rinoh.flowable.FloatStyle` attribute), 25  
width (`rinoh.flowable.FlowableStyle` attribute), 18  
width (`rinoh.flowable.GroupedFlowablesStyle` attribute), 22  
width (`rinoh.flowable.LabeledFlowableStyle` attribute), 20  
width (`rinoh.image.CaptionStyle` attribute), 27  
width (`rinoh.image.FigureStyle` attribute), 31  
width (`rinoh.image.ImageArgs` attribute), 104  
width (`rinoh.index.IndexStyle` attribute), 34  
width (`rinoh.inline.InlineFlowableStyle` attribute), 43  
width (`rinoh.paragraph.ParagraphStyle` attribute), 36  
width (`rinoh.reference.ReferencingParagraphStyle` attribute), 45  
width (`rinoh.structure.AdmonitionStyle` attribute), 77  
width (`rinoh.structure.HeadingStyle` attribute), 55  
width (`rinoh.structure.HorizontalRuleStyle` attribute), 79  
width (`rinoh.structure.ListItemLabelStyle` attribute), 62  
width (`rinoh.structure.ListStyle` attribute), 59  
width (`rinoh.structure.SectionStyle` attribute), 52  
width (`rinoh.structure.TableOfContentsEntryStyle` attribute), 72  
width (`rinoh.structure.TableOfContentsStyle` attribute), 67  
width (`rinoh.table.TableCellStyle` attribute), 84  
width (`rinoh.table.TableStyle` attribute), 82  
wrap\_label (`rinoh.flowable.LabeledFlowableStyle` attribute), 20

## Y

y\_offset() (`rinoh.text.StyledText` method), 113