



# rinohtype

## Reference Guide

Release 0.5.4



# Contents

<b>5</b>	<b>Chapter 1: rinoх</b>
<b>7</b>	<b>Chapter 2: Sphinx Builder</b>
<b>8</b>	Legacy Configuration Variables
<b>11</b>	<b>Chapter 3: Style Sheets</b>
<b>11</b>	Included Style Sheets
<b>11</b>	Default Matcher
<b>17</b>	Element Style Classes
<b>91</b>	<b>Chapter 4: Standard Document Templates</b>
<b>91</b>	Article
<b>93</b>	Book
<b>99</b>	<b>Chapter 5: API Documentation</b>
<b>99</b>	Attribute ( <code>rinoh.attribute</code> )
<b>100</b>	Color ( <code>rinoh.color</code> )
<b>100</b>	Dimension ( <code>rinoh.dimension</code> )
<b>101</b>	Document ( <code>rinoh.document</code> )
<b>102</b>	Drawing Primitives ( <code>rinoh.draw</code> )
<b>103</b>	Flowable ( <code>rinoh.flowable</code> )
<b>105</b>	Fonts and Typefaces ( <code>rinoh.font</code> )
<b>107</b>	Images and Figures ( <code>rinoh.image</code> )
<b>109</b>	Index ( <code>rinoh.index</code> )
<b>109</b>	Language ( <code>rinoh.language</code> )
<b>115</b>	Number ( <code>rinoh.number</code> )
<b>116</b>	Paper sizes ( <code>rinoh.paper</code> )
<b>117</b>	Paragraph ( <code>rinoh.paragraph</code> )
<b>120</b>	Cross-References and Fields ( <code>rinoh.reference</code> )
<b>122</b>	Structure ( <code>rinoh.structure</code> )
<b>125</b>	Strings ( <code>rinoh.strings</code> )
<b>125</b>	Style ( <code>rinoh.style</code> )
<b>127</b>	Tables ( <code>rinoh.table</code> )

**128** Templates (`rinoh.template`)

**137** Python Module Index

**139** Index

Render a structured document to PDF.

```
usage: rinoh [-h] [-f FORMAT] [-o OPTION=VALUE] [-t NAME or FILENAME]
              [-s NAME or FILENAME] [-O FILENAME or DIRECTORY] [-p PAPER] [-i]
              [--list-templates] [--list-stylesheets] [--list-fonts
              [FILENAME]] [--list-formats] [--list-options FRONTEND] [--version]
              [--versions] [--docs]
              [input]
```

**input**

the document to render

**-h, --help**

show this help message and exit

**-f <format>, --format <format>**

the format of the input file (default: autodetect)

**-o <option=value>, --option <option=value>**

options to be passed to the input file reader

**-t <name or filename>, --template <name or filename>**

the document template or template configuration file to use (default: article)

**-s <name or filename>, --stylesheet <name or filename>**

the style sheet used to style the document elements (default: the template's default)

**-O <filename or directory>, --output <filename or directory>**

write the PDF output to FILENAME or to an existing DIRECTORY with a filename derived from the input filename (default: the current working directory)

**-p <paper>, --paper <paper>**

the paper size to render to (default: the template's default)

**-i, --install-resources**

automatically install missing resources (fonts, templates, style sheets) from PyPI

**--list-templates**

list the installed document templates and exit

**--list-stylesheets**

list the installed style sheets and exit

```
--list-fonts <filename>
    list the installed fonts or, if FILENAME is given, write a PDF file displaying all the fonts

--list-formats
    list the supported input formats and exit

--list-options <frontend>
    list the options supported by the given frontend and exit

--version
    show program's version number and exit

--versions
    list versions of rinohtype and related software (for inclusion in bug reports)

--docs
    open the online documentation in the default browser
```

`rinoh.frontend.sphinx` is a Sphinx extension module. It provides a Sphinx builder with the name `rinoh`. The builder recognizes the following `conf.py` options. Of these, only `rinoh_documents` (or `latex_documents`) is required.

## **`rinoh_documents`**

Determines which PDF documents to build. Its format is a list of dictionaries, one for each document to be generated. The supported keys for these dictionaries are listed below. Two of them are required:

### **`doc (required)`**

String that specifies the name of the master document (typically `index`).

### **`target (required)`**

The name of the target PDF file without the extension.

The following keys allow overriding the content included on the document's title page and page headers/footers (depending on the template and its configuration). The values for text content can be plain text or `StyledText`.

### **`logo (no default)`**

Path (absolute or relative to the location of the `conf.py` file) to an image file, typically included on the title page.

### **`title (default: "project documentation")`**

The title of the document.

### **`subtitle (default: "Release release")`**

Subtitle of the document.

### **`author (default: "author")`**

The document's author.

### **`date (default: determined from today and today_fmt)`**

The document (build) date.

The remaining keys control what is included in the document and the document template (configuration) to use.

### **`toctree_only (default: False)`**

Must be `True` or `False`. If true, the document itself is not included in the output, only the documents referenced by it via TOC trees.

### **`domain_indices (default: True)`**

If true, generate domain-specific indices in addition to the general index. It is equivalent to the `html_domain_indices` and `latex_domain_indices` configuration variables.

### **`template (default: Book)`**

Determines the template used to render the document. It takes:

- the filename of a template configuration file,
- a `TemplateConfiguration` instance,

- the name of an installed template (see `rinoh --list-templates`), or
- a `DocumentTemplate` subclass

`rinoh_documents` will also accept other keys than those listed above. These items will be available as document metadata and can be used in a custom document template.

Example:

```
rinoh_documents = [
    dict(doc='index', target='manual', toctree_only=False,
         template='manual.rtt', logo='logo.pdf'),
    dict(doc='ref', target='reference', title='Reference Manual',
         template='reference.rtt', stamp='DRAFT'),
]
```

#### `rinoh_targets`

Limits rendering to the specified set of targets. This variable accepts either a list of strings or a string containing comma-separated values. The target names should match those set in `rinoh_documents`.

To render only the ‘manual’ target, you can set the following in `conf.py`:

```
rinoh_targets = ['manual']
```

The same can be achieved from the command line using the by using the string form with `sphinx-build -D`:

```
spinx-build -b rinoh -D rinoh_targets="manual" source build
```

## 2.1 Legacy Configuration Variables

The configuration variables below are no longer supported. Instead, their functionality can now be configured per document in `rinoh_documents`.

#### `rinoh_template`

This configuration variable is **no longer supported** since the document template can be specified in `rinoh_documents` entries.

#### `rinoh_stylesheet`

This configuration variable is **no longer supported** since it is not obvious which style sheet will be used when the template configuration also specifies a style sheet. Please specify the style sheet to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book
stylesheet = my_stylesheet.rts
```

#### `rinoh_paper_size`

This configuration variable is **no longer supported** since it was not obvious which paper size was being used when the template configuration (`rinoh_template`) also specified a paper size. Please specify the `paper_size` to use in your template configuration file:

```
[TEMPLATE_CONFIGURATION]
name = My Book
template = book
```

```
[VARIABLES]
```

```
paper_size = A5
```

#### **rinoh\_logo**

This configuration variable is **no longer supported** since the logo can be specified in the `rinoh_documents` entries.

#### **rinoh\_domain\_indices**

This configuration variable is **no longer supported** since the domain\_indices can be specified in the `rinoh_documents` entries.

#### **rinoh\_metadata**

This configuration variable is **no longer supported**. Metadata entries can now be added to `rinoh_documents` entries.



## 3.1 Included Style Sheets

These style sheets are included with rinohtype:

`rinoh.stylesheets.sphinx`

Mostly a copy of the LaTeX style included with Sphinx  
Entry point name: `sphinx`

`rinoh.stylesheets.sphinx_article`

The Sphinx stylesheet adjusted for the article template  
Entry point name: `sphinx_article`

`rinoh.stylesheets.sphinx_base14`

The Sphinx stylesheet, but using the fonts from the PDF core set (yielding smaller PDF files)  
Entry point name: `sphinx_base14`

Additional style sheets can be installed from PyPI. The installed style sheets can be listed using  
`rinoh --list-stylesheets`.

## 3.2 Default Matcher

The default matcher provides the selectors for the styles used in the standard style sheets.

`rinoh.stylesheets.matcher`

The default matcher defines the following styles

- `title page rule`: `HorizontalRuleStyle`
- `title page logo`: `FlowableStyle`
- `title page title`: `ParagraphStyle`
- `title page subtitle`: `ParagraphStyle`
- `title page author`: `ParagraphStyle`
- `title page date`: `ParagraphStyle`
- `title page extra`: `ParagraphStyle`
- `front matter section title`: `ParagraphStyle`
- `body matter chapter label`: `ParagraphStyle`
- `body matter chapter number`: `TextStyle`
- `body matter chapter title`: `ParagraphStyle`
- `fallback`: `TextStyle`
- `italic`: `TextStyle`

- **bold:** TextStyle
- **monospaced:** TextStyle
- **emphasis:** TextStyle
- **strong:** TextStyle
- **literal emphasis:** TextStyle
- **literal strong:** TextStyle
- **inline math:** TextStyle
- **inline definition:** TextStyle
- **quote:** TextStyle
- **file path:** TextStyle
- **keystrokes:** TextStyle
- **regular expression:** TextStyle
- **code with variable:** TextStyle
- **mail header:** TextStyle
- **MIME type:** TextStyle
- **newsgroup:** TextStyle
- **command:** TextStyle
- **make variable:** TextStyle
- **program:** TextStyle
- **man page:** TextStyle
- **window title:** TextStyle
- **UI control:** TextStyle
- **UI control accelerator:** TextStyle
- **menu cascade:** TextStyle
- **draft comment:** TextStyle
- **title reference:** TextStyle
- **error:** TextStyle
- **linked reference:** ReferenceStyle
- **external hyperlink:** TextStyle
- **broken hyperlink:** TextStyle
- **glossary inline definition:** TextStyle
- **body:** ParagraphStyle
- **code block:** ParagraphStyle
- **code block caption:** CaptionStyle
- **math block:** ParagraphStyle
- **graphviz code block:** ParagraphStyle
- **attribution:** ParagraphStyle
- **centered:** ParagraphStyle
- **line block:** ParagraphStyle
- **block quote:** GroupedFlowablesStyle
- **chapter:** SectionStyle
- **content chapter:** SectionStyle
- **heading level 1:** HeadingStyle
- **heading level 1 label:** TextStyle
- **unnumbered heading level 1:** HeadingStyle
- **heading level 2:** HeadingStyle
- **heading level 2 label:** TextStyle
- **unnumbered heading level 2:** HeadingStyle
- **heading level 3:** HeadingStyle
- **heading level 3 label:** TextStyle
- **unnumbered heading level 3:** HeadingStyle
- **heading level 4:** HeadingStyle
- **heading level 4 label:** TextStyle

- unnumbered heading level 4: `HeadingStyle`
- heading level 5: `HeadingStyle`
- heading level 5 label: `TextStyle`
- unnumbered heading level 5: `HeadingStyle`
- other heading levels: `HeadingStyle`
- appendix: `SectionStyle`
- appendix heading level 1: `HeadingStyle`
- appendix heading level 2: `HeadingStyle`
- appendix heading level 3: `HeadingStyle`
- appendix heading level 4: `HeadingStyle`
- appendix heading level 5: `HeadingStyle`
- title: `ParagraphStyle`
- prerequisites: `GroupedFlowablesStyle`
- prerequisites title: `ParagraphStyle`
- post requirement: `GroupedFlowablesStyle`
- abstract: `GroupedFlowablesStyle`
- abstract paragraph: `ParagraphStyle`
- example: `GroupedFlowablesStyle`
- example title: `ParagraphStyle`
- topic: `GroupedFlowablesStyle`
- topic title: `ParagraphStyle`
- rubric: `ParagraphStyle`
- sidebar: `GroupedFlowablesStyle`
- sidebar title: `ParagraphStyle`
- sidebar subtitle: `ParagraphStyle`
- list item label: `ListItemLabelStyle`
- list item body: `GroupedFlowablesStyle`
- list item paragraph: `ParagraphStyle`
- enumerated list: `ListStyle`
- enumerated list item: `LabeledFlowableStyle`
- enumerated list item label: `ListItemLabelStyle`
- nested enumerated list: `ListStyle`
- (table) enumerated list: `ListStyle`
- (table) enumerated list item: `LabeledFlowableStyle`
- (table) enumerated list item label: `ListItemLabelStyle`
- bulleted list: `ListStyle`
- compact bulleted list: `ListStyle`
- bulleted list item: `LabeledFlowableStyle`
- bulleted list item label: `ListItemLabelStyle`
- nested bulleted list: `ListStyle`
- (table) bulleted list: `ListStyle`
- (table) bulleted list item: `LabeledFlowableStyle`
- (table) bulleted list item label: `ListItemLabelStyle`
- steps list: `ListStyle`
- steps list title: `ParagraphStyle`
- steps list item: `LabeledFlowableStyle`
- steps list item label: `ListItemLabelStyle`
- unordered steps list: `ListStyle`
- unordered steps list title: `ParagraphStyle`
- unordered steps list item: `LabeledFlowableStyle`
- unordered steps list item label: `ListItemLabelStyle`
- choices list: `ListStyle`
- choices list item: `LabeledFlowableStyle`

- **choices list item label:** ListItemLabelStyle
- **definition list:** GroupedFlowablesStyle
- **definition list item:** LabeledFlowableStyle
- **definition term:** GroupedFlowablesStyle
- **definition term paragraph:** ParagraphStyle
- **definition term classifier:** TextStyle
- **definition:** GroupedFlowablesStyle
- **definition paragraph:** ParagraphStyle
- **related links:** GroupedFlowablesStyle
- **related links section title:** ParagraphStyle
- **related links list:** ListStyle
- **related links list item:** LabeledFlowableStyle
- **related links list item label:** ListItemLabelStyle
- **related links list item paragraph:** ReferencingParagraphStyle
- **related link title reference:** ReferenceStyle
- **related link page reference:** ReferenceStyle
- **related link number reference:** ReferenceStyle
- **related link reference:** ReferenceStyle
- **versionmodified:** TextStyle
- **object description:** LabeledFlowableStyle
- **object signatures:** GroupedFlowablesStyle
- **object signature:** ParagraphStyle
- **object name:** TextStyle
- **additional name part:** TextStyle
- **object type:** TextStyle
- **object returns:** TextStyle
- **object parentheses:** TextStyle
- **object parameter list:** TextStyle
- **object parameter:** TextStyle
- **object parameter (no emphasis):** TextStyle
- **object brackets:** TextStyle
- **object optional parameter:** TextStyle
- **object annotation:** TextStyle
- **object description content:** GroupedFlowablesStyle
- **object description content paragraph:** ParagraphStyle
- **production list:** GroupedFlowablesStyle
- **production:** LabeledFlowableStyle
- **token name:** ParagraphStyle
- **token definition:** ParagraphStyle
- **field list:** GroupedFlowablesStyle
- **field list item:** LabeledFlowableStyle
- **field name:** ParagraphStyle
- **option list:** GroupedFlowablesStyle
- **option list item:** LabeledFlowableStyle
- **option:** ParagraphStyle
- **option string:** TextStyle
- **option argument:** TextStyle
- **admonition:** AdmonitionStyle
- **admonition title:** ParagraphStyle
- **admonition title paragraph:** ParagraphStyle
- **admonition inline title:** TextStyle
- **attention admonition:** AdmonitionStyle
- **attention admonition title:** ParagraphStyle

- attention admonition title paragraph: ParagraphStyle
- attention admonition inline title: TextStyle
- caution admonition: AdmonitionStyle
- caution admonition title: ParagraphStyle
- caution admonition title paragraph: ParagraphStyle
- caution admonition inline title: TextStyle
- danger admonition: AdmonitionStyle
- danger admonition title: ParagraphStyle
- danger admonition title paragraph: ParagraphStyle
- danger admonition inline title: TextStyle
- error admonition: AdmonitionStyle
- error admonition title: ParagraphStyle
- error admonition title paragraph: ParagraphStyle
- error admonition inline title: TextStyle
- hint admonition: AdmonitionStyle
- hint admonition title: ParagraphStyle
- hint admonition title paragraph: ParagraphStyle
- hint admonition inline title: TextStyle
- important admonition: AdmonitionStyle
- important admonition title: ParagraphStyle
- important admonition title paragraph: ParagraphStyle
- important admonition inline title: TextStyle
- note admonition: AdmonitionStyle
- note admonition title: ParagraphStyle
- note admonition title paragraph: ParagraphStyle
- note admonition inline title: TextStyle
- tip admonition: AdmonitionStyle
- tip admonition title: ParagraphStyle
- tip admonition title paragraph: ParagraphStyle
- tip admonition inline title: TextStyle
- warning admonition: AdmonitionStyle
- warning admonition title: ParagraphStyle
- warning admonition title paragraph: ParagraphStyle
- warning admonition inline title: TextStyle
- seealso admonition: AdmonitionStyle
- seealso admonition title: ParagraphStyle
- seealso admonition title paragraph: ParagraphStyle
- seealso admonition inline title: TextStyle
- header: ParagraphStyle
- footer: ParagraphStyle
- footnote: NoteStyle
- footnote marker: NoteMarkerStyle
- footnote paragraph: ParagraphStyle
- footnote label: ParagraphStyle
- citation: NoteStyle
- citation marker: NoteMarkerStyle
- citation paragraph: ParagraphStyle
- citation label: ParagraphStyle
- image: FlowableStyle
- inline image: InlineFlowableStyle
- figure: FigureStyle
- figure image: FlowableStyle
- figure caption: CaptionStyle

- **figure legend:** GroupedFlowablesStyle
- **figure legend paragraph:** ParagraphStyle
- **table of contents section:** SectionStyle
- **table of contents title:** HeadingStyle
- **table of contents:** TableOfContentsStyle
- **local table of contents:** TableOfContentsStyle
- **toc level 1:** TableOfContentsEntryStyle
- **toc level 2:** TableOfContentsEntryStyle
- **toc level 3:** TableOfContentsEntryStyle
- **toc level 4:** TableOfContentsEntryStyle
- **toc level 5:** TableOfContentsEntryStyle
- **toc level 6:** TableOfContentsEntryStyle
- **L3 toc level 3:** TableOfContentsEntryStyle
- **toc entry number reference field:** ReferenceStyle
- **list of figures section:** SectionStyle
- **list of figures:** ListOfStyle
- **list of figures entry:** ListOfEntryStyle
- **list of tables section:** SectionStyle
- **list of tables:** ListOfStyle
- **list of tables entry:** ListOfEntryStyle
- **table:** TableStyle
- **table with caption:** TableWithCaptionStyle
- **table caption:** CaptionStyle
- **choices table:** TableStyle
- **table cell:** TableCellStyle
- **table body cell background on even row:** TableCellBackgroundColorStyle
- **table body cell background on odd row:** TableCellBackgroundColorStyle
- **table body cell paragraph:** ParagraphStyle
- **table first column paragraph:** ParagraphStyle
- **table body cell list item number:** ParagraphStyle
- **table head cell:** TableCellStyle
- **table head cell background:** TableCellBackgroundColorStyle
- **table head cell paragraph:** ParagraphStyle
- **table cell left border:** TableCellBorderStyle
- **table cell top border:** TableCellBorderStyle
- **table cell right border:** TableCellBorderStyle
- **table cell bottom border:** TableCellBorderStyle
- **table top border:** TableCellBorderStyle
- **table bottom border:** TableCellBorderStyle
- **table left border:** TableCellBorderStyle
- **table right border:** TableCellBorderStyle
- **table head cell left border:** TableCellBorderStyle
- **table head cell right border:** TableCellBorderStyle
- **table head bottom border:** TableCellBorderStyle
- **table head left border:** TableCellBorderStyle
- **table head right border:** TableCellBorderStyle
- **table body top border:** TableCellBorderStyle
- **table body left border:** TableCellBorderStyle
- **table body right border:** TableCellBorderStyle
- **horizontal rule:** HorizontalRuleStyle
- **index:** IndexStyle
- **index section label:** ParagraphStyle
- **level 1 index entry:** ParagraphStyle

- level 2 index entry: `ParagraphStyle`
- level 3 index entry: `ParagraphStyle`
- level 4 index entry: `ParagraphStyle`
- domain index entry name: `TextStyle`

### 3.3 Element Style Classes

These are the style classes corresponding to each type of document element. For each style class, the supported style attributes are listed along with the values that can be assigned to them in a style sheet.

<code>draw.LineStyle</code>	Style class for Line
<code>draw.ShapeStyle</code>	Style class for Shape
<code>flowable.FlowableStyle</code>	Style class for Flowable
<code>flowable.LabeledFlowableStyle</code>	Style class for LabeledFlowable
<code>flowable.GroupedFlowablesStyle</code>	Style class for GroupedFlowables
<code>flowable.FloatStyle</code>	Style class for Float
<code>image.CaptionStyle</code>	Style class for Caption
<code>image.FigureStyle</code>	Style class for Figure
<code>index.IndexStyle</code>	Style class for Index
<code>paragraph.ParagraphStyle</code>	Style class for Paragraph
<code>text.TextStyle</code>	Style class for Text
<code>inline.InlineFlowableStyle</code>	Style class for InlineFlowable
<code>reference.ReferencingParagraphStyle</code>	Style class for ReferencingParagraph
<code>reference.NoteMarkerStyle</code>	Style class for NoteMarker
<code>structure.SectionStyle</code>	Style class for Section
<code>structure.HeadingStyle</code>	Style class for Heading
<code>structure.ListStyle</code>	Style class for List
<code>structure.ListItemLabelStyle</code>	Style class for ListItemLabel
<code>structure.TableOfContentsStyle</code>	Style class for TableOfContents
<code>structure.TableOfContentsEntryStyle</code>	Style class for TableOfContentsEntry
<code>structure.AdmonitionStyle</code>	Style class for Admonition
<code>structure.HorizontalRuleStyle</code>	Style class for HorizontalRule
<code>table.TableStyle</code>	Style class for Table
<code>table.TableCellStyle</code>	Style class for TableCell
<code>table.TableCellBorderStyle</code>	Style class for TableCellBorder
<code>table.TableCellBackgroundColor</code>	Style class for TableCellBackground

#### 3.3.1 `LineStyle`

```
class rinoх.draw.LineStyle ( base=None, **attributes )
    Style class for Line

stroke
    Width and color used to draw the line
    Accepts Stroke: the width (Dimension) and color (Color) of the stroke, separated by
    a comma (,)
```

*Default:* 1pt, #000

#### hide

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.2 ShapeStyle

`class rinoh.draw.ShapeStyle ( base=None, **attributes )`

Style class for `Shape`

#### fill\_color

Color to fill the shape

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #e5e5e5

#### stroke

Width and color used to draw the line (inherited from `LineStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* 1pt, #000

#### hide

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.3 FlowableStyle

`class rinoh.flowable.FlowableStyle ( base=None, **attributes )`

Style class for `Flowable`

#### width

Width to render the flowable at

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

#### horizontal\_align

Horizontal alignment of the flowable

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### space\_above

Vertical space preceding the flowable

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### space\_below

Vertical space following the flowable

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**  
Left margin  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**margin\_right**  
Right margin  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding**  
Padding  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_left**  
Left padding  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_right**  
Right padding  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_top**  
Top padding  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_bottom**  
Bottom padding  
*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**keep\_with\_next**  
Keep this flowable and the next on the same page  
*Accepts Bool:* true or false  
*Default:* false

**border**  
Border surrounding the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (, )  
*Default:* none

**border\_left**  
Border left of the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (, )  
*Default:* none

**border\_right**  
Border right of the flowable  
*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (, )

*Default:* none

**border\_top**

Border above the flowable

*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable

*Accepts Stroke:* the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.4 LabeledFlowableStyle

```
class rinoh.flowable.LabeledFlowableStyle( base=None, **attributes )  
Style class for LabeledFlowable
```

**label\_min\_width**

Minimum label width

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 12pt

**label\_max\_width**

Maximum label width

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 80pt

**label\_spacing**

Spacing between a label and the labeled flowable

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3pt

**align\_baselines**

Line up the baselines of the label and the labeled flowable

*Accepts Bool:* true or false

*Default:* true

**wrap\_label**  
 Wrap the label at *label\_max\_width*  
*Accepts* Bool: true or false  
*Default:* false

**width**  
 Width to render the flowable at (inherited from `FlowableStyle`)  
*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* auto

**horizontal\_align**  
 Horizontal alignment of the flowable (inherited from `FlowableStyle`)  
*Accepts* HorizontalAlignment: left, right, center  
*Default:* left

**space\_above**  
 Vertical space preceding the flowable (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**space\_below**  
 Vertical space following the flowable (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**margin\_left**  
 Left margin (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**margin\_right**  
 Right margin (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding**  
 Padding (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_left**  
 Left padding (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_right**  
 Right padding (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_top**  
 Top padding (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.5 GroupedFlowablesStyle

```
class rinoh.flowable.GroupedFlowablesStyle( base=None, **attributes )
    Style class for GroupedFlowables

    width
        Width to render the flowable at (inherited from FlowableStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
        pc, mm, cm, %, /2, /4)
        Default: fill (overrides FlowableStyle default)

    title
        Title to precede the flowables
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
        string is a quoted string (' or "), optionally followed by a style name enclosed in
        braces: 'text string' (style name)
        Default: (no value)

    flowable_spacing
        Spacing between flowables
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    same_page
        Keep all flowables on a single page, if possible.
        Accepts Bool: true or false
        Default: false

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_right
        Right margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default*: none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default*: none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default*: None

#### **hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default*: false

### 3.3.6 `FloatStyle`

`class rinoh.flowable.FloatStyle( base=None, **attributes )`

Style class for `Float`

#### **float**

Float the flowable to the top or bottom of the current page, to a dedicated page, or sideways to a dedicated page  
*Accepts* FloatLocation: none, here, sideways  
*Default*: None

#### **width**

Width to render the flowable at (inherited from `FlowableStyle`)  
*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: auto

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)  
*Accepts* HorizontalAlignment: left, right, center  
*Default*: left

#### **space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

#### **space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

### 3.3.7 CaptionStyle

```
class rino.h.image.CaptionStyle( base=None, **attributes )
```

Style class for `Caption`

**number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default*: number (overrides `ParagraphStyle` default)

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from `ParagraphStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 1 (overrides `ParagraphStyle` default)

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default*: fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from ParagraphStyle)

*Accepts* LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from ParagraphStyle)

*Accepts* TextAlign: left, right, center, justify

*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from ParagraphStyle)

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)  
*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)  
*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)  
*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* Bool: true or false  
*Default:* false

#### **typeface**

Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* Typeface: the name of a typeface. See `rino --list-fs` for a list of the available typefaces.  
*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from `TextStyle`)  
*Accepts* FontSlant: upright, oblique, italic  
*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from `TextStyle`)  
*Accepts* FontWidth: ultra-condensed, extra-condensed, condensed,

semi-condensed, normal, medium, semi-expanded, expanded,  
extra-expanded, ultra-expanded  
*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

#### **font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts FontVariant:* normal, small capital, oldstyle figures

*Default:* normal

#### **position**

Vertical text position (inherited from `TextStyle`)

*Accepts TextPosition:* normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* language-default, or a space-separated list of words

*Default:* language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.8 FigureStyle

```
class rinoh.image.FigureStyle ( base=None, **attributes )  
    Style class for Figure
```

**float**

Float the flowable to the top or bottom of the current page, to a dedicated page, or sideways to a dedicated page (inherited from `FloatStyle`)

*Accepts* `FloatLocation`: none, here, sideways

*Default:* None

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by

a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

#### **title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.9 **IndexStyle**

```
class rinoh.index.IndexStyle( base=None, **attributes )
```

Style class for `Index`

#### **initials**

Group index entries based on their first letter

*Accepts Bool:* true or false

*Default:* true

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `fill`

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)`

*Default:* `(no value)`

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool: true or false`

*Default:* `false`

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.10 ParagraphStyle

`class rino.h.paragraph.ParagraphStyle( base=None, **attributes )`

Style class for `Paragraph`

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill (overrides `FlowableStyle` default)

**indent\_first**

Indentation of the first line of text

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text

*Accepts* LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins

*Accepts* TextAlign: left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `NumberStyle`)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None (overrides `NumberStyle` default)

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label.

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, ,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rino --list-fon`t for a list of the available typefaces.

*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: `normal`, `smallCapital`, `oldstyle` `figures`

*Default*: `normal`

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: `normal`, `superscript`, `subscript`

*Default*: `normal`

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as '`en_US`' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the `<language ID>_<region ID>` format

*Default*: `en_US`

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

### 3.3.11 TextStyle

```
class rinoh.text.TextStyle( base=None, **attributes )
    Style class for Text

typeface
    Typeface to set the text in
    Accepts Typeface: the name of a typeface. See rinoh --list-fs for a list of
    the available typefaces.
    Default: Times

font_weight
    Thickness of character outlines relative to their height
    Accepts FontWeight: hairline, thin, ultra-light, extra-light, light,
    regular, normal, book, roman, medium, semi-bold, demi-bold, bold,
    extra-bold, ultra-bold, black, heavy, extra-black, ultra-black
    Default: 500

font_slant
    Slope style of the font
    Accepts FontSlant: upright, oblique, italic
    Default: upright

font_width
    Stretch of the characters
    Accepts FontWidth: ultra-condensed, extra-condensed, condensed,
    semi-condensed, normal, medium, semi-expanded, expanded,
    extra-expanded, ultra-expanded
    Default: 5

font_size
    Height of characters
    Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
    Default: 10pt

font_color
    Color of the font
    Accepts Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA,
    #RGB or #RGBA)
    Default: #000

font_variant
    Variant of the font
    Accepts FontVariant: normal, small capital, oldstyle figures
    Default: normal

position
    Vertical text position
    Accepts TextPosition: normal, superscript, subscript
    Default: normal

kerning
    Improve inter-letter spacing
    Accepts Bool: true or false
    Default: true
```

**ligatures**

Run letters together where possible  
*Accepts* Bool: true or false  
*Default:* true

**hyphenate**

Allow words to be broken over two lines  
*Accepts* Bool: true or false  
*Default:* true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word  
*Accepts* Integer: a natural number (positive integer)  
*Default:* 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US'  
*Accepts* Locale: locale identifier in the <language ID>\_<region ID> format  
*Default:* en\_US

**no\_break\_after**

Prevent a line break after these words  
*Accepts* NoBreakAfter: language-default, or a space-separated list of words  
*Default:* language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)  
*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)  
*Accepts* Bool: true or false  
*Default:* false

### 3.3.12 `InlineFlowableStyle`

```
class rinoh.inline.InlineFlowableStyle( base=None, **attributes )  
    Style class for InlineFlowable
```

**baseline**

The location of the flowable's baseline relative to the bottom edge  
*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0pt

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `auto`

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text

string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **after**

Item to insert after this one (inherited from `InlineStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

### **3.3.13 ReferencingParagraphStyle**

`class rinoх.reference.ReferencingParagraphStyle ( base=None, **attributes )`

Style class for `ReferencingParagraph`

#### **text**

The text content of this paragraph  
*Accepts* `ReferenceText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* '{TITLE}'

#### **width**

Width to render the flowable at (inherited from `ParagraphStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* fill

#### **indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)  
*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)  
*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)  
*Accepts*  `TextAlign`: left, right, center, justify  
*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)  
*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.  
*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

**number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from `ParagraphStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from `ParagraphStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default:* (no value)

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, ,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)  
*Accepts* Break: none, any, left, right, any restart, left restart, right restart  
*Default:* None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* `Bool`: true or false  
*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)  
*Accepts* `Typeface`: the name of a typeface. See `rino --list-fon`ts for a list of the available typefaces.  
*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)  
*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black  
*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)  
*Accepts* `FontSlant`: upright, oblique, italic  
*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)  
*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded  
*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default*: normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default*: normal

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.14 NoteMarkerStyle

```
class rinoх.reference.NoteMarkerStyle ( base=None, **attributes )  
    Style class for NoteMarker
```

**type**

How the reference should be displayed (inherited from `ReferenceStyle`)

*Accepts* `ReferenceType`: reference, number, title, page, custom

*Default:* number (overrides `ReferenceStyle` default)

**link**

Create a hyperlink to the reference target (inherited from `ReferenceStyle`)

*Accepts* `Bool`: true or false

*Default:* true

**quiet**

If the given reference type does not exist for the target, resolve to an empty string instead of making a fuss about it (inherited from `ReferenceStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fonTs` for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded,

extra-expanded, ultra-expanded  
*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)  
*Default:* #000

#### **font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts FontVariant:* `normal`, `small capital`, `oldstyle figures`  
*Default:* `normal`

#### **position**

Vertical text position (inherited from `TextStyle`)

*Accepts TextPosition:* `normal`, `superscript`, `subscript`  
*Default:* `normal`

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* `true` or `false`  
*Default:* `true`

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* `true` or `false`  
*Default:* `true`

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* `true` or `false`  
*Default:* `true`

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)  
*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format  
*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* `language-default`, or a space-separated list of words  
*Default:* `language-default`

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**number\_format**

How numbers are formatted (inherited from `NumberStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* number

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.15 SectionStyle

```
class rinoh.structure.SectionStyle( base=None, **attributes )
```

Style class for Section

**show\_in\_toc**

List this section in the table of contents

*Accepts* `Bool`: true or false

*Default:* true

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `fill`

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)`

*Default:* `(no value)`

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool: true or false`

*Default:* `false`

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment: left, right, center`

*Default:* `left`

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* `Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)`

*Default:* `0`

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* Bool: true or false

*Default:* false

### 3.3.16 HeadingStyle

**class rino.h.structure.HeadingStyle ( base=None, \*\*attributes )**  
Style class for `Heading`

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* true (overrides `FlowableStyle` default)

**numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)  
(inherited from `ParagraphStyle`)

*Accepts* Integer: a natural number (positive integer)

*Default:* -1 (overrides `ParagraphStyle` default)

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts* LineSpacing: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts* TextAlign: left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts* TabStopList: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (Dimension) is required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

How numbers are formatted (inherited from ParagraphStyle)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

#### **label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

#### **typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rino --list-fon`ts for a list of the available typefaces.

*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: `normal`, `smallCapital`, `oldstyle` `figures`

*Default*: `normal`

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: `normal`, `superscript`, `subscript`

*Default*: `normal`

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: `true` or `false`

*Default*: `true`

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as '`en_US`' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the `<language ID>_<region ID>` format

*Default*: `en_US`

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**hide**  
Suppress rendering this element (inherited from `Style`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.17 `ListStyle`

`class rinoh.structure.ListStyle ( base=None, **attributes )`  
Style class for `List`

**ordered**  
This list is ordered or unordered  
*Accepts* `Bool`: true or false  
*Default*: false

**bullet**  
Bullet to use in unordered lists  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default*: '•'

**width**  
Width to render the flowable at (inherited from `GroupedFlowablesStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: fill

**title**  
Title to precede the flowables (inherited from `GroupedFlowablesStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default*: (no value)

**flowable\_spacing**  
Spacing between flowables (inherited from `GroupedFlowablesStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

**same\_page**  
Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)  
*Accepts* `Bool`: true or false  
*Default*: false

**horizontal\_align**  
Horizontal alignment of the flowable (inherited from `FlowableStyle`)  
*Accepts* `HorizontalAlignment`: left, right, center  
*Default*: left

**space\_above**  
Vertical space preceding the flowable (inherited from `FlowableStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

**number\_format**

How numbers are formatted (inherited from `NumberStyle`)

*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default*: number

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**custom\_label**  
Use a custom label if specified (inherited from `LabelStyle`)  
*Accepts* `Bool`: true or false  
*Default*: false

### 3.3.18 ListItemLabelStyle

```
class rinoh.structure.ListItemLabelStyle ( base=None, **attributes )
```

Style class for `ListItemLabel`

**width**  
Width to render the flowable at (inherited from `ParagraphStyle`)  
*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: fill

**indent\_first**  
Indentation of the first line of text (inherited from `ParagraphStyle`)  
*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default*: 0pt

**line\_spacing**  
Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)  
*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)  
*Default*: default

**text\_align**  
Alignment of text to the margins (inherited from `ParagraphStyle`)  
*Accepts*  `TextAlign`: left, right, center, justify  
*Default*: justify

**tab\_stops**  
List of tab positions (inherited from `ParagraphStyle`)  
*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (`string` enclosed in quotes) are optional.  
*Default*: (no value)

**number\_format**  
How numbers are formatted (inherited from `ParagraphStyle`)  
*Accepts* `NumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman  
*Default*: None

**number\_separator**  
Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from `ParagraphStyle`)  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)  
(inherited from `ParagraphStyle`)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* `Bool`: true or false

*Default*: false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rinoh --list-fon`ts for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default:* normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* language-default, or a space-separated list of words

*Default:* language-default

#### **before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts StyledText:* a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.19 TableOfContentsStyle

```
class rinoh.structure.TableOfContentsStyle( base=None, **attributes )
    Style class for TableOfContents

    depth
        The number of section levels to include in the table of contents
        Accepts Integer: a natural number (positive integer)
        Default: 3

    width
        Width to render the flowable at (inherited from GroupedFlowablesStyle)
        Accepts FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in,
        pc, mm, cm, %, /2, /4)
        Default: fill

    title
        Title to precede the flowables (inherited from GroupedFlowablesStyle)
        Accepts StyledText: a list of styled text strings, separated by spaces. A styled text
        string is a quoted string (' or "), optionally followed by a style name enclosed in
        braces: 'text string' (style name)
        Default: (no value)

    flowable_spacing
        Spacing between flowables (inherited from GroupedFlowablesStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    same_page
        Keep all flowables on a single page, if possible. (inherited from
        GroupedFlowablesStyle)
        Accepts Bool: true or false
        Default: false

    horizontal_align
        Horizontal alignment of the flowable (inherited from FlowableStyle)
        Accepts HorizontalAlignment: left, right, center
        Default: left

    space_above
        Vertical space preceding the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    space_below
        Vertical space following the flowable (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0

    margin_left
        Left margin (inherited from FlowableStyle)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 0
```

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by

a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

#### **page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

#### **indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts Dimension:* a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

#### **line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts LineSpacing:* a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

#### **text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts TextAlign:* left, right, center, justify

*Default:* justify

#### **tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts TabStopList:* a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is required and align (`TabAlign`) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

How numbers are formatted (inherited from `ParagraphStyle`)

*Accepts NumberFormat:* none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative) (inherited from ParagraphStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

#### **label\_prefix**

Text to prepend to the label (inherited from LabelStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from LabelStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from LabelStyle)

*Accepts* Bool: true or false

*Default:* false

#### **typeface**

Typeface to set the text in (inherited from TextStyle)

*Accepts* Typeface: the name of a typeface. See rino --list-fs for a list of the available typefaces.

*Default:* Times

#### **font\_weight**

Thickness of character outlines relative to their height (inherited from TextStyle)

*Accepts* FontWeight: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

#### **font\_slant**

Slope style of the font (inherited from TextStyle)

*Accepts* FontSlant: upright, oblique, italic

*Default:* upright

#### **font\_width**

Stretch of the characters (inherited from TextStyle)

*Accepts* FontWidth: ultra-condensed, extra-condensed, condensed,

semi-condensed, normal, medium, semi-expanded, expanded,  
extra-expanded, ultra-expanded  
*Default:* 5

#### **font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 10pt

#### **font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* #000

#### **font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts FontVariant:* normal, small capital, oldstyle figures

*Default:* normal

#### **position**

Vertical text position (inherited from `TextStyle`)

*Accepts TextPosition:* normal, superscript, subscript

*Default:* normal

#### **kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts Bool:* true or false

*Default:* true

#### **hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts Integer:* a natural number (positive integer)

*Default:* 2

#### **hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts Locale:* locale identifier in the <language ID>\_<region ID> format

*Default:* en\_US

#### **no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts NoBreakAfter:* language-default, or a space-separated list of words

*Default:* language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

### 3.3.20 `TableOfContentsEntryStyle`

```
class rino.h.structure.TableOfContentsEntryStyle ( base=None, **attributes )
```

Style class for `TableOfContentsEntry`

**text**

The text content of this paragraph (inherited from `ReferencingParagraphStyle`)

*Accepts* `ReferenceText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '{NUMBER}' '\t' '{TITLE}' '\t' '{PAGE}' (overrides `ReferencingParagraphStyle default`)

**width**

Width to render the flowable at (inherited from `ParagraphStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**indent\_first**

Indentation of the first line of text (inherited from `ParagraphStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0pt

**line\_spacing**

Spacing between the baselines of two successive lines of text (inherited from `ParagraphStyle`)

*Accepts* `LineSpacing`: a predefined line spacing type or the name of a line spacing type followed by comma-separated arguments enclosed in braces: <spacing type>(<arg1>, <arg2>, ...)

*Default:* default

**text\_align**

Alignment of text to the margins (inherited from `ParagraphStyle`)

*Accepts* `TextAlign`: left, right, center, justify

*Default:* justify

**tab\_stops**

List of tab positions (inherited from `ParagraphStyle`)

*Accepts* `TabStopList`: a comma-separated list of tab stops. A tab stop is specified as <position> [align] [fill string], where position (`Dimension`) is

required and align (TabAlign) and fill string (string enclosed in quotes) are optional.

*Default:* (no value)

#### **number\_format**

How numbers are formatted (inherited from ParagraphStyle)

*Accepts* NumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

*Default:* None

#### **number\_separator**

Characters inserted between the number label of this element's parent and this element's own number label. If None, only show this item's number label. (inherited from ParagraphStyle)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '.'

#### **numbering\_level**

At which section level to restart numbering (positive: absolute, negative: relative)  
(inherited from ParagraphStyle)

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

#### **horizontal\_align**

Horizontal alignment of the flowable (inherited from FlowableStyle)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

#### **space\_above**

Vertical space preceding the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **space\_below**

Vertical space following the flowable (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_left**

Left margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **margin\_right**

Right margin (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding**

Padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

#### **padding\_left**

Left padding (inherited from FlowableStyle)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)  
*Default:* 0

#### **keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

#### **border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

#### **background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default:* None

**label\_prefix**

Text to prepend to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**typeface**

Typeface to set the text in (inherited from `TextStyle`)

*Accepts* `Typeface`: the name of a typeface. See `rino --list-fon`ts for a list of the available typefaces.

*Default:* Times

**font\_weight**

Thickness of character outlines relative to their height (inherited from `TextStyle`)

*Accepts* `FontWeight`: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

*Default:* 500

**font\_slant**

Slope style of the font (inherited from `TextStyle`)

*Accepts* `FontSlant`: upright, oblique, italic

*Default:* upright

**font\_width**

Stretch of the characters (inherited from `TextStyle`)

*Accepts* `FontWidth`: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

*Default:* 5

**font\_size**

Height of characters (inherited from `TextStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 10pt

**font\_color**

Color of the font (inherited from `TextStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: #000

**font\_variant**

Variant of the font (inherited from `TextStyle`)

*Accepts* `FontVariant`: normal, small capital, oldstyle figures

*Default*: normal

**position**

Vertical text position (inherited from `TextStyle`)

*Accepts* `TextPosition`: normal, superscript, subscript

*Default*: normal

**kerning**

Improve inter-letter spacing (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**ligatures**

Run letters together where possible (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphenate**

Allow words to be broken over two lines (inherited from `TextStyle`)

*Accepts* `Bool`: true or false

*Default*: true

**hyphen\_chars**

Minimum number of characters in a hyphenated part of a word (inherited from `TextStyle`)

*Accepts* `Integer`: a natural number (positive integer)

*Default*: 2

**hyphen\_lang**

Language to use for hyphenation. Accepts locale codes such as 'en\_US' (inherited from `TextStyle`)

*Accepts* `Locale`: locale identifier in the <language ID>\_<region ID> format

*Default*: en\_US

**no\_break\_after**

Prevent a line break after these words (inherited from `TextStyle`)

*Accepts* `NoBreakAfter`: language-default, or a space-separated list of words

*Default*: language-default

**before**

Item to insert before this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

**after**

Item to insert after this one (inherited from `InlineStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.21 AdmonitionStyle

```
class rinoh.structure.AdmonitionStyle ( base=None, **attributes )  
    Style class for Admonition
```

**inline\_title**

Show the admonition's title inline with the body text, if possible

*Accepts* `Bool`: true or false

*Default:* true

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* `Stroke`: the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default*: none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* `Color`: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default*: none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* `Break`: none, any, left, right, any restart, left restart, right restart

*Default*: None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default*: false

### 3.3.22 HorizontalRuleStyle

```
class rino.h.structure.HorizontalRuleStyle( base=None, **attributes )
```

Style class for `HorizontalRule`

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default*: auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default*: left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts Dimension:* a numeric value followed by a unit (`pt, in, pc, mm, cm, %, /2, /4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts Bool:* true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (, )

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

**stroke**

Width and color used to draw the line (inherited from `LineStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* 1pt, #000

### 3.3.23 `TableStyle`

```
class rino.table.TableStyle( base=None, **attributes )
```

Style class for `Table`

**column\_widths**

Absolute or relative widths of each column

*Accepts ColumnWidths:* a whitespace-delimited list of column widths; Dimensions (absolute width), integers (relative width) and/or 'auto' (automatic width)

*Default:* none

**split\_minimum\_rows**

The minimum number of rows to display when the table is split across pages

*Accepts* Integer: a natural number (positive integer)

*Default:* (no value)

**repeat\_head**

Repeat the head when the table is split across pages

*Accepts* Bool: true or false

*Default:* false

**width**

Width to render the flowable at (inherited from `FlowableStyle`)

*Accepts* FlowableWidth: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* auto

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* HorizontalAlignment: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: true or false

*Default:* false

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts* Break: none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

### 3.3.24 `TableCellStyle`

`class rino.h.table.TableCellStyle ( base=None, **attributes )`

Style class for `TableCell`

**vertical\_align**

Vertical alignment of the cell contents within the available space

*Accepts* `VerticalAlign`: top, middle, bottom

*Default:* middle

**width**

Width to render the flowable at (inherited from `GroupedFlowablesStyle`)

*Accepts* `FlowableWidth`: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* fill

**title**

Title to precede the flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**flowable\_spacing**

Spacing between flowables (inherited from `GroupedFlowablesStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**same\_page**

Keep all flowables on a single page, if possible. (inherited from `GroupedFlowablesStyle`)

*Accepts* `Bool`: true or false

*Default:* false

**horizontal\_align**

Horizontal alignment of the flowable (inherited from `FlowableStyle`)

*Accepts* `HorizontalAlignment`: left, right, center

*Default:* left

**space\_above**

Vertical space preceding the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**space\_below**

Vertical space following the flowable (inherited from `FlowableStyle`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 0

**margin\_left**

Left margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**margin\_right**

Right margin (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding**

Padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_left**

Left padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_right**

Right padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_top**

Top padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**padding\_bottom**

Bottom padding (inherited from `FlowableStyle`)

*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)

*Default:* 0

**keep\_with\_next**

Keep this flowable and the next on the same page (inherited from `FlowableStyle`)

*Accepts* Bool: `true` or `false`

*Default:* `false`

**border**

Border surrounding the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* `none`

**border\_left**

Border left of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* `none`

**border\_right**

Border right of the flowable (inherited from `FlowableStyle`)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (,)

*Default:* none

**border\_top**

Border above the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**border\_bottom**

Border below the flowable (inherited from `FlowableStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none

**background\_color**

Color of the area within the flowable's borders (inherited from `FlowableStyle`)

*Accepts Color:* HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none

**page\_break**

Type of page break to insert before rendering this flowable (inherited from `FlowableStyle`)

*Accepts Break:* none, any, left, right, any restart, left restart, right restart

*Default:* None

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.25 TableCellBorderStyle

`class rino.h.table.TableCellStyle ( base=None, **attributes )`

Style class for `TableCellBorder`

**stroke**

Width and color used to draw the line (inherited from `LineStyle`)

*Accepts Stroke:* the width (`Dimension`) and color (`Color`) of the stroke, separated by a comma (,)

*Default:* none (overrides `LineStyle` default)

**hide**

Suppress rendering this element (inherited from `Style`)

*Accepts Bool:* true or false

*Default:* false

### 3.3.26 TableCellBackgroundStyle

`class rino.h.table.TableCellBackgroundStyle ( base=None, **attributes )`

Style class for `TableCellBackground`

**fill\_color**

Color to fill the shape (inherited from `ShapeStyle`)

*Accepts* Color: HEX string with optional alpha component (#RRGGBB, #RRGGBBAA, #RGB or #RGBA)

*Default:* none (overrides ShapeStyle default)

#### **stroke**

Width and color used to draw the line (inherited from LineStyle)

*Accepts* Stroke: the width (Dimension) and color (Color) of the stroke, separated by a comma (, )

*Default:* none (overrides LineStyle default)

#### **hide**

Suppress rendering this element (inherited from Style)

*Accepts* Bool: true or false

*Default:* false



# Standard Document Templates

4

Rinohype includes a number of document templates. These are configurable and therefore should cater for most documents.

## 4.1 Article

The article template consists of a title page, an optional table of contents and the body text. By default, it uses a single numbering style for all pages and the same template for even and odd pages.

```
class      rinoh.templates.article.Article ( document_tree, configuration=None,
backend=None )
```

### stylesheet

The stylesheet to use for styling document elements (inherited from DocumentTemplate)

*Accepts* StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file (with the .rts extension)

*Default:* sphinx\_article (= rinoh.stylesheets.sphinx\_article) (overrides DocumentTemplate default)

### table\_of\_contents

Show or hide the table of contents

*Accepts* Bool: true or false

*Default:* true

### abstract\_location

Where to place the abstract

*Accepts* AbstractLocation: title, front matter

*Default:* front matter

### parts

The parts making up this document (inherited from DocumentTemplate)

*Accepts* PartsList: a space-separated list of document part template names

*Default:* title front\_matter contents (overrides DocumentTemplate default)

### language

The main language of the document (inherited from DocumentTemplate)

*Accepts* Language: the code of one of the supported languages

*Default:* EN (English)

### strings

Strings to override standard element names (inherited from DocumentTemplate)

*Accepts* Strings: strings need to be entered in INI sections named after the StringCollection subclasses  
*Default:* none

**title**  
base: None  
Type  
TitlePartTemplate

**front\_matter**  
base: None  
Overrides these defaults:

- page\_number\_format = continue

Type  
ArticleFrontMatter

**contents**  
base: None  
Overrides these defaults:

- page\_number\_format = continue

Type  
ContentsPartTemplate

**page**  
base: None  
Overrides these defaults:

- page\_size = \$(paper\_size)

Type  
BodyPageTemplate

**title\_page**  
base: page  
Overrides these defaults:

- top\_margin = 8cm

Type  
TitlePageTemplate

**front\_matter\_page**  
base: page  
Type  
BodyPageTemplate

**contents\_page**  
base: page  
Type  
BodyPageTemplate

**Configuration**  
alias of ArticleConfiguration

```

ConfigurationFile
    alias of ArticleConfigurationFile

class rinoх.templates.article.AbstractLocation
    Where to place the article's abstract
    Accepts: title, front matter

```

## 4.2 Book

The book template consists of a title page, the table of contents, the body text and an index. The front matter pages are numbered using lowercase roman numerals. The template uses different templates for even and odd pages.

```

class rinoх.templates.book.Book (document_tree, configuration=None, backend=None)

stylesheet
    The stylesheet to use for styling document elements (inherited from DocumentTemplate)
    Accepts StyleSheet: the name of an Section 3.1 or the filename of a stylesheet file (with the .rts extension)
    Default: sphinx (= rinoх.stylesheets.sphinx) (overrides DocumentTemplate default)

parts
    The parts making up this document (inherited from DocumentTemplate)
    Accepts PartsList: a space-separated list of document part template names
    Default: title front_matter contents back_matter (overrides DocumentTemplate default)

language
    The main language of the document (inherited from DocumentTemplate)
    Accepts Language: the code of one of the supported languages
    Default: EN (English)

strings
    Strings to override standard element names (inherited from DocumentTemplate)
    Accepts Strings: strings need to be entered in INI sections named after the StringCollection subclasses
    Default: none

cover
    base: None
    Overrides these defaults:
        • drop_if_empty = False
        • page_number_format = None
        • end_at_page = left

    Type
        FixedDocumentPartTemplate

title
    base: None
    Overrides these defaults:
        • page_number_format = number

```

- `end_at_page = left`

Type

`TitlePartTemplate`

#### **front\_matter**

`base: None`

Overrides these defaults:

- `flowables = [TableOfContentsSection(), ListOfFiguresSection(), ListOfTablesSection()]`
- `page_number_format = lowercase roman`
- `end_at_page = left`

Type

`FixedDocumentPartTemplate`

#### **contents**

`base: None`

Overrides these defaults:

- `page_number_format = number`
- `end_at_page = left`

Type

`ContentsPartTemplate`

#### **back\_matter**

`base: None`

Overrides these defaults:

- `page_number_format = continue`
- `end_at_page = left`

Type

`BackMatterTemplate`

#### **page**

`base: None`

Overrides these defaults:

- `page_size = ${paper_size}`
- `left_margin = 1in`
- `right_margin = 1in`
- `top_margin = 1in`
- `bottom_margin = 1in`

Type

`BodyPageTemplate`

#### **cover\_page**

`base: page`

Type

`BodyPageTemplate`

#### **title\_page**

`base: page`

Type

TitlePageTemplate

**front\_matter\_page**

base: page

Overrides these defaults:

- header\_footer\_distance = 0
- header\_text = None

Type

BodyPageTemplate

**front\_matter\_right\_page**

base: front\_matter\_page

Overrides these defaults:

- footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_header\_text = None
- chapter\_footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_title\_height = 2.5in
- chapter\_title\_flowables = [<rinoh.paragraph.Paragraph object at 0x7f51dad2bbb0>]
- sideways = right

Type

BodyPageTemplate

**front\_matter\_left\_page**

base: front\_matter\_page

Overrides these defaults:

- footer\_text = '{PAGE\_NUMBER}'
- sideways = left

Type

BodyPageTemplate

**contents\_page**

base: page

Overrides these defaults:

- header\_footer\_distance = 0

Type

BodyPageTemplate

**contents\_right\_page**

base: contents\_page

Overrides these defaults:

- header\_text = '\t' '\t' '{DOCUMENT\_TITLE}' ',' ''  
'{DOCUMENT\_SUBTITLE}' ''
- footer\_text = '{SECTION\_NUMBER(2)}' '.'  
'{SECTION\_TITLE(2)}' '\t' '\t' '{PAGE\_NUMBER}' ''
- chapter\_header\_text = None
- chapter\_footer\_text = '\t' '\t' '{PAGE\_NUMBER}' ''
- chapter\_title\_height = 2.4in
- chapter\_title\_flowables = [<rinoh.paragraph.Paragraph object at 0x7f51dad2bbb0>]

```
    at 0x7f51dad2b820>, <rinoh.paragraph.Paragraph object at  
0x7f51dad2bfa0>]

- sideways = right

```

Type

BodyPageTemplate

#### **contents\_left\_page**

base: contents\_page

Overrides these defaults:

- header\_text = '{DOCUMENT\_TITLE} ', '{DOCUMENT\_SUBTITLE}'
- footer\_text = '{PAGE\_NUMBER}' '\t' '\t'  
'{SectionTitles.chapter}' ' ' '{SECTION\_NUMBER(1)}' '.  
'{SECTION\_TITLE(1)}'
- sideways = left

Type

BodyPageTemplate

#### **back\_matter\_page**

base: page

Overrides these defaults:

- columns = 2
- header\_footer\_distance = 0

Type

BodyPageTemplate

#### **back\_matter\_right\_page**

base: back\_matter\_page

Overrides these defaults:

- header\_text = '\t' '\t' '{DOCUMENT\_TITLE}' ','  
'{DOCUMENT\_SUBTITLE}'
- footer\_text = '{SECTION\_TITLE(1)}' '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_header\_text = None
- chapter\_footer\_text = '\t' '\t' '{PAGE\_NUMBER}'
- chapter\_title\_height = 2.5in
- chapter\_title\_flowables = [<rinoh.paragraph.Paragraph object  
at 0x7f51dad2bbb0>]
- sideways = right

Type

BodyPageTemplate

#### **back\_matter\_left\_page**

base: back\_matter\_page

Overrides these defaults:

- header\_text = '{DOCUMENT\_TITLE}' ', '{DOCUMENT\_SUBTITLE}'
- footer\_text = '{PAGE\_NUMBER}' '\t' '\t' '{SECTION\_TITLE(1)}'
- sideways = left

Type

BodyPageTemplate

**Configuration**  
alias of BookConfiguration

**ConfigurationFile**  
alias of BookConfigurationFile



# API Documentation

5

---

## Note

The API documentation is still incomplete.

---

### 5.1 Attribute (`rinoh.attribute`)

```
class rinoh.attribute.AcceptNoneAttributeType
    Accepts 'none' (besides other values)

class rinoh.attribute.OptionSet
    Accepts the values listed in values
    Accepts:

class rinoh.attribute.Attribute ( accepted_type, default_value, description )
    Descriptor used to describe a style attribute

class rinoh.attribute.OverrideDefault ( default_value )
    Overrides the default value of an attribute defined in a superclass

class rinoh.attribute.AttributesDictionary ( base=None, **attributes )

class rinoh.attribute.RuleSet ( name, base=None, source=None, **kwargs )
    find_source ( name )
        Find top-most ruleset where configuration name is defined

class rinoh.attribute.RuleSetFile ( filename, base=None, source=None, **kwargs )
    property location
        Textual representation of this source

    property root
        Directory path for resolving paths relative to this source

class rinoh.attribute.Bool
    Expresses a binary choice

class rinoh.attribute.Integer
    Accepts natural numbers

exception rinoh.attribute.ParseError
```

## 5.2 Color (`rinoh.color`)

```
class rinoh.color.Color ( red, green, blue, alpha=1 )
    Color defined by component values

    Parameters
        • red (float) – red component (0 .. 1)
        • blue (float) – blue component (0 .. 1)
        • green (float) – green component (0 .. 1)
        • alpha (float) – opacity (0 .. 1)

    property rgba

    classmethod parse_string ( string, source )

    classmethod doc_format ( )

class rinoh.color.HexColor ( string )
    Color defined as a hexadecimal string

    Parameters
        string (str) – #RGB or #RRGGBBAA (# and A are optional)

class rinoh.color.Gray ( luminance, alpha=1 )
    Shade of gray

    Parameters
        • luminance (float) – brightness (0 .. 1)
        • alpha (float) – opacity (0 .. 1)
```

## 5.3 Dimension (`rinoh.dimension`)

Classes for expressing dimensions: lengths, widths, line thickness, etc.

Each dimension is expressed in terms of a unit. Several common units are defined here as constants. To create a new dimension, multiply number with a unit:

```
height = 100*PT
width = 50*PERCENT
```

Fractional dimensions are evaluated within the context they are defined in. For example, the width of a `Flowable` is evaluated with respect to the total width available to it.

```
class rinoh.dimension.Dimension ( value=0, unit=None )
    A simple dimension

    Parameters
        • value (int or float) – the magnitude of the dimension
        • unit (DimensionUnit) – the unit this dimension is expressed in. Default: PT.

    grow ( value )
        Grow this dimension (in-place)
        The value is interpreted as a magnitude expressed in the same unit as this dimension.
```

Parameters

**value** (*int or float*) – the amount to add to the magnitude of this dimension

Returns

`Dimension` – this (growed) dimension itself

```
rinoh.dimension.PT = DimensionUnit(1.0, 'pt')
```

PostScript points

```
rinoh.dimension.PICA = DimensionUnit(12.0, 'pc')
```

computer pica

```
rinoh.dimension.INCH = DimensionUnit(72.0, 'in')
```

imperial/US inch

```
rinoh.dimension.MM = DimensionUnit(2.8346456692913384, 'mm')
```

millimeter

```
rinoh.dimension.CM = DimensionUnit(28.346456692913385, 'cm')
```

centimeter

```
rinoh.dimension.PERCENT = FractionUnit(100, '%')
```

fraction of 100

```
rinoh.dimension.QUARTERS = FractionUnit(4, '/4')
```

fraction of 4

## 5.4 Document (`rinoh.document`)

```
class rinoh.document.DocumentTree (flowables, options=None, style=None, source=None)
```

Holds the document's contents as a tree of flowables

Parameters

- **flowables** (*list [Flowable]*) – the list of top-level flowables
- **options** (*Reader*) – frontend-specific options

```
class rinoh.document.Document ( document_tree, stylesheet, language, strings=None, backend=None )
```

Renders a document tree to pages

Parameters

- **document\_tree** (*DocumentTree*) – a tree of the document's contents
- **stylesheet** (*StyleSheet*) – style sheet used to style document elements
- **language** (*Language*) – the language to use for standard strings
- **strings** (*Strings*) – overrides localized strings provided by *language*
- **backend** – the backend used for rendering the document

```
render (filename_root=None, file=None)
```

Render the document repeatedly until the output no longer changes due to cross-references that need some iterations to converge.

### 5.4.1 Pages

```
class rinoх.document.Page ( document_part, number, paper, orientation='portrait', display_sideways=None )
```

A single page in a document.

A Page is a Container, so other containers can be added as children.

Parameters

- **document\_part** (*DocumentPart*) – the document part this page is part of
- **number** (*int*) – the 1-based index of this page in the document part
- **paper** (*Paper*) – determines the dimensions of this page
- **orientation** (*PageOrientation*) – the orientation of this page
- **display\_sideways** (*Sideways*) – display the page rotated

**property page**

Returns the page itself.

**render ( )**

Render the contents of this container to its canvas.

Note that the rendered contents need to be `place()`d on the parent container's canvas before they become visible.

**place ( )**

Place this container's canvas onto the parent container's canvas.

```
class rinoх.document.PageOrientation
```

Accepts: portrait, landscape

```
class rinoх.document.PageType
```

Accepts: left, right, any

```
class rinoх.document.PageNumberFormat
```

How (or if) page numbers are displayed

Accepts: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

## 5.5 Drawing Primitives (`rinoх.draw`)

```
class rinoх.draw.Stroke ( width, color )
```

The display properties of a line

Parameters

- **width** (*Dimension*) – the width of the line
- **color** (*Color*) – the color of the line

```
class rinoх.draw.Line ( start, end, style=None, parent=None )
```

Draws a line

Parameters

- **start** (*2-tuple*) – coordinates for the start point of the line
- **end** (*2-tuple*) – coordinates for the end point of the line

```

style_class
    alias of LineStyle

class rinoх.draw.Shape (style=None, parent=None)
    Base class for closed shapes

style_class
    alias of ShapeStyle

class rinoх.draw.Polygon (points, style=None, parent=None)

class rinoх.draw.Rectangle (bottom_left, width, height, style=None, parent=None)

```

## 5.6 Flowable (rinoх.flowable)

```
class rinoх.flowable.Flowable (align=None, width=None, id=None, style=None, parent=None, source=None)
```

A document element that can be “flowed” into a container on the page.

A flowable can adapt to the width of the container, or it can horizontally align itself in the container.

Parameters

- **align** (`HorizontalAlignment`) – horizontal alignment of the flowable
- **width** (`FlowableWidth` or `DimensionBase`) – the width of the flowable.

```
class rinoх.flowable.FlowableState (flowable, _initial=True)
```

Stores a flowable’s rendering state, which can be copied.

This enables saving the rendering state at certain points in the rendering process, so rendering can later be resumed at those points, if needed.

### 5.6.1 No-Output Flowables

These flowables do not directly place anything on the page. All except `DummyFlowable` do have side-effects however. Some of these side-effects affect the rendering of the document in an indirect way.

```
class rinoх.flowable.DummyFlowable (id=None, parent=None)
```

A flowable that does not directly place anything on the page.

Subclasses can produce side-effects to affect the output in another way.

```
class rinoх.flowable.AnchorFlowable (id=None, parent=None)
```

A dummy flowable that registers a destination anchor.

Places a destination for the flowable’s ID at the current cursor position.

```
class rinoх.flowable.SetMetadataFlowable (parent=None, **metadata)
```

A dummy flowable that stores metadata in the document.

The metadata is passed as keyword arguments. It will be available to other flowables during the rendering stage.

```
class rinoх.flowable.WarnFlowable (message, parent=None)
```

A dummy flowable that emits a warning during the rendering stage.

Parameters

- message** (`str`) – the warning message to emit

```
class rinoh.flowable.PageBreak( page_break='any' )
```

### 5.6.2 Labeled Flowables

```
class rinoh.flowable.LabeledFlowable( label, flowable, id=None, style=None, parent=None )
```

A flowable with a label.

The flowable and the label are rendered side-by-side. If the label exceeds the `label_max_width` style attribute value, the flowable is rendered below the label.

Parameters

- `label (Flowable)` – the label for the flowable
- `flowable (Flowable)` – the flowable to label

`style_class`

alias of `LabeledFlowableStyle`

`prepare (flowable_target)`

Determine number labels and register references with the document

`render ( container, last_descender, state, label_column_width=None, space_below=0, **kwargs )`

Renders the flowable's content to `container`, with the flowable's top edge lining up with the container's cursor. `descender` is the descender height of the preceding line or `None`.

```
class rinoh.flowable.LabeledFlowableState ( flowable, content_flowable_state, _initial=True )
```

### 5.6.3 Grouping Flowables

```
class rinoh.flowable.GroupedFlowables ( align=None, width=None, id=None, style=None, parent=None, source=None )
```

Groups a list of flowables and renders them one below the other.

Makes sure that a flowable for which `keep_with_next` is enabled is not separated from the flowable that follows it.

Subclasses should implement `flowables()`.

`style_class`

alias of `GroupedFlowablesStyle`

`flowables ( container )`

Generator yielding the `Flowables` to group

`render ( container, descender, state, first_line_only=False, **kwargs )`

Renders the flowable's content to `container`, with the flowable's top edge lining up with the container's cursor. `descender` is the descender height of the preceding line or `None`.

```
class rinoh.flowable.GroupedFlowablesState ( groupedflowables, flowables, first_flowable_state=None, _initial=True, _index=0 )
```

```
class rinoh.flowable.StaticGroupedFlowables ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )
```

Groups a static list of flowables.

Parameters

`flowables (iterable[Flowable])` – the flowables to group

```

flowables ( container )
    Generator yielding the Flowables to group

build_document ( flowable_target )
    Set document metadata and populate front and back matter

prepare ( flowable_target )
    Determine number labels and register references with the document

class rinoх.flowable.GroupedLabeledFlowables ( align=None, width=None, id=None,
style=None, parent=None, source=None )
    Groups a list of labeled flowables, lining them up.

render ( container, descender, state, **kwargs )
    Renders the flowable's content to container, with the flowable's top edge lining up with
    the container's cursor. descender is the descender height of the preceding line or None.

```

#### 5.6.4 Floating Flowables

```

class rinoх.flowable.Float ( align=None, width=None, id=None, style=None, parent=None,
source=None )
    A flowable that can optionally be placed elsewhere on the page.
    If this flowable's float style attribute is set to True, it is not flowed in line with
    the surrounding flowables, but it is instead flowed into another container pointed to by
    the former's Container.float_space attribute.
    This is typically used to place figures and tables at the top or bottom of a page, instead of in
    between paragraphs.

style_class
    alias of FloatStyle

flow ( container, last_descender, state=None, **kwargs )
    Flow this flowable into container and return the vertical space consumed.
    The flowable's contents are preceded by a vertical space with a height as specified in its
    style's space_above attribute. Similarly, the flowed content is followed by a vertical space
    with a height given by the space_below style attribute.

```

#### 5.6.5 Styling Properties

```

class rinoх.flowable.HorizontalAlignment
    Controls horizontal placement
    Accepts: left, right, center

class rinoх.flowable.FlowableWidth
    Controls the width of a flowable
    Accepts: auto, fill or a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

```

### 5.7 Fonts and Typefaces (`rinoх.font`)

Classes for fonts and typefaces.

```

class rinoх.font.Font ( filename, weight, slant, width )
    A collection of glyphs in a particular style

```

This is a base class for classes that parse different font formats. See `rinoх.font.type1` and `rinoх.font.opentype`.

#### Parameters

- **filename** (*str*) – filename of the font file to load
- **weight** (*FontWeight*) – weight of the font
- **slant** (*FontSlant*) – slant of the font
- **width** (*FontWidth*) – width of the font

#### encoding

If no encoding is set for the `Font`, glyphs are addressed by glyph ID (and thus support more than 256 glyphs).

#### `get_glyph_metrics (char, variant)`

Return the glyph metrics for a particular character

If the glyph of requested font variant is not present in the font, the *normal* variant is returned instead. If that is not present either, an exception is raised.

#### Parameters

- **char** (*str of length 1*) – the character for which to find the glyph
- **variant** (*FontVariant*) – the variant of the glyph to return

#### Returns

*GlyphMetrics* – the requested glyph metrics

#### Raises

`MissingGlyphException` – when the requested glyph is not present in the font

#### `get_ligature (glyph, successor_glyph)`

Return the ligature to replace the given glyphs

If no ligature is defined in the font for the given glyphs, return `None`.

#### Parameters

- **glyph** (*GlyphMetrics*) – the first of the glyphs to combine
- **successor\_glyph** (*GlyphMetrics*) – the second of the glyphs to combine

#### Returns

*GlyphMetrics or None* – the ligature to replace the given glyphs

#### `get_kerning (a, b)`

Look up the kerning for two glyphs

#### Parameters

- **a** (*GlyphMetrics*) – the first of the glyphs
- **b** (*GlyphMetrics*) – the second of the glyphs

#### Returns

*float* – the kerning value in font units

### `class rinoх.font.Typeface (name, *fonts)`

A set of fonts that share common design features

The fonts collected in a typeface differ in weight, width and/or slant.

#### Parameters

- **\*fonts** (*Font*) – the fonts that make up this typeface

#### `fonts ( )`

Generator yielding all fonts of this typeface

Yields

*Font* – the next font in this typeface

**get\_font** (*weight*=400, *slant*='upright', *width*=5)

Return the font matching or closest to the given style

If a font with the given weight, slant and width is available, return it. Otherwise, return the font that is closest in style.

Parameters

- **weight** (*FontWeight*) – weight of the font
- **slant** (*FontSlant*) – slant of the font
- **width** (*FontWidth*) – width of the font

Returns

*Font* – the requested font

**class rinoh.font.style.FontWeight**

Accepts: hairline, thin, ultra-light, extra-light, light, regular, normal, book, roman, medium, semi-bold, demi-bold, bold, extra-bold, ultra-bold, black, heavy, extra-black, ultra-black

**class rinoh.font.style.FontSlant**

Accepts: upright, oblique, italic

**class rinoh.font.style.FontWidth**

Accepts: ultra-condensed, extra-condensed, condensed, semi-condensed, normal, medium, semi-expanded, expanded, extra-expanded, ultra-expanded

**class rinoh.font.style.FontVariant**

Accepts: normal, small capital, oldstyle figures

**class rinoh.font.style.TextPosition**

Accepts: normal, superscript, subscript

## 5.8 Images and Figures (`rinoh.image`)

**class rinoh.image.Image** ( *filename\_or\_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *limit\_width*=*rinoh.dimension.Fraction object*, *align*=None, *id*=None, *style*=None, *parent*=None, *source*=None )

**class rinoh.image.InlineImage** ( *filename\_or\_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *baseline*=None, *id*=None, *style*=None, *parent*=None, *source*=None )

**arguments**

alias of `InlineImageArgs`

**class rinoh.image.BackgroundImage** ( *filename\_or\_file*, *scale*=1.0, *width*=None, *height*=None, *dpi*=None, *rotate*=0, *limit\_width*=*rinoh.dimension.Fraction object*, *align*=None, *id*=None, *style*=None, *parent*=None, *source*=None )

Image to place in the background of a page

Takes the same arguments as `Image`.

**arguments**

alias of `ImageArgs`

```

class rinoх.image.ImageArgs ( base=None, **attributes )

    limit_width
        Limit the image width when none of scale, width and height are given and
        the image would be wider than the container
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: 100%

    align
        How to align the image within the page
        Accepts HorizontalAlignment: left, right, center
        Default: left

    file_or_filename
        Path to the image file (inherited from ImageArgsBase)
        Accepts ImagePath: path to an image file enclosed in quotes
        Default: none

    scale
        Scaling factor for the image (inherited from ImageArgsBase)
        Accepts Scale: fit, fill or a float larger than 0
        Default: fit

    width
        The width to scale the image to (inherited from ImageArgsBase)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: none

    height
        The height to scale the image to (inherited from ImageArgsBase)
        Accepts Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)
        Default: none

    dpi
        Overrides the DPI value set in the image (inherited from ImageArgsBase)
        Accepts Integer: a natural number (positive integer)
        Default: (no value)

    rotate
        Angle in degrees to rotate the image (inherited from ImageArgsBase)
        Accepts Integer: a natural number (positive integer)
        Default: (no value)

class rinoх.image.Scale
    Scaling factor for images
    Can be a numerical value where a value of 1 keeps the image's original size or one of
    values.
    Accepts: fit, fill or a float larger than 0

class rinoх.image.Caption ( content, custom_label=None, align=None, width=None, id=None,
style=None, parent=None, source=None )

    style_class
        alias of CaptionStyle

```

```

class rinoх.image.Figure ( flowables, align=None, width=None, id=None, style=None,
parent=None, source=None )

style_class
    alias of FigureStyle

class rinoх.image.ListOfFiguresSection

list_class
    alias of ListOfFigures

class rinoх.image.ListOfFigures ( local=False, id=None, style=None, parent=None )

```

## 5.9 Index (rinoх.index)

```

class rinoх.index.IndexSection ( title=None, flowables=None, style=None )

class rinoх.index.Index ( id=None, style=None, parent=None )

style_class
    alias of IndexStyle

flowables ( container )
    Generator yielding the Flowables to group

class rinoх.index.IndexLabel ( content, custom_label=None, align=None, width=None,
id=None, style=None, parent=None, source=None )

class rinoх.index.IndexTerm ( *levels )

class rinoх.index.InlineIndexTarget ( index_terms, *args, **kwargs )

to_string ( flowable_target )
    Return the text content of this styled text.

class rinoх.index.IndexTarget ( index_terms, parent=None )

flow ( container, last_descender, state=None, **kwargs )
    Flow this flowable into container and return the vertical space consumed.
    The flowable's contents are preceded by a vertical space with a height as specified in its
    style's space_above attribute. Similarly, the flowed content is followed by a vertical space
    with a height given by the space_below style attribute.

```

## 5.10 Language (rinoх.language)

```

class rinoх.language.Language ( code, name )
    Collects localized strings for a particular language

    Parameters
        • code (str) – short code identifying the language
        • name (str) – native name of the language

    languages
        Dictionary mapping codes to Languages

```

The following languages are supported:

`rinoh.language.CS = Language('cs', 'Česky')`

Localized strings for Česky

SectionTitles

Contents

Obsah

List\_of\_figures

Seznam obrázků

List\_of\_tables

Seznam tabulek

Chapter

Kapitola

Index

Rejstřík

AdmonitionTitles

Attention

Pozor!

Caution

Pozor!

Danger

!NEBEZPEČÍ!

Error

Chyba

Hint

Poznámka

Important

Důležité

Note

Poznámka

Tip Tip

Warning

Varování

Seealso

Viz také

`rinoh.language.EN = Language('en', 'English')`

Localized strings for English

SectionTitles

Contents

Table of Contents

List\_of\_figures

List of Figures

```
List_of_tables
    List of Tables
Chapter
    Chapter
Index
    Index
AdmonitionTitles
Attention
    Attention!
Caution
    Caution!
Danger
    !DANGER!
Error
    Error
Hint
    Hint
Important
    Important
Note
    Note
Tip Tip
Warning
    Warning
Seealso
    See also
```

```
rinoh.language.FR = Language('fr', 'Français')
    Localized strings for Français
SectionTitles
Contents
    Table des Matières
List_of_figures
    Liste des Figures
List_of_tables
    Liste des Tableaux
Chapter
    Chapitre
Index
    Index
AdmonitionTitles
```

Attention  
Attention!  
Caution  
Prudence!  
Danger  
!DANGER!  
Error  
Erreur  
Hint  
Conseil  
Important  
Important  
Note  
Note  
Tip Astuce  
Warning  
Avertissement  
Seealso  
Voir aussi

```
rinoh.language.IT = Language('it', 'Italiano')
Localized strings for Italiano
SectionTitles
Contents
    Contenuti
List_of_figures
    Elenco delle Figure
List_of_tables
    Elenco delle Tabelle
Chapter
    Capitolo
Index
    Indice
AdmonitionTitles
Attention
    Attenzione!
Caution
    Prudenza!
Danger
    !PERICOLO!
Error
    Errore
```

Hint

    Consiglio

Important

    Importante

Note

    Nota

Tip Suggerimento

Warning

    Avvertimento

Seealso

    Vedi anche

`rinoh.language.NL = Language('nl', 'Nederlands')`

    Localized strings for Nederlands

SectionTitles

Contents

    Inhoudsopgave

List\_of\_figures

    Lijst van Figuren

List\_of\_tables

    Lijst van Tabellen

Chapter

    Hoofdstuk

Index

    Index

AdmonitionTitles

Attention

    Opgelet!

Caution

    Pas op!

Danger

    !GEVAAR!

Error

    Fout

Hint

    Hint

Important

    Belangrijk

Note

    Noot

Tip Tip

Warning

Waarschuwing

Seealso

Zie ook

`rino.h.language.PL = Language('pl', 'Polski')`

Localized strings for Polski

SectionTitles

Contents

Spis Treści

List\_of\_figures

Spis Ilustracji

List\_of\_tables

Spis Tabel

Chapter

Rozdział

Index

Skorowidz

AdmonitionTitles

Attention

Uwaga!

Caution

Ostrożnie!

Danger

!NIEBEZPIECZEŃSTWO!

Error

Błąd

Hint

Wskazówka

Important

Ważne

Note

Notatka

Tip Porada

Warning

Ostrzeżenie

Seealso

Zobacz również

## 5.11 Number (rinoх.number)

**class** rinoх.number.**NumberFormat**

How (or if) numbers are displayed

Instead of a numbering format, it's possible to supply a custom label (StyledText) to show instead of the number.

Accepts: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

**class** rinoх.number.**Label** (*custom\_label=None*)

Mixin class that formats a label

Parameters

**custom\_label** (*StyledText*) – a frontend can supply a custom label to use instead of an automatically determined label (typically a number)

**class** rinoх.number.**LabelStyle** (*base=None, \*\*attributes*)

Style class for Label

**label\_prefix**

Text to prepend to the label

Accepts *StyledText*: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

**label\_suffix**

Text to append to the label

Accepts *StyledText*: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

Default: (no value)

**custom\_label**

Use a custom label if specified

Accepts *Bool*: true or false

Default: false

**hide**

Suppress rendering this element (inherited from *Style*)

Accepts *Bool*: true or false

Default: false

**class** rinoх.number.**NumberStyle** (*base=None, \*\*attributes*)

Style class for Number

**number\_format**

How numbers are formatted

Accepts *NumberFormat*: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman

Default: number

**label\_prefix**

Text to prepend to the label (inherited from *LabelStyle*)

Accepts *StyledText*: a list of styled text strings, separated by spaces. A styled text

string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

#### **label\_suffix**

Text to append to the label (inherited from `LabelStyle`)

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **custom\_label**

Use a custom label if specified (inherited from `LabelStyle`)

*Accepts* `Bool`: true or false

*Default:* false

#### **hide**

Suppress rendering this element (inherited from `Style`)

*Accepts* `Bool`: true or false

*Default:* false

`rinoх.number.format_number( number, format )`

Format `number` according the given `format` (`NumberFormat`)

## 5.12 Paper sizes (`rinoх.paper`)

The `Paper` class and a number of predefined paper formats.

**class rinoх.paper.Paper( name, width, height )**

Defines a paper size.

Parameters

- **name** (`str`) – the name of this paper type
- **width** (`Dimension`) – the (portrait) width of this paper type
- **height** (`Dimension`) – the (portrait) height of this paper type

`rinoх.paper.A0 = Paper('A0', width=841*MM, height=1189*MM)`

`rinoх.paper.A1 = Paper('A1', width=594*MM, height=841*MM)`

`rinoх.paper.A2 = Paper('A2', width=420*MM, height=594*MM)`

`rinoх.paper.A3 = Paper('A3', width=297*MM, height=420*MM)`

`rinoх.paper.A4 = Paper('A4', width=210*MM, height=297*MM)`

`rinoх.paper.A5 = Paper('A5', width=148*MM, height=210*MM)`

`rinoх.paper.A6 = Paper('A6', width=105*MM, height=148*MM)`

`rinoх.paper.A7 = Paper('A7', width=74*MM, height=105*MM)`

`rinoх.paper.A8 = Paper('A8', width=52*MM, height=74*MM)`

`rinoх.paper.A9 = Paper('A9', width=37*MM, height=52*MM)`

`rinoх.paper.A10 = Paper('A10', width=26*MM, height=37*MM)`

```

rinoh.paper.LETTER = Paper('letter', width=8.5*INCH, height=11*INCH)
rinoh.paper.LEGAL = Paper('legal', width=8.5*INCH, height=14*INCH)
rinoh.paper.JUNIOR_LEGAL = Paper('junior legal', width=8*INCH, height=5*INCH)
rinoh.paper.LEDGER = Paper('ledger', width=17*INCH, height=11*INCH)
rinoh.paper.TABLOID = Paper('tabloid', width=11*INCH, height=17*INCH)

```

## 5.13 Paragraph (`rinoh.paragraph`)

```
class rinoh.paragraph.ParagraphBase ( custom_label=None, align=None, width=None, id=None, style=None, parent=None, source=None )
```

Base class for paragraphs

A paragraph holds styled text and other line elements to be flowed into a container.

**style\_class**

alias of `ParagraphStyle`

**prepare (flowable\_target)**

Determine number labels and register references with the document

**render (container, descender, state, space\_below=0, first\_line\_only=False)**

Typeset the paragraph

The paragraph is typeset in the given container starting below the current cursor position of the container. When the end of the container is reached, the rendering state is preserved to continue setting the rest of the paragraph when this method is called with a new container.

Parameters

- **container** (`Container`) – the container to render to
- **descender** (`float or None`) – descender height of the preceding line
- **state** (`ParagraphState`) – the state where rendering will continue
- **first\_line\_only** (`bool`) – typeset only the first line

```
class rinoh.paragraph.Paragraph ( content, custom_label=None, align=None, width=None, id=None, style=None, parent=None, source=None )
```

```
class rinoh.paragraph.ParagraphState ( paragraph, language, span_index=0, group_index=None, nested_flowable_state=None, _first_word=None, _initial=True )
```

### 5.13.1 Styled Text (`rinoh.text`)

```
class rinoh.text.StyledText ( id=None, style=None, parent=None, source=None )
```

Base class for text that has a `TextStyle` associated with it.

**to\_string (flowable\_target)**

Return the text content of this styled text.

**is\_script (container)**

Returns `True` if this styled text is super/subscript.

**script\_level (container)**

Nesting level of super/subscript.

```

height ( container )
    Font size after super/subscript size adjustment.

y_offset ( container )
    Vertical baseline offset (up is positive).

property items
    The list of items in this StyledText.

style_class
    alias of TextStyle

class rinoх.text.SingleStyledText ( text, style=None, parent=None, source=None )
    Text with a single style applied

class rinoх.text.MixedStyledText ( text_or_items, id=None, style=None, parent=None, source=None )
    Concatenation of styled text

    Parameters
        • text_or_items (str, StyledText or iterable of these) – mixed
           styled text
        • style – see Styled
        • parent – see DocumentElement

prepare (flowable_target)
    Determine number labels and register references with the document

append ( item )
    Append item (StyledText or str) to the end of this mixed-styled text.
    The parent of item is set to this mixed-styled text.

property items
    The list of items in this StyledText.

copy ( parent=None )
    Return a shallow copy of the list.

class rinoх.text.Locale
    Selects a language

class rinoх.text.NoBreakAfter ( iterable=(), / )
    List of words after which no line break will be allowed

```

### 5.13.2 Inline Elements (`rinoх.inline`)

```

class rinoх.inline.InlineFlowable ( baseline=None, id=None, style=None, parent=None, source=None )
    alias of InlineFlowableStyle

```

### 5.13.3 Styling Properties

**class rinoх.paragraph.TextAlign**

Text justification

Accepts: left, right, center, justify

#### Line Spacing

**class rinoх.paragraph.LineSpacing**

Base class for line spacing types

Line spacing is defined as the distance between the baselines of two consecutive lines of text in a paragraph.

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.DefaultSpacing**

The default line spacing as specified by the font.

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.ProportionalSpacing ( factor )**

Line spacing proportional to the line height

Parameters

**factor ( float )** – amount by which the line height is multiplied to obtain the line spacing

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.FixedSpacing ( pitch, minimum=ProportionalSpacing(1.0) )**

Fixed line spacing, with optional minimum spacing

Parameters

- **pitch ( Dimension )** – the distance between the baseline of two consecutive lines of text
- **minimum ( LineSpacing )** – the minimum line spacing to prevent lines with large fonts (or inline elements) from overlapping; set to None if no minimum is required, set to None

**advance ( line, last\_descender, container )**

Return the distance between the descender of the previous line and the baseline of the current line.

**class rinoх.paragraph.Leading ( leading )**

Line spacing determined by the space in between two lines

Parameters

**leading ( Dimension )** – the space between the bottom of a line and the top of the next line of text

```
advance ( line, last_descender, container )
```

Return the distance between the descender of the previous line and the baseline of the current line.

The following standard line spacings have been predefined:

```
rinoh.paragraph.DEFAULT = DefaultSpacing()
```

The default line spacing as specified by the font.

```
rinoh.paragraph.STANDARD = ProportionalSpacing(1.2)
```

Line spacing of 1.2 times the line height.

```
rinoh.paragraph.SINGLE = ProportionalSpacing(1.0)
```

Line spacing equal to the line height (no leading).

```
rinoh.paragraph.DOUBLE = ProportionalSpacing(2.0)
```

Line spacing of double the line height.

### Tabulation

```
class rinoh.paragraph.TabAlign
```

Alignment of text with respect to a tab stop

Accepts: left, right, center

```
class rinoh.paragraph.TabStop ( position, align='left', fill=None )
```

Horizontal position for aligning text of successive lines

Parameters

- **position** (Dimension or Fraction) – tab stop position
- **align** (*TabAlign*) – the alignment of text with respect to the tab stop position
- **fill** (*str*) – string pattern to fill the empty tab space with

```
get_position ( line_width )
```

Return the absolute position of this tab stop.

```
class rinoh.paragraph.TabStopList ( iterable=(), / )
```

List of tab stop positions (with alignment and fill string)

### 5.13.4 Rendering Internals

```
class rinoh.paragraph.Glyph ( metrics, width, char )
```

```
class rinoh.paragraph.GlyphsSpan ( span, chars_to_glyphs, glyphs=[] )
```

### 5.13.5 Miscellaneous Internals

```
class rinoh.paragraph.HyphenatorStore
```

## 5.14 Cross-References and Fields (`rinoh.reference`)

```
class rinoh.reference.Reference ( target_id, *args, **kwargs )
```

```
class rinoh.reference.ReferenceField ( type=None, custom_title=None, style=None, parent=None, source=None )
```

```

class rinoх.reference.ReferenceText (id=None, style=None, parent=None, source=None)

class rinoх.reference.ReferenceType
    Accepts: reference, number, title, page, custom

class rinoх.reference.ReferencingParagraph (target_id_or_flowable, id=None, style=None, parent=None)
    style_class
        alias of ReferencingParagraphStyle

    target_style (document)
        Filter selection on the style attribute of the target flowable

    target_has_class (document)
        Filter selection on a class of the target flowable

    target_has_classes (document)
        Filter selection on a set of classes of the target flowable

    target_is_of_type (document)
        Filter selection on the type of the target flowable

class rinoх.reference.Note (flowable, id=None, style=None, parent=None)
    style_class
        alias of NoteStyle

    flow (container, last_descender, state=None, footnote=False, **kwargs)
        Flow this flowable into container and return the vertical space consumed.
        The flowable's contents are preceded by a vertical space with a height as specified in its
        style's space_above attribute. Similarly, the flowed content is followed by a vertical space
        with a height given by the space_below style attribute.

class rinoх.reference.NoteMarkerBase (custom_label=None, **kwargs)
    style_class
        alias of NoteMarkerStyle

    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoх.reference.NoteMarkerByID (target_id, *args, **kwargs)

class rinoх.reference.NoteMarkerWithNote (referenceable, type='number', **kwargs)
    prepare (flowable_target)
        Determine number labels and register references with the document

class rinoх.reference.Field (type, id=None, style=None, parent=None, source=None)

```

## 5.15 Structure (`rinoh.structure`)

### 5.15.1 Sections

```
class rinoh.structure.Section ( flowables, align=None, width=None, id=None, style=None,
parent=None, source=None )
    A subdivision of a document
    A section usually has a heading associated with it, which is optionally numbered.

class rinoh.structure.Heading ( content, custom_label=None, align=None, width=None,
id=None, style=None, parent=None, source=None )
    The title for a section
    Parameters
        title (StyledText) – this heading's text
        style_class
            alias of HeadingStyle
        prepare ( container )
            Determine number labels and register references with the document
        flow ( container, last_descender, state=None, **kwargs )
            Flow this flowable into container and return the vertical space consumed.
            The flowable's contents are preceded by a vertical space with a height as specified in its
            style's space_above attribute. Similarly, the flowed content is followed by a vertical space
            with a height given by the space_below style attribute.

class rinoh.structure.SectionTitles ( **strings )
    Collection of localized titles for common sections
    contents
        Title for the table of contents section
        Type
            String
    list_of_figures
        Title for the list of figures section
        Type
            String
    list_of_tables
        Title for the list of tables section
        Type
            String
    chapter
        Label for top-level sections
        Type
            String
```

**index**  
Title for the index section  
Type  
String

### 5.15.2 Lists

```
class rinoх.structure.List ( list_items, start_index=1, id=None, style=None, parent=None )  
  
style_class  
alias of ListStyle  
  
class rinoх.structure.DefinitionList ( flowables, align=None, width=None, id=None, style=None, parent=None, source=None )
```

### 5.15.3 Table of Contents

```
class rinoх.structure.TableOfContentsSection  
  
class rinoх.structure.TableOfContents ( local=False, id=None, style=None, parent=None )  
  
style_class  
alias of TableOfContentsStyle  
  
flowables ( container )  
Generator yielding the Flowables to group  
  
class rinoх.structure.TableOfContentsEntry ( flowable, id=None, style=None, parent=None )  
  
style_class  
alias of TableOfContentsEntryStyle
```

### 5.15.4 Admitions

```
class rinoх.structure.Admonition ( flowables, title=None, type=None, id=None, style=None, parent=None )  
  
style_class  
alias of AdmonitionStyle  
  
flowables ( container )  
Generator yielding the Flowables to group  
  
class rinoх.structure.AdmonitionTitles ( **strings )  
Collection of localized titles for common admonitions  
  
attention  
Title for attention admonitions  
Type  
String
```

```
caution
    Title for caution admonitions
    Type
        String

danger
    Title for danger admonitions
    Type
        String

error
    Title for error admonitions
    Type
        String

hint
    Title for hint admonitions
    Type
        String

important
    Title for important admonitions
    Type
        String

note
    Title for note admonitions
    Type
        String

tip
    Title for tip admonitions
    Type
        String

warning
    Title for warning admonitions
    Type
        String

seealso
    Title for see-also admonitions
    Type
        String
```

### 5.15.5 Horizontal Rule

```
class rinoх.structure.HorizontalRule ( align=None, width=None, id=None, style=None,
parent=None, source=None )

style_class
    alias of HorizontalRuleStyle

render ( container, descender, state, **kwargs )
    Renders the flowable's content to container, with the flowable's top edge lining up with
    the container's cursor. descender is the descender height of the preceding line or None.
```

## 5.16 Strings (rinoх.strings)

```
class rinoх.strings.String ( description )
    Descriptor used to describe a configurable string

    Parameters
        description (str) – a short description for this string

class rinoх.strings.StringCollection ( **strings )
    A collection of related configurable strings

    Subclasses
        • AdmonitionTitles
        • SectionTitles
        • UserStrings

class rinoх.strings.UserStrings ( **strings )
    Collection of user-specified strings
    Unlike other string collections, these are not limited to a predefined set.

    Attributes:

class rinoх.strings.Strings ( *string_collections )
    Stores several StringCollections

class rinoх.strings.StringField ( strings_class, key, style=None, parent=None, source=None
)
    Styled text that will be substituted with a configured string
    The displayed string is either the localized string as determined by the language set for
    the document or the user-supplied string passed to the TemplateConfiguration.
```

## 5.17 Style (rinoх.style)

```
class rinoх.style.Styled ( id=None, style=None, parent=None, source=None )
    A document element who's style can be configured.

    Parameters
        style (str, Style) – the style to associate with this element. If style is a string,
        the corresponding style is lookup up in the document's style sheet by means of selec-
        tors.
```

```

style_class
    The Style subclass that corresponds to this Styled subclass.

configuration_class = None

property has_id
    Filter selection on an ID of this Styled

property has_class
    Filter selection on a class of this Styled

property has_classes
    Filter selection on a set of classes of this Styled

class rinoх.style.Style ( base=None, **attributes )
    Dictionary storing style attributes.
    The style attributes associated with this Style are specified as class attributes of type Attribute.
    Style attributes can also be accessed as object attributes.

hide
    Suppress rendering this element
    Accepts Bool: true or false
    Default: false

```

### 5.17.1 Style Sheet

```

class rinoх.style.StyleSheet ( name, matcher=None, base=None, source=None, description=None, pygments_style=None, **user_options )
    Dictionary storing a collection of related styles by name.
    Styles stored in a StyleSheet can refer to their base style by name.

Parameters


- name (str) – a label for this style sheet
- matcher (StyledMatcher) – the matcher providing the selectors the styles contained in this style sheet map to. If no matcher is given and base is specified, the base's matcher is used. If base is not set, the default matcher is used.
- base (StyleSheet or str) – the style sheet to extend
- description (str) – a short string describing this style sheet
- pygments_style (str) – the Pygments style to use for styling code blocks

```

**get\_selector ( name )**  
 Find a selector mapped to a style in this or a base style sheet.

Parameters  
**name** (str) – a style name

Returns  
 Selector – the selector mapped to the style *name*

Raises

**KeyError** – if the style *name* was not found in this or a base style sheet

```

class rinoх.style.StyleSheetFile ( filename, base=None, source=None, **kwargs )
    Loads styles defined in a .rts file (INI format).

```

## Parameters

**filename** (*str*) – the path to the style sheet file

`StyleSheetFile` takes the same optional arguments as `StyleSheet`. These can also be specified in the [STYLESHEET] section of the style sheet file. If an argument is specified in both places, the one passed as an argument overrides the one specified in the style sheet file.

**class** `rinoh.style.StyledMatcher` (*mapping\_or\_iterable=None, \*\*kwargs*)

Dictionary mapping labels to selectors.

This matcher can be initialized in the same way as a `dict` by passing a mapping, an iterable and/or keyword arguments.

**update** (*\*\*F [I, E]*) → None. Update D from dict/iterable E and F.

If E is present and has a `.keys()` method, then does: for k in E: `D[k] = E[k]` If E is present and lacks a `.keys()` method, then does: for k, v in E: `D[k] = v` In either case, this is followed by: for k in F: `D[k] = F[k]`

## 5.18 Tables (`rinoh.table`)

**class** `rinoh.table.Table` (*body, head=None, align=None, width=None, column\_widths=None, id=None, style=None, parent=None*)

**style\_class**

alias of `TableStyle`

**prepare** (*flowable\_target*)

Determine number labels and register references with the document

**render** (*container, last\_descender, state, space\_below=0, \*\*kwargs*)

Renders the flowable's content to `container`, with the flowable's top edge lining up with the container's cursor. `descender` is the descender height of the preceding line or `None`.

**class** `rinoh.table.TableWithCaption` (*flowables, align=None, width=None, id=None, style=None, parent=None, source=None*)

**style\_class**

alias of `TableWithCaptionStyle`

**class** `rinoh.table.TableSection` (*rows, style=None, parent=None*)

**prepare** (*flowable\_target*)

Determine number labels and register references with the document

**class** `rinoh.table.TableHead` (*rows, style=None, parent=None*)

**class** `rinoh.table.TableBody` (*rows, style=None, parent=None*)

**class** `rinoh.table.TableRow` (*cells, style=None, parent=None*)

**prepare** (*flowable\_target*)

Determine number labels and register references with the document

**get\_rowspanned\_columns** ( )

Return a dictionary mapping column indices to the number of columns spanned.

```

class rinohtable.TableCell (flowables, rowspan=1, colspan=1, id=None, style=None, parent=None)

    style_class
        alias of TableCellStyle

class rinohtable.TableCellBorder (rendered_cell, cell_height, position, style=None)

    style_class
        alias of TableCellBorderStyle

class rinohtable.TableCellBackground (bottom_left, width, height, style=None, parent=None)

    style_class
        alias of TableCellBackgroundStyle

class rinohtable.VerticalAlign
    Accepts: top, middle, bottom

class rinohtable.ListOfTables (local=False, id=None, style=None, parent=None)

class rinohtable.ListOfTablesSection

    list_class
        alias of ListOfTables

```

## 5.19 Templates (rinohtemplate)

### 5.19.1 Documents

Document templates are created by subclassing `DocumentTemplate`, just like the Chapter 4 shipped with rinohtype.

```

class rinohtemplate.DocumentTemplate (document_tree, configuration=None, backend=None)

    Template for documents

```

Parameters

- **document\_tree** (`DocumentTree`) – a tree of the document's contents
- **configuration** (`TemplateConfiguration`) – configuration for this template
- **backend** – the backend used for rendering the document

**language**

The main language of the document

*Accepts Language:* the code of one of the supported languages

*Default:* EN (English)

**strings**

Strings to override standard element names

*Accepts Strings:* strings need to be entered in INI sections named after the `StringCollection` subclasses

*Default:* none

**stylesheet**

The stylesheet to use for styling document elements

*Accepts* `StyleSheet`: the name of an Section 3.1 or the filename of a stylesheet file (with the `.rts` extension)

*Default:* `sphinx` (= `rinoh.stylesheets.sphinx`)

#### **parts**

The parts making up this document

*Accepts* `PartsList`: a space-separated list of document part template names

*Default:* (empty list)

#### **Configuration**

alias of `DocumentTemplateConfiguration`

#### **ConfigurationFile**

alias of `DocumentTemplateConfigurationFile`

Document templates can be customized by setting values for the configuration attributes defined in a `DocumentTemplate` subclass in a `TemplateConfiguration`. A template configuration can be passed as `configuration` on template instantiation. However, it is better to make use of the `document` method, however.

**class** `rinoh.template.TemplateConfiguration` (`name`, `base=None`, `source=None`, `template=None`, `description=None`, `**options`)

Stores a configuration for a `DocumentTemplate`

##### Parameters

- **name** (`str`) – a label for this template configuration
- **base** (`TemplateConfiguration`) – the template configuration to extend
- **template** (`DocumentTemplateMeta` or `str`) – the document template to configure
- **description** (`str`) – a short string describing this style sheet
- **\*\*options** – configuration values for the configuration attributes defined by the document `template`

#### **template = None**

The `DocumentTemplate` subclass to configure

#### **document (document\_tree, backend=None)**

Create a `DocumentTemplate` object based on the given document tree and this template configuration

##### Parameters

- **document\_tree** (`DocumentTree`) – tree of the document's contents
- **backend** – the backend to use when rendering the document

**class** `rinoh.template.PartsList` (`*parts`)

Stores the names of the document part templates making up a document

##### Parameters

**\*parts** (`list [str]`) – the names of the document parts

## 5.19.2 Document Parts

**class** `rinoh.template.DocumentPart` (`template, document, flowables, last_number_format`)

Part of a document.

##### Parameters

- **template** (`DocumentPartTemplate`) – the template that determines

- the contents and style of this document part
- **document** (*Document*) – the document this part belongs to
- **flowables** (*list [Flowable]*) – the flowables to render in this document part

#### **configuration\_class**

alias of `DocumentPartTemplate`

#### **add\_page (page)**

Append `page` (`Page`) to this `DocumentPart`.

#### **new\_page (page\_number, chain, new\_chapter, sideways=False)**

Called by `render()` with the `Chain`'s` that need more `:class:`Container`'s`. This method should create a new `:class:`Page`` which contains a container associated with `chain`.

The document part templates which are listed by name in `DocumentTemplate.parts` are looked up as attributes of the `DocumentTemplate` subclass. They are instances of `DocumentPartTemplate` subclasses:

#### **class rinohtemplate.DocumentPartTemplate (base=None, \*\*attributes)**

A template that produces a document part

The document part is created given a set of flowables, and page templates. The latter are looked up in the `TemplateConfiguration` where this part template was.

#### **page\_number\_prefix**

Text to place in front of the page number.

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default*: (no value)

#### **page\_number\_format**

The format for page numbers in this document part.

*Accepts* `PageNumberFormat`: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default*: number

#### **end\_at\_page**

The type of page to end this document part on

*Accepts* `PageType`: left, right, any

*Default*: any

#### **drop\_if\_empty**

Exclude this part from the document if it is empty (no flowables)

*Accepts* `Bool`: true or false

*Default*: true

The following document part templates are used in the standard document templates:

#### **class rinohtemplate.TitlePartTemplate (base=None, \*\*attributes)**

The title page of a document.

#### **drop\_if\_empty**

Exclude this part from the document if it is empty (no flowables) (inherited from `DocumentPartTemplate`)

*Accepts* `Bool`: true or false

*Default*: false (overrides `DocumentPartTemplate` default)

**page\_number\_prefix**

Text to place in front of the page number. (inherited from DocumentPartTemplate)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**page\_number\_format**

The format for page numbers in this document part. (inherited from DocumentPartTemplate)

*Accepts* PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default:* number

**end\_at\_page**

The type of page to end this document part on (inherited from DocumentPartTemplate)

*Accepts* PageType: left, right, any

*Default:* any

**class rinohtemplate.ContentsPartTemplate ( base=None, \*\*attributes )**

The body of a document.

Renders all of the content present in the DocumentTree passed to the DocumentTemplate.

**page\_number\_prefix**

Text to place in front of the page number. (inherited from DocumentPartTemplate)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**page\_number\_format**

The format for page numbers in this document part. (inherited from DocumentPartTemplate)

*Accepts* PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default:* number

**end\_at\_page**

The type of page to end this document part on (inherited from DocumentPartTemplate)

*Accepts* PageType: left, right, any

*Default:* any

**drop\_if\_empty**

Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)

*Accepts* Bool: true or false

*Default:* true

**class rinohtemplate.FixedDocumentPartTemplate ( base=None, \*\*attributes )**

A document part template that renders a fixed list of flowables

**flowables**

The list of flowables to include in this document part

*Accepts* FlowablesList: Python source code that represents a list of Flowables

*Default:* []

#### **page\_number\_prefix**

Text to place in front of the page number. (inherited from DocumentPartTemplate)

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

#### **page\_number\_format**

The format for page numbers in this document part. (inherited from DocumentPartTemplate)

*Accepts* PageNumberFormat: none, number, symbol, lowercase character, uppercase character, lowercase roman, uppercase roman, continue

*Default:* number

#### **end\_at\_page**

The type of page to end this document part on (inherited from DocumentPartTemplate)

*Accepts* PageType: left, right, any

*Default:* any

#### **drop\_if\_empty**

Exclude this part from the document if it is empty (no flowables) (inherited from DocumentPartTemplate)

*Accepts* Bool: true or false

*Default:* true

### 5.19.3 Page Templates

The document templates make use of page templates:

```
class rinoth.template.BodyPageTemplate( base=None, **attributes )
```

#### **header\_footer\_distance**

Distance of the header and footer to the content area

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 14pt

#### **columns**

The number of columns for the body text

*Accepts* Integer: a natural number (positive integer)

*Default:* 1

#### **column\_spacing**

The spacing between columns

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 1cm

#### **header\_text**

The text to place in the page header

*Accepts* StyledText: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '{SECTION\_NUMBER(1)}' ' ' '{SECTION\_TITLE(1)}'

**footer\_text**

The text to place in the page footer

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* '\t' '{PAGE\_NUMBER}' '/' '{NUMBER\_OF\_PAGES}'

**chapter\_header\_text**

The text to place in the header on a page that starts a new chapter

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**chapter\_footer\_text**

The text to place in the footer on a page that starts a new chapter

*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)

*Default:* (no value)

**chapter\_title\_flowables**

Generator that yields the flowables to represent the chapter title

*Accepts* `FlowablesList`: Python source code that represents a list of `Flowables`

*Default:* none

**chapter\_title\_height**

The height of the container holding the chapter title

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 150pt

**page\_size**

The format of the pages in the document (inherited from `PageTemplateBase`)

*Accepts* `Paper`: the name of a Section 5.12 or `<width> * <height>` where width and height are `Dimensions`

*Default:* A4

**page\_orientation**

The orientation of pages in the document (inherited from `PageTemplateBase`)

*Accepts* `PageOrientation`: portrait, landscape

*Default:* portrait

**left\_margin**

The margin size on the left of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**right\_margin**

The margin size on the right of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**top\_margin**

The margin size at the top of the page (inherited from `PageTemplateBase`)

*Accepts* `Dimension`: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**bottom\_margin**

The margin size at the bottom of the page (inherited from `PageTemplateBase`)  
*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

**background**

An image to place in the background of the page (inherited from `PageTemplateBase`)  
*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed  
*Default:* none

**after\_break\_background**

An image to place in the background after a page break (inherited from `PageTemplateBase`)  
*Accepts* `BackgroundImage`: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed  
*Default:* none

**sideways**

Rotate sideways pages to the left or right (inherited from `PageTemplateBase`)  
*Accepts* `Sideways`: `left`, `right`  
*Default:* `right`

```
class rinohtemplate.TitlePageTemplate( base=None, **attributes )
```

**show\_date**

Show or hide the document's date  
*Accepts* Bool: true or false  
*Default:* true

**show\_author**

Show or hide the document's author  
*Accepts* Bool: true or false  
*Default:* true

**extra**

Extra text to include on the title page below the title  
*Accepts* `StyledText`: a list of styled text strings, separated by spaces. A styled text string is a quoted string (' or "), optionally followed by a style name enclosed in braces: 'text string' (style name)  
*Default:* (no value)

**page\_size**

The format of the pages in the document (inherited from `PageTemplateBase`)  
*Accepts* `Paper`: the name of a Section 5.12 or `<width> * <height>` where width and height are Dimensions  
*Default:* A4

**page\_orientation**

The orientation of pages in the document (inherited from `PageTemplateBase`)  
*Accepts* `PageOrientation`: portrait, landscape  
*Default:* portrait

**left\_margin**

The margin size on the left of the page (inherited from `PageTemplateBase`)  
*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

**right\_margin**

The margin size on the right of the page (inherited from `PageTemplateBase`)  
*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

**top\_margin**

The margin size at the top of the page (inherited from `PageTemplateBase`)  
*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

**bottom\_margin**

The margin size at the bottom of the page (inherited from `PageTemplateBase`)  
*Accepts* Dimension: a numeric value followed by a unit (`pt`, `in`, `pc`, `mm`, `cm`, `%`, `/2`, `/4`)  
*Default:* 3cm

**background**

An image to place in the background of the page (inherited from `PageTemplateBase`)  
*Accepts* BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed  
*Default:* none

**after\_break\_background**

An image to place in the background after a page break (inherited from `PageTemplateBase`)  
*Accepts* BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (`<keyword>=<value>`) that determine how the image is displayed  
*Default:* none

**sideways**

Rotate sideways pages to the left or right (inherited from `PageTemplateBase`)  
*Accepts* Sideways: `left`, `right`  
*Default:* `right`

The base class for these collects the common options:

```
class rinoх.template.PageTemplateBase( base=None, **attributes )
```

**page\_size**

The format of the pages in the document  
*Accepts* Paper: the name of a Section 5.12 or `<width> * <height>` where width and height are Dimensions  
*Default:* A4

**page\_orientation**

The orientation of pages in the document  
*Accepts* PageOrientation: `portrait`, `landscape`  
*Default:* `portrait`

**left\_margin**

The margin size on the left of the page

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**right\_margin**

The margin size on the right of the page

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**top\_margin**

The margin size at the top of the page

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**bottom\_margin**

The margin size at the bottom of the page

*Accepts* Dimension: a numeric value followed by a unit (pt, in, pc, mm, cm, %, /2, /4)

*Default:* 3cm

**background**

An image to place in the background of the page

*Accepts* BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

*Default:* none

**after\_break\_background**

An image to place in the background after a page break

*Accepts* BackgroundImage: filename of an image file enclosed in quotes, optionally followed by space-delimited keyword arguments (<keyword>=<value>) that determine how the image is displayed

*Default:* none

**sideways**

Rotate sideways pages to the left or right

*Accepts* Sideways: left, right

*Default:* right

# Python Module Index

r

rinoh

- rinoh.attribute, 99
- rinoh.color, 100
- rinoh.dimension, 100
- rinoh.document, 101
- rinoh.draw, 102
- rinoh.flowable, 103
- rinoh.font, 105
- rinoh.font.style, 107
- rinoh.image, 107
- rinoh.index, 109
- rinoh.inline, 118
- rinoh.language, 109
- rinoh.number, 115
- rinoh.paper, 116
- rinoh.paragraph, 117
- rinoh.reference, 120
- rinoh.strings, 125
- rinoh.structure, 122
- rinoh.style, 125
- rinoh.stylesheets, 11
- rinoh.table, 127
- rinoh.template, 128
- rinoh.templates.article, 91
- rinoh.templates.book, 93
- rinoh.text, 117



# Index

## Symbols

- docs  
    rinoh command line option, 6
- format  
    rinoh command line option, 5
- help  
    rinoh command line option, 5
- install-resources  
    rinoh command line option, 5
- list-fonts  
    rinoh command line option, 6
- list-formats  
    rinoh command line option, 6
- list-options  
    rinoh command line option, 6
- list-stylesheets  
    rinoh command line option, 5
- list-templates  
    rinoh command line option, 5
- option  
    rinoh command line option, 5
- output  
    rinoh command line option, 5
- paper  
    rinoh command line option, 5
- stylesheet  
    rinoh command line option, 5
- template  
    rinoh command line option, 5
- version  
    rinoh command line option, 6
- versions  
    rinoh command line option, 6
- f  
    rinoh command line option, 5
- h  
    rinoh command line option, 5
- i  
    rinoh command line option, 5
- O  
    rinoh command line option, 5
- o

rinoh command line option, 5

-p     rinoh command line option, 5

-s     rinoh command line option, 5

-t     rinoh command line option, 5

## A

A0 (in module rinoх.paper), 116

A1 (in module rinoх.paper), 116

A10 (in module rinoх.paper), 116

A2 (in module rinoх.paper), 116

A3 (in module rinoх.paper), 116

A4 (in module rinoх.paper), 116

A5 (in module rinoх.paper), 116

A6 (in module rinoх.paper), 116

A7 (in module rinoх.paper), 116

A8 (in module rinoх.paper), 116

A9 (in module rinoх.paper), 116

abstract\_location (rinoх.templates.article.Article attribute), 91

AbstractLocation (class in rinoх.templates.article), 93

AcceptNoneAttributeType (class in rinoх.attribute), 99

add\_page() (rinoх.template.DocumentPart method), 130

Admonition (class in rinoх.structure), 123

AdmonitionStyle (class in rinoх.structure), 79

AdmonitionTitles (class in rinoх.structure), 123

advance() (rinoх.paragraph.DefaultSpacing method), 119

advance() (rinoх.paragraph.FixedSpacing method), 119

advance() (rinoх.paragraph.Leading method), 120

advance() (rinoх.paragraph.LineSpacing method), 119

advance() (rinoх.paragraph.ProportionalSpacing method), 119

after (rinoх.image.CaptionStyle attribute), 32

after (rinoх.inline.InlineFlowableStyle attribute), 46

after (rinoх.paragraph.ParagraphStyle attribute), 41

after (rinoх.reference.NoteMarkerStyle attribute), 53

after (rinoх.reference.ReferencingParagraphStyle attribute), 51

after (rinoх.structure.HeadingStyle attribute), 60

after (rinoх.structure.ListItemLabelStyle attribute), 68

after (rinoх.structure.TableOfContentsEntryStyle attribute), 79

after (rinoх.structure.TableOfContentsStyle attribute), 74

after (rinoх.text.TextStyle attribute), 43

after\_break\_background (rinoх.template.BodyPageTemplate attribute), 134

after\_break\_background (rinoх.template.PageTemplateBase attribute), 136

after\_break\_background (rinoх.template.TitlePageTemplate attribute), 135

align (rinoх.image.ImageArgs attribute), 108

align\_baselines (rinoх.flowable.LabeledFlowableStyle attribute), 20

AnchorFlowable (class in rinoх.flowable), 103

append() (rinoх.text.MixedStyledText method), 118

arguments (rinoх.image.BackgroundImage attribute), 107

arguments (rinoх.image.InlineImage attribute), 107

Article (class in rinoх.templates.article), 91

attention (rinoх.structure.AdmonitionTitles attribute), 123

Attribute (class in rinoх.attribute), 99

AttributesDictionary (class in rinoх.attribute), 99

## B

back\_matter (rinoh.templates.book.Book attribute), 94  
back\_matter\_left\_page (rinoh.templates.book.Book attribute), 96  
back\_matter\_page (rinoh.templates.book.Book attribute), 96  
back\_matter\_right\_page (rinoh.templates.book.Book attribute), 96  
background (rinoh.template.BodyPageTemplate attribute), 134  
background (rinoh.template.PageTemplateBase attribute), 136  
background (rinoh.template.TitlePageTemplate attribute), 135  
background\_color (rinoh.flowable.FloatStyle attribute), 27  
background\_color (rinoh.flowable.FlowableStyle attribute), 20  
background\_color (rinoh.flowable.GroupedFlowablesStyle attribute), 25  
background\_color (rinoh.flowable.LabeledFlowableStyle attribute), 22  
background\_color (rinoh.image.CaptionStyle attribute), 30  
background\_color (rinoh.image.FigureStyle attribute), 34  
background\_color (rinoh.index.IndexStyle attribute), 36  
background\_color (rinoh.inline.InlineFlowableStyle attribute), 45  
background\_color (rinoh.paragraph.ParagraphStyle attribute), 39  
background\_color (rinoh.reference.ReferencingParagraphStyle attribute), 48  
background\_color (rinoh.structure.AdmonitionStyle attribute), 81  
background\_color (rinoh.structure.HeadingStyle attribute), 58  
background\_color (rinoh.structure.HorizontalRuleStyle attribute), 83  
background\_color (rinoh.structure.ListItemLabelStyle attribute), 66  
background\_color (rinoh.structure.ListStyle attribute), 63  
background\_color (rinoh.structure.SectionStyle attribute), 55  
background\_color (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
background\_color (rinoh.structure.TableOfContentsStyle attribute), 71  
background\_color (rinoh.table.TableCellStyle attribute), 88  
background\_color (rinoh.table.TableStyle attribute), 85  
BackgroundImage (class in rinoh.image), 107  
baseline (rinoh.inline.InlineFlowableStyle attribute), 43  
before (rinoh.image.CaptionStyle attribute), 32  
before (rinoh.inline.InlineFlowableStyle attribute), 45  
before (rinoh.paragraph.ParagraphStyle attribute), 41  
before (rinoh.reference.NoteMarkerStyle attribute), 53  
before (rinoh.reference.ReferencingParagraphStyle attribute), 50  
before (rinoh.structure.HeadingStyle attribute), 60  
before (rinoh.structure.ListItemLabelStyle attribute), 68  
before (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
before (rinoh.structure.TableOfContentsStyle attribute), 74  
before (rinoh.text.TextStyle attribute), 43  
BodyPageTemplate (class in rinoh.template), 132  
Book (class in rinoh.templates.book), 93  
Bool (class in rinoh.attribute), 99  
border (rinoh.flowable.FloatStyle attribute), 26  
border (rinoh.flowable.FlowableStyle attribute), 19  
border (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border (rinoh.image.CaptionStyle attribute), 29  
border (rinoh.image.FigureStyle attribute), 33  
border (rinoh.index.IndexStyle attribute), 36  
border (rinoh.inline.InlineFlowableStyle attribute), 45  
border (rinoh.paragraph.ParagraphStyle attribute), 39  
border (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border (rinoh.structure.AdmonitionStyle attribute), 80  
border (rinoh.structure.HeadingStyle attribute), 58  
border (rinoh.structure.HorizontalRuleStyle attribute), 82  
border (rinoh.structure.ListItemLabelStyle attribute), 66

border (rinoh.structure.ListStyle attribute), 62  
border (rinoh.structure.SectionStyle attribute), 55  
border (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border (rinoh.structure.TableOfContentsStyle attribute), 70  
border (rinoh.table.TableCellStyle attribute), 87  
border (rinoh.table.TableStyle attribute), 85  
border\_bottom (rinoh.flowable.FloatStyle attribute), 27  
border\_bottom (rinoh.flowable.FlowableStyle attribute), 20  
border\_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_bottom (rinoh.image.CaptionStyle attribute), 29  
border\_bottom (rinoh.image.FigureStyle attribute), 34  
border\_bottom (rinoh.index.IndexStyle attribute), 36  
border\_bottom (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_bottom (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_bottom (rinoh.structure.AdmonitionStyle attribute), 81  
border\_bottom (rinoh.structure.HeadingStyle attribute), 58  
border\_bottom (rinoh.structure.HorizontalRuleStyle attribute), 83  
border\_bottom (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_bottom (rinoh.structure.ListStyle attribute), 63  
border\_bottom (rinoh.structure.SectionStyle attribute), 55  
border\_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_bottom (rinoh.structure.TableOfContentsStyle attribute), 71  
border\_bottom (rinoh.table.TableCellStyle attribute), 88  
border\_bottom (rinoh.table.TableStyle attribute), 85  
border\_left (rinoh.flowable.FloatStyle attribute), 26  
border\_left (rinoh.flowable.FlowableStyle attribute), 19  
border\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_left (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_left (rinoh.image.CaptionStyle attribute), 29  
border\_left (rinoh.image.FigureStyle attribute), 33  
border\_left (rinoh.index.IndexStyle attribute), 36  
border\_left (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_left (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_left (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_left (rinoh.structure.AdmonitionStyle attribute), 80  
border\_left (rinoh.structure.HeadingStyle attribute), 58  
border\_left (rinoh.structure.HorizontalRuleStyle attribute), 82  
border\_left (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_left (rinoh.structure.ListStyle attribute), 62  
border\_left (rinoh.structure.SectionStyle attribute), 55  
border\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_left (rinoh.structure.TableOfContentsStyle attribute), 70  
border\_left (rinoh.table.TableCellStyle attribute), 87  
border\_left (rinoh.table.TableStyle attribute), 85  
border\_right (rinoh.flowable.FloatStyle attribute), 26  
border\_right (rinoh.flowable.FlowableStyle attribute), 19  
border\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_right (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_right (rinoh.image.CaptionStyle attribute), 29  
border\_right (rinoh.image.FigureStyle attribute), 33  
border\_right (rinoh.index.IndexStyle attribute), 36  
border\_right (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_right (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_right (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_right (rinoh.structure.AdmonitionStyle attribute), 81  
border\_right (rinoh.structure.HeadingStyle attribute), 58

border\_right (rinoh.structure.HorizontalRuleStyle attribute), 83  
border\_right (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_right (rinoh.structure.ListStyle attribute), 63  
border\_right (rinoh.structure.SectionStyle attribute), 55  
border\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_right (rinoh.structure.TableOfContentsStyle attribute), 70  
border\_right (rinoh.table.TableCellStyle attribute), 87  
border\_right (rinoh.table.TableStyle attribute), 85  
border\_top (rinoh.flowable.FloatStyle attribute), 27  
border\_top (rinoh.flowable.FlowableStyle attribute), 20  
border\_top (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
border\_top (rinoh.flowable.LabeledFlowableStyle attribute), 22  
border\_top (rinoh.image.CaptionStyle attribute), 29  
border\_top (rinoh.image.FigureStyle attribute), 33  
border\_top (rinoh.index.IndexStyle attribute), 36  
border\_top (rinoh.inline.InlineFlowableStyle attribute), 45  
border\_top (rinoh.paragraph.ParagraphStyle attribute), 39  
border\_top (rinoh.reference.ReferencingParagraphStyle attribute), 48  
border\_top (rinoh.structure.AdmonitionStyle attribute), 81  
border\_top (rinoh.structure.HeadingStyle attribute), 58  
border\_top (rinoh.structure.HorizontalRuleStyle attribute), 83  
border\_top (rinoh.structure.ListItemLabelStyle attribute), 66  
border\_top (rinoh.structure.ListStyle attribute), 63  
border\_top (rinoh.structure.SectionStyle attribute), 55  
border\_top (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
border\_top (rinoh.structure.TableOfContentsStyle attribute), 70  
border\_top (rinoh.table.TableCellStyle attribute), 88  
border\_top (rinoh.table.TableStyle attribute), 85  
bottom\_margin (rinoh.template.BodyPageTemplate attribute), 134  
bottom\_margin (rinoh.template.PageTemplateBase attribute), 136  
bottom\_margin (rinoh.template.TitlePageTemplate attribute), 135  
build\_document() (rinoh.flowable.StaticGroupedFlowables method), 105  
bullet (rinoh.structure.ListStyle attribute), 61

## C

Caption (class in rinoh.image), 108  
CaptionStyle (class in rinoh.image), 27  
caution (rinoh.structure.AdmonitionTitles attribute), 124  
chapter (rinoh.structure.SectionTitles attribute), 122  
chapter\_footer\_text (rinoh.template.BodyPageTemplate attribute), 133  
chapter\_header\_text (rinoh.template.BodyPageTemplate attribute), 133  
chapter\_title\_flowables (rinoh.template.BodyPageTemplate attribute), 133  
chapter\_title\_height (rinoh.template.BodyPageTemplate attribute), 133  
CM (in module rinoh.dimension), 101  
Color (class in rinoh.color), 100  
column\_spacing (rinoh.template.BodyPageTemplate attribute), 132  
column\_widths (rinoh.table.TableStyle attribute), 83  
columns (rinoh.template.BodyPageTemplate attribute), 132  
Configuration (rinoh.template.DocumentTemplate attribute), 129  
Configuration (rinoh.templates.article.Article attribute), 92  
Configuration (rinoh.templates.book.Book attribute), 97  
configuration\_class (rinoh.style.Styled attribute), 126  
configuration\_class (rinoh.template.DocumentPart attribute), 130  
ConfigurationFile (rinoh.template.DocumentTemplate attribute), 129  
ConfigurationFile (rinoh.templates.article.Article attribute), 93  
ConfigurationFile (rinoh.templates.book.Book attribute), 97  
contents (rinoh.structure.SectionTitles attribute), 122

contents (rinoh.templates.article.Article attribute), 92  
contents (rinoh.templates.book.Book attribute), 94  
contents\_left\_page (rinoh.templates.book.Book attribute), 96  
contents\_page (rinoh.templates.article.Article attribute), 92  
contents\_page (rinoh.templates.book.Book attribute), 95  
contents\_right\_page (rinoh.templates.book.Book attribute), 95  
ContentsPartTemplate (class in rinoh.template), 131  
copy() (rinoh.text.MixedStyledText method), 118  
cover (rinoh.templates.book.Book attribute), 93  
cover\_page (rinoh.templates.book.Book attribute), 94  
CS (in module rinoh.language), 110  
custom\_label (rinoh.image.CaptionStyle attribute), 30  
custom\_label (rinoh.number.LabelStyle attribute), 115  
custom\_label (rinoh.number.NumberStyle attribute), 116  
custom\_label (rinoh.paragraph.ParagraphStyle attribute), 40  
custom\_label (rinoh.reference.NoteMarkerStyle attribute), 53  
custom\_label (rinoh.reference.ReferencingParagraphStyle attribute), 49  
custom\_label (rinoh.structure.HeadingStyle attribute), 59  
custom\_label (rinoh.structure.ListItemLabelStyle attribute), 67  
custom\_label (rinoh.structure.ListStyle attribute), 64  
custom\_label (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
custom\_label (rinoh.structure.TableOfContentsStyle attribute), 72

## D

danger (rinoh.structure.AdmonitionTitles attribute), 124  
DEFAULT (in module rinoh.paragraph), 120  
DefaultSpacing (class in rinoh.paragraph), 119  
DefinitionList (class in rinoh.structure), 123  
depth (rinoh.structure.TableOfContentsStyle attribute), 69  
Dimension (class in rinoh.dimension), 100  
doc\_format() (rinoh.color.Color class method), 100  
Document (class in rinoh.document), 101  
document() (rinoh.template.TemplateConfiguration method), 129  
DocumentPart (class in rinoh.template), 129  
DocumentPartTemplate (class in rinoh.template), 130  
DocumentTemplate (class in rinoh.template), 128  
DocumentTree (class in rinoh.document), 101  
DOUBLE (in module rinoh.paragraph), 120  
dpi (rinoh.image.ImageArgs attribute), 108  
drop\_if\_empty (rinoh.template.ContentsPartTemplate attribute), 131  
drop\_if\_empty (rinoh.template.DocumentPartTemplate attribute), 130  
drop\_if\_empty (rinoh.template.FixedDocumentPartTemplate attribute), 132  
drop\_if\_empty (rinoh.template.TitlePartTemplate attribute), 130  
DummyFlowable (class in rinoh.flowable), 103

## E

EN (in module rinoh.language), 110  
encoding (rinoh.font.Font attribute), 106  
end\_at\_page (rinoh.template.ContentsPartTemplate attribute), 131  
end\_at\_page (rinoh.template.DocumentPartTemplate attribute), 130  
end\_at\_page (rinoh.template.FixedDocumentPartTemplate attribute), 132  
end\_at\_page (rinoh.template.TitlePartTemplate attribute), 131  
error (rinoh.structure.AdmonitionTitles attribute), 124  
extra (rinoh.template.TitlePageTemplate attribute), 134

## F

Field (class in rinoh.reference), 121

Figure (class in `rinoh.image`), 109  
FigureStyle (class in `rinoh.image`), 32  
`file_or_filename` (`rinoh.image.ImageArgs` attribute), 108  
`fill_color` (`rinoh.draw.ShapeStyle` attribute), 18  
`fill_color` (`rinoh.table.TableCellBackgroundStyle` attribute), 88  
`find_source()` (`rinoh.attribute.RuleSet` method), 99  
`FixedDocumentPartTemplate` (class in `rinoh.template`), 131  
`FixedSpacing` (class in `rinoh.paragraph`), 119  
`Float` (class in `rinoh.flowable`), 105  
`float` (`rinoh.flowable.FloatStyle` attribute), 25  
`float` (`rinoh.image.FigureStyle` attribute), 32  
`FloatStyle` (class in `rinoh.flowable`), 25  
`flow()` (`rinoh.flowable.Float` method), 105  
`flow()` (`rinoh.index.IndexTarget` method), 109  
`flow()` (`rinoh.reference.Note` method), 121  
`flow()` (`rinoh.structure.Heading` method), 122  
`Flowable` (class in `rinoh.flowable`), 103  
`flowable_spacing` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
`flowable_spacing` (`rinoh.image.FigureStyle` attribute), 34  
`flowable_spacing` (`rinoh.index.IndexStyle` attribute), 35  
`flowable_spacing` (`rinoh.structure.AdmonitionStyle` attribute), 79  
`flowable_spacing` (`rinoh.structure.ListStyle` attribute), 61  
`flowable_spacing` (`rinoh.structure.SectionStyle` attribute), 54  
`flowable_spacing` (`rinoh.structure.TableOfContentsStyle` attribute), 69  
`flowable_spacing` (`rinoh.table.TableCellStyle` attribute), 86  
`flowables` (`rinoh.template.FixedDocumentPartTemplate` attribute), 131  
`flowables()` (`rinoh.flowable.GroupedFlowables` method), 104  
`flowables()` (`rinoh.flowable.StaticGroupedFlowables` method), 105  
`flowables()` (`rinoh.index.Index` method), 109  
`flowables()` (`rinoh.structure.Admonition` method), 123  
`flowables()` (`rinoh.structure.TableOfContents` method), 123  
`FlowableState` (class in `rinoh.flowable`), 103  
`FlowableStyle` (class in `rinoh.flowable`), 18  
`FlowableWidth` (class in `rinoh.flowable`), 105  
`Font` (class in `rinoh.font`), 105  
`font_color` (`rinoh.image.CaptionStyle` attribute), 31  
`font_color` (`rinoh.paragraph.ParagraphStyle` attribute), 40  
`font_color` (`rinoh.reference.NoteMarkerStyle` attribute), 52  
`font_color` (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
`font_color` (`rinoh.structure.HeadingStyle` attribute), 59  
`font_color` (`rinoh.structure.ListItemLabelStyle` attribute), 67  
`font_color` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 78  
`font_color` (`rinoh.structure.TableOfContentsStyle` attribute), 73  
`font_color` (`rinoh.text.TextStyle` attribute), 42  
`font_size` (`rinoh.image.CaptionStyle` attribute), 31  
`font_size` (`rinoh.paragraph.ParagraphStyle` attribute), 40  
`font_size` (`rinoh.reference.NoteMarkerStyle` attribute), 52  
`font_size` (`rinoh.reference.ReferencingParagraphStyle` attribute), 49  
`font_size` (`rinoh.structure.HeadingStyle` attribute), 59  
`font_size` (`rinoh.structure.ListItemLabelStyle` attribute), 67  
`font_size` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 77  
`font_size` (`rinoh.structure.TableOfContentsStyle` attribute), 73  
`font_size` (`rinoh.text.TextStyle` attribute), 42  
`font_slant` (`rinoh.image.CaptionStyle` attribute), 30  
`font_slant` (`rinoh.paragraph.ParagraphStyle` attribute), 40  
`font_slant` (`rinoh.reference.NoteMarkerStyle` attribute), 51  
`font_slant` (`rinoh.reference.ReferencingParagraphStyle` attribute), 49  
`font_slant` (`rinoh.structure.HeadingStyle` attribute), 59

font\_slant (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_slant (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
font\_slant (rinoh.structure.TableOfContentsStyle attribute), 72  
font\_slant (rinoh.text.TextStyle attribute), 42  
font\_variant (rinoh.image.CaptionStyle attribute), 31  
font\_variant (rinoh.paragraph.ParagraphStyle attribute), 41  
font\_variant (rinoh.reference.NoteMarkerStyle attribute), 52  
font\_variant (rinoh.reference.ReferencingParagraphStyle attribute), 50  
font\_variant (rinoh.structure.HeadingStyle attribute), 60  
font\_variant (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_variant (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
font\_variant (rinoh.structure.TableOfContentsStyle attribute), 73  
font\_variant (rinoh.text.TextStyle attribute), 42  
font\_weight (rinoh.image.CaptionStyle attribute), 30  
font\_weight (rinoh.paragraph.ParagraphStyle attribute), 40  
font\_weight (rinoh.reference.NoteMarkerStyle attribute), 51  
font\_weight (rinoh.reference.ReferencingParagraphStyle attribute), 49  
font\_weight (rinoh.structure.HeadingStyle attribute), 59  
font\_weight (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_weight (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
font\_weight (rinoh.structure.TableOfContentsStyle attribute), 72  
font\_weight (rinoh.text.TextStyle attribute), 42  
font\_width (rinoh.image.CaptionStyle attribute), 30  
font\_width (rinoh.paragraph.ParagraphStyle attribute), 40  
font\_width (rinoh.reference.NoteMarkerStyle attribute), 51  
font\_width (rinoh.reference.ReferencingParagraphStyle attribute), 49  
font\_width (rinoh.structure.HeadingStyle attribute), 59  
font\_width (rinoh.structure.ListItemLabelStyle attribute), 67  
font\_width (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
font\_width (rinoh.structure.TableOfContentsStyle attribute), 72  
font\_width (rinoh.text.TextStyle attribute), 42  
fonts() (rinoh.font.Typeface method), 106  
FontSlant (class in rinoh.font.style), 107  
FontVariant (class in rinoh.font.style), 107  
FontWeight (class in rinoh.font.style), 107  
FontSize (class in rinoh.font.style), 107  
footer\_text (rinoh.template.BodyPageTemplate attribute), 133  
format\_number() (in module rinoh.number), 116  
FR (in module rinoh.language), 111  
front\_matter (rinoh.templates.article.Article attribute), 92  
front\_matter (rinoh.templates.book.Book attribute), 94  
front\_matter\_left\_page (rinoh.templates.book.Book attribute), 95  
front\_matter\_page (rinoh.templates.article.Article attribute), 92  
front\_matter\_page (rinoh.templates.book.Book attribute), 95  
front\_matter\_right\_page (rinoh.templates.book.Book attribute), 95

## G

get\_font() (rinoh.font.Typeface method), 107  
get\_glyph\_metrics() (rinoh.font.Font method), 106  
get\_kerning() (rinoh.font.Font method), 106  
get\_ligature() (rinoh.font.Font method), 106  
get\_position() (rinoh.paragraph.TabStop method), 120  
get\_rowspanned\_columns() (rinoh.table.TableRow method), 127  
get\_selector() (rinoh.style.StyleSheet method), 126  
Glyph (class in rinoh.paragraph), 120  
GlyphsSpan (class in rinoh.paragraph), 120  
Gray (class in rinoh.color), 100

GroupedFlowables (class in `rinoh.flowable`), 104  
GroupedFlowablesState (class in `rinoh.flowable`), 104  
GroupedFlowablesStyle (class in `rinoh.flowable`), 23  
GroupedLabeledFlowables (class in `rinoh.flowable`), 105  
`grow()` (`rinoh.dimension.Dimension` method), 100

## H

`has_class` (`rinoh.style.Styled` property), 126  
`has_classes` (`rinoh.style.Styled` property), 126  
`has_id` (`rinoh.style.Styled` property), 126  
`header_footer_distance` (`rinoh.template.BodyPageTemplate` attribute), 132  
`header_text` (`rinoh.template.BodyPageTemplate` attribute), 132  
Heading (class in `rinoh.structure`), 122  
HeadingStyle (class in `rinoh.structure`), 56  
`height` (`rinoh.image.ImageArgs` attribute), 108  
`height()` (`rinoh.text.StyledText` method), 118  
HexColor (class in `rinoh.color`), 100  
`hide` (`rinoh.draw.LineStyle` attribute), 18  
`hide` (`rinoh.draw.ShapeStyle` attribute), 18  
`hide` (`rinoh.flowable.FloatStyle` attribute), 27  
`hide` (`rinoh.flowable.FlowableStyle` attribute), 20  
`hide` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 25  
`hide` (`rinoh.flowable.LabeledFlowableStyle` attribute), 22  
`hide` (`rinoh.image.CaptionStyle` attribute), 32  
`hide` (`rinoh.image.FigureStyle` attribute), 34  
`hide` (`rinoh.index.IndexStyle` attribute), 37  
`hide` (`rinoh.inline.InlineFlowableStyle` attribute), 45  
`hide` (`rinoh.number.LabelStyle` attribute), 115  
`hide` (`rinoh.number.NumberStyle` attribute), 116  
`hide` (`rinoh.paragraph.ParagraphStyle` attribute), 39  
`hide` (`rinoh.reference.NoteMarkerStyle` attribute), 53  
`hide` (`rinoh.reference.ReferencingParagraphStyle` attribute), 51  
`hide` (`rinoh.structure.AdmonitionStyle` attribute), 81  
`hide` (`rinoh.structure.HeadingStyle` attribute), 61  
`hide` (`rinoh.structure.HorizontalRuleStyle` attribute), 83  
`hide` (`rinoh.structure.ListItemLabelStyle` attribute), 68  
`hide` (`rinoh.structure.ListStyle` attribute), 63  
`hide` (`rinoh.structure.SectionStyle` attribute), 56  
`hide` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 79  
`hide` (`rinoh.structure.TableOfContentsStyle` attribute), 71  
`hide` (`rinoh.style.Style` attribute), 126  
`hide` (`rinoh.table.TableCellBackgroundColor` attribute), 89  
`hide` (`rinoh.table.TableCellBorderStyle` attribute), 88  
`hide` (`rinoh.table.TableCellStyle` attribute), 88  
`hide` (`rinoh.table.TableStyle` attribute), 86  
`hide` (`rinoh.text.TextStyle` attribute), 43  
`hint` (`rinoh.structure.AdmonitionTitles` attribute), 124  
`horizontal_align` (`rinoh.flowable.FloatStyle` attribute), 25  
`horizontal_align` (`rinoh.flowable.FlowableStyle` attribute), 18  
`horizontal_align` (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
`horizontal_align` (`rinoh.flowable.LabeledFlowableStyle` attribute), 21  
`horizontal_align` (`rinoh.image.CaptionStyle` attribute), 28  
`horizontal_align` (`rinoh.image.FigureStyle` attribute), 32  
`horizontal_align` (`rinoh.index.IndexStyle` attribute), 35  
`horizontal_align` (`rinoh.inline.InlineFlowableStyle` attribute), 44  
`horizontal_align` (`rinoh.paragraph.ParagraphStyle` attribute), 38  
`horizontal_align` (`rinoh.reference.ReferencingParagraphStyle` attribute), 47

horizontal\_align (`rinoh.structure.AdmonitionStyle` attribute), 79  
horizontal\_align (`rinoh.structure.HeadingStyle` attribute), 57  
horizontal\_align (`rinoh.structure.HorizontalRuleStyle` attribute), 81  
horizontal\_align (`rinoh.structure.ListItemLabelStyle` attribute), 65  
horizontal\_align (`rinoh.structure.ListStyle` attribute), 61  
horizontal\_align (`rinoh.structure.SectionStyle` attribute), 54  
horizontal\_align (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75  
horizontal\_align (`rinoh.structure.TableOfContentsStyle` attribute), 69  
horizontal\_align (`rinoh.table.TableCellStyle` attribute), 86  
horizontal\_align (`rinoh.table.TableStyle` attribute), 84  
HorizontalAlignment (class in `rinoh.flowable`), 105  
HorizontalRule (class in `rinoh.structure`), 125  
HorizontalRuleStyle (class in `rinoh.structure`), 81  
hyphen\_chars (`rinoh.image.CaptionStyle` attribute), 31  
hyphen\_chars (`rinoh.paragraph.ParagraphStyle` attribute), 41  
hyphen\_chars (`rinoh.reference.NoteMarkerStyle` attribute), 52  
hyphen\_chars (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
hyphen\_chars (`rinoh.structure.HeadingStyle` attribute), 60  
hyphen\_chars (`rinoh.structure.ListItemLabelStyle` attribute), 68  
hyphen\_chars (`rinoh.structure.TableOfContentsEntryStyle` attribute), 78  
hyphen\_chars (`rinoh.structure.TableOfContentsStyle` attribute), 73  
hyphen\_chars (`rinoh.text.TextStyle` attribute), 43  
hyphen\_lang (`rinoh.image.CaptionStyle` attribute), 31  
hyphen\_lang (`rinoh.paragraph.ParagraphStyle` attribute), 41  
hyphen\_lang (`rinoh.reference.NoteMarkerStyle` attribute), 52  
hyphen\_lang (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
hyphen\_lang (`rinoh.structure.HeadingStyle` attribute), 60  
hyphen\_lang (`rinoh.structure.ListItemLabelStyle` attribute), 68  
hyphen\_lang (`rinoh.structure.TableOfContentsEntryStyle` attribute), 78  
hyphen\_lang (`rinoh.structure.TableOfContentsStyle` attribute), 73  
hyphen\_lang (`rinoh.text.TextStyle` attribute), 43  
hyphenate (`rinoh.image.CaptionStyle` attribute), 31  
hyphenate (`rinoh.paragraph.ParagraphStyle` attribute), 41  
hyphenate (`rinoh.reference.NoteMarkerStyle` attribute), 52  
hyphenate (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
hyphenate (`rinoh.structure.HeadingStyle` attribute), 60  
hyphenate (`rinoh.structure.ListItemLabelStyle` attribute), 68  
hyphenate (`rinoh.structure.TableOfContentsEntryStyle` attribute), 78  
hyphenate (`rinoh.structure.TableOfContentsStyle` attribute), 73  
hyphenate (`rinoh.text.TextStyle` attribute), 43  
HyphenatorStore (class in `rinoh.paragraph`), 120

## |

Image (class in `rinoh.image`), 107  
ImageArgs (class in `rinoh.image`), 108  
important (`rinoh.structure.AdmonitionTitles` attribute), 124  
INCH (in module `rinoh.dimension`), 101  
indent\_first (`rinoh.image.CaptionStyle` attribute), 27  
indent\_first (`rinoh.paragraph.ParagraphStyle` attribute), 37  
indent\_first (`rinoh.reference.ReferencingParagraphStyle` attribute), 46  
indent\_first (`rinoh.structure.HeadingStyle` attribute), 56  
indent\_first (`rinoh.structure.ListItemLabelStyle` attribute), 64  
indent\_first (`rinoh.structure.TableOfContentsEntryStyle` attribute), 74  
indent\_first (`rinoh.structure.TableOfContentsStyle` attribute), 71  
Index (class in `rinoh.index`), 109  
index (`rinoh.structure.SectionTitles` attribute), 123  
IndexLabel (class in `rinoh.index`), 109

IndexSection (class in rinoh.index), 109  
IndexStyle (class in rinoh.index), 34  
IndexTarget (class in rinoh.index), 109  
IndexTerm (class in rinoh.index), 109  
initials (rinoh.index.IndexStyle attribute), 34  
inline\_title (rinoh.structure.AdmonitionStyle attribute), 79  
InlineFlowable (class in rinoh.inline), 118  
InlineFlowableStyle (class in rinoh.inline), 43  
InlineImage (class in rinoh.image), 107  
InlineIndexTarget (class in rinoh.index), 109  
input  
    rinoh command line option, 5  
Integer (class in rinoh.attribute), 99  
is\_script() (rinoh.text.StyledText method), 117  
IT (in module rinoh.language), 112  
items (rinoh.text.MixedStyledText property), 118  
items (rinoh.text.StyledText property), 118

## J

JUNIOR\_LEGAL (in module rinoh.paper), 117

## K

keep\_with\_next (rinoh.flowable.FloatStyle attribute), 26  
keep\_with\_next (rinoh.flowable.FlowableStyle attribute), 19  
keep\_with\_next (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
keep\_with\_next (rinoh.flowable.LabeledFlowableStyle attribute), 22  
keep\_with\_next (rinoh.image.CaptionStyle attribute), 29  
keep\_with\_next (rinoh.image.FigureStyle attribute), 33  
keep\_with\_next (rinoh.index.IndexStyle attribute), 36  
keep\_with\_next (rinoh.inline.InlineFlowableStyle attribute), 45  
keep\_with\_next (rinoh.paragraph.ParagraphStyle attribute), 39  
keep\_with\_next (rinoh.reference.ReferencingParagraphStyle attribute), 48  
keep\_with\_next (rinoh.structure.AdmonitionStyle attribute), 80  
keep\_with\_next (rinoh.structure.HeadingStyle attribute), 56  
keep\_with\_next (rinoh.structure.HorizontalRuleStyle attribute), 82  
keep\_with\_next (rinoh.structure.ListItemLabelStyle attribute), 66  
keep\_with\_next (rinoh.structure.ListStyle attribute), 62  
keep\_with\_next (rinoh.structure.SectionStyle attribute), 55  
keep\_with\_next (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
keep\_with\_next (rinoh.structure.TableOfContentsStyle attribute), 70  
keep\_with\_next (rinoh.table.TableCellStyle attribute), 87  
keep\_with\_next (rinoh.table.TableStyle attribute), 85  
kerning (rinoh.image.CaptionStyle attribute), 31  
kerning (rinoh.paragraph.ParagraphStyle attribute), 41  
kerning (rinoh.reference.NoteMarkerStyle attribute), 52  
kerning (rinoh.reference.ReferencingParagraphStyle attribute), 50  
kerning (rinoh.structure.HeadingStyle attribute), 60  
kerning (rinoh.structure.ListItemLabelStyle attribute), 68  
kerning (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
kerning (rinoh.structure.TableOfContentsStyle attribute), 73  
kerning (rinoh.text.TextStyle attribute), 42

## L

Label (class in rinoh.number), 115  
label\_max\_width (rinoh.flowable.LabeledFlowableStyle attribute), 20  
label\_min\_width (rinoh.flowable.LabeledFlowableStyle attribute), 20  
label\_prefix (rinoh.image.CaptionStyle attribute), 30

label\_prefix (rinoh.number.LabelStyle attribute), 115  
label\_prefix (rinoh.number.NumberStyle attribute), 115  
label\_prefix (rinoh.paragraph.ParagraphStyle attribute), 40  
label\_prefix (rinoh.reference.NoteMarkerStyle attribute), 53  
label\_prefix (rinoh.reference.ReferencingParagraphStyle attribute), 49  
label\_prefix (rinoh.structure.HeadingStyle attribute), 59  
label\_prefix (rinoh.structure.ListItemLabelStyle attribute), 66  
label\_prefix (rinoh.structure.ListStyle attribute), 63  
label\_prefix (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
label\_prefix (rinoh.structure.TableOfContentsStyle attribute), 72  
label\_spacing (rinoh.flowable.LabeledFlowableStyle attribute), 20  
label\_suffix (rinoh.image.CaptionStyle attribute), 30  
label\_suffix (rinoh.number.LabelStyle attribute), 115  
label\_suffix (rinoh.number.NumberStyle attribute), 116  
label\_suffix (rinoh.paragraph.ParagraphStyle attribute), 40  
label\_suffix (rinoh.reference.NoteMarkerStyle attribute), 53  
label\_suffix (rinoh.reference.ReferencingParagraphStyle attribute), 49  
label\_suffix (rinoh.structure.HeadingStyle attribute), 59  
label\_suffix (rinoh.structure.ListItemLabelStyle attribute), 67  
label\_suffix (rinoh.structure.ListStyle attribute), 63  
label\_suffix (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
label\_suffix (rinoh.structure.TableOfContentsStyle attribute), 72  
LabeledFlowable (class in rinoh.flowable), 104  
LabeledFlowableState (class in rinoh.flowable), 104  
LabeledFlowableStyle (class in rinoh.flowable), 20  
LabelStyle (class in rinoh.number), 115  
Language (class in rinoh.language), 109  
language (rinoh.template.DocumentTemplate attribute), 128  
language (rinoh.templates.article.Article attribute), 91  
language (rinoh.templates.book.Book attribute), 93  
languages (rinoh.language.Language attribute), 109  
Leading (class in rinoh.paragraph), 119  
LEDGER (in module rinoh.paper), 117  
left\_margin (rinoh.template.BodyPageTemplate attribute), 133  
left\_margin (rinoh.template.PageTemplateBase attribute), 136  
left\_margin (rinoh.template.TitlePageTemplate attribute), 135  
LEGAL (in module rinoh.paper), 117  
LETTER (in module rinoh.paper), 117  
ligatures (rinoh.image.CaptionStyle attribute), 31  
ligatures (rinoh.paragraph.ParagraphStyle attribute), 41  
ligatures (rinoh.reference.NoteMarkerStyle attribute), 52  
ligatures (rinoh.reference.ReferencingParagraphStyle attribute), 50  
ligatures (rinoh.structure.HeadingStyle attribute), 60  
ligatures (rinoh.structure.ListItemLabelStyle attribute), 68  
ligatures (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
ligatures (rinoh.structure.TableOfContentsStyle attribute), 73  
ligatures (rinoh.text.TextStyle attribute), 43  
limit\_width (rinoh.image.ImageArgs attribute), 108  
Line (class in rinoh.draw), 102  
line\_spacing (rinoh.image.CaptionStyle attribute), 28  
line\_spacing (rinoh.paragraph.ParagraphStyle attribute), 37  
line\_spacing (rinoh.reference.ReferencingParagraphStyle attribute), 46  
line\_spacing (rinoh.structure.HeadingStyle attribute), 56  
line\_spacing (rinoh.structure.ListItemLabelStyle attribute), 64  
line\_spacing (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
line\_spacing (rinoh.structure.TableOfContentsStyle attribute), 71  
LineSpacing (class in rinoh.paragraph), 119  
LineStyle (class in rinoh.draw), 17

link (rinoh.reference.NoteMarkerStyle attribute), 51  
List (class in rinoh.structure), 123  
list\_class (rinoh.image.ListOfFiguresSection attribute), 109  
list\_class (rinoh.table.ListOfTablesSection attribute), 128  
list\_of\_figures (rinoh.structure.SectionTitles attribute), 122  
list\_of\_tables (rinoh.structure.SectionTitles attribute), 122  
ListItemLabelStyle (class in rinoh.structure), 64  
ListOfFigures (class in rinoh.image), 109  
ListOfFiguresSection (class in rinoh.image), 109  
ListOfTables (class in rinoh.table), 128  
ListOfTablesSection (class in rinoh.table), 128  
ListStyle (class in rinoh.structure), 61  
Locale (class in rinoh.text), 118  
location (rinoh.attribute.RuleSetFile property), 99

## M

margin\_left (rinoh.flowable.FloatStyle attribute), 25  
margin\_left (rinoh.flowable.FlowableStyle attribute), 19  
margin\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
margin\_left (rinoh.flowable.LabeledFlowableStyle attribute), 21  
margin\_left (rinoh.image.CaptionStyle attribute), 28  
margin\_left (rinoh.image.FigureStyle attribute), 32  
margin\_left (rinoh.index.IndexStyle attribute), 35  
margin\_left (rinoh.inline.InlineFlowableStyle attribute), 44  
margin\_left (rinoh.paragraph.ParagraphStyle attribute), 38  
margin\_left (rinoh.reference.ReferencingParagraphStyle attribute), 47  
margin\_left (rinoh.structure.AdmonitionStyle attribute), 80  
margin\_left (rinoh.structure.HeadingStyle attribute), 57  
margin\_left (rinoh.structure.HorizontalRuleStyle attribute), 82  
margin\_left (rinoh.structure.ListItemLabelStyle attribute), 65  
margin\_left (rinoh.structure.ListStyle attribute), 62  
margin\_left (rinoh.structure.SectionStyle attribute), 54  
margin\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
margin\_left (rinoh.structure.TableOfContentsStyle attribute), 69  
margin\_left (rinoh.table.TableCellStyle attribute), 87  
margin\_left (rinoh.table.TableStyle attribute), 84  
margin\_right (rinoh.flowable.FloatStyle attribute), 26  
margin\_right (rinoh.flowable.FlowableStyle attribute), 19  
margin\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
margin\_right (rinoh.flowable.LabeledFlowableStyle attribute), 21  
margin\_right (rinoh.image.CaptionStyle attribute), 28  
margin\_right (rinoh.image.FigureStyle attribute), 33  
margin\_right (rinoh.index.IndexStyle attribute), 35  
margin\_right (rinoh.inline.InlineFlowableStyle attribute), 44  
margin\_right (rinoh.paragraph.ParagraphStyle attribute), 38  
margin\_right (rinoh.reference.ReferencingParagraphStyle attribute), 47  
margin\_right (rinoh.structure.AdmonitionStyle attribute), 80  
margin\_right (rinoh.structure.HeadingStyle attribute), 57  
margin\_right (rinoh.structure.HorizontalRuleStyle attribute), 82  
margin\_right (rinoh.structure.ListItemLabelStyle attribute), 65  
margin\_right (rinoh.structure.ListStyle attribute), 62  
margin\_right (rinoh.structure.SectionStyle attribute), 54  
margin\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
margin\_right (rinoh.structure.TableOfContentsStyle attribute), 70  
margin\_right (rinoh.table.TableCellStyle attribute), 87  
margin\_right (rinoh.table.TableStyle attribute), 84  
matcher (in module rinoh.stylesheets), 11

MixedStyledText (class in `rinoh.text`), 118  
MM (in module `rinoh.dimension`), 101  
module  
    `rinoh.attribute`, 99  
    `rinoh.color`, 100  
    `rinoh.dimension`, 100  
    `rinoh.document`, 101  
    `rinoh.draw`, 102  
    `rinoh.flowable`, 103  
    `rinoh.font`, 105  
    `rinoh.font.style`, 107  
    `rinoh.image`, 107  
    `rinoh.index`, 109  
    `rinoh.inline`, 118  
    `rinoh.language`, 109  
    `rinoh.number`, 115  
    `rinoh.paper`, 116  
    `rinoh.paragraph`, 117  
    `rinoh.reference`, 120  
    `rinoh.strings`, 125  
    `rinoh.structure`, 122  
    `rinoh.style`, 125  
    `rinoh.stylesheets`, 11  
    `rinoh.table`, 127  
    `rinoh.template`, 128  
    `rinoh.templates.article`, 91  
    `rinoh.templates.book`, 93  
    `rinoh.text`, 117

## N

`new_page()` (`rinoh.template.DocumentPart` method), 130  
`NL` (in module `rinoh.language`), 113  
`no_break_after` (`rinoh.image.CaptionStyle` attribute), 31  
`no_break_after` (`rinoh.paragraph.ParagraphStyle` attribute), 41  
`no_break_after` (`rinoh.reference.NoteMarkerStyle` attribute), 52  
`no_break_after` (`rinoh.reference.ReferencingParagraphStyle` attribute), 50  
`no_break_after` (`rinoh.structure.HeadingStyle` attribute), 60  
`no_break_after` (`rinoh.structure.ListItemLabelStyle` attribute), 68  
`no_break_after` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 78  
`no_break_after` (`rinoh.structure.TableOfContentsStyle` attribute), 73  
`no_break_after` (`rinoh.text.TextStyle` attribute), 43  
`NoBreakAfter` (class in `rinoh.text`), 118  
`Note` (class in `rinoh.reference`), 121  
`note` (`rinoh.structure.AdmonitionTitles` attribute), 124  
`NoteMarkerBase` (class in `rinoh.reference`), 121  
`NoteMarkerByID` (class in `rinoh.reference`), 121  
`NoteMarkerStyle` (class in `rinoh.reference`), 51  
`NoteMarkerWithNote` (class in `rinoh.reference`), 121  
`number_format` (`rinoh.image.CaptionStyle` attribute), 27  
`number_format` (`rinoh.number.NumberStyle` attribute), 115  
`number_format` (`rinoh.paragraph.ParagraphStyle` attribute), 37  
`number_format` (`rinoh.reference.NoteMarkerStyle` attribute), 53  
`number_format` (`rinoh.reference.ReferencingParagraphStyle` attribute), 47  
`number_format` (`rinoh.structure.HeadingStyle` attribute), 57  
`number_format` (`rinoh.structure.ListItemLabelStyle` attribute), 64  
`number_format` (`rinoh.structure.ListStyle` attribute), 63  
`number_format` (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75

number\_format (rinoh.structure.TableOfContentsStyle attribute), 71  
number\_separator (rinoh.image.CaptionStyle attribute), 28  
number\_separator (rinoh.paragraph.ParagraphStyle attribute), 38  
number\_separator (rinoh.reference.ReferencingParagraphStyle attribute), 47  
number\_separator (rinoh.structure.HeadingStyle attribute), 57  
number\_separator (rinoh.structure.ListItemLabelStyle attribute), 64  
number\_separator (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
number\_separator (rinoh.structure.TableOfContentsStyle attribute), 72  
NumberFormat (class in rinoh.number), 115  
numbering\_level (rinoh.image.CaptionStyle attribute), 27  
numbering\_level (rinoh.paragraph.ParagraphStyle attribute), 38  
numbering\_level (rinoh.reference.ReferencingParagraphStyle attribute), 47  
numbering\_level (rinoh.structure.HeadingStyle attribute), 56  
numbering\_level (rinoh.structure.ListItemLabelStyle attribute), 65  
numbering\_level (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
numbering\_level (rinoh.structure.TableOfContentsStyle attribute), 72  
NumberStyle (class in rinoh.number), 115

## O

OptionSet (class in rinoh.attribute), 99  
ordered (rinoh.structure.ListStyle attribute), 61  
OverrideDefault (class in rinoh.attribute), 99

## P

padding (rinoh.flowable.FloatStyle attribute), 26  
padding (rinoh.flowable.FlowableStyle attribute), 19  
padding (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding (rinoh.image.CaptionStyle attribute), 29  
padding (rinoh.image.FigureStyle attribute), 33  
padding (rinoh.index.IndexStyle attribute), 35  
padding (rinoh.inline.InlineFlowableStyle attribute), 44  
padding (rinoh.paragraph.ParagraphStyle attribute), 38  
padding (rinoh.reference.ReferencingParagraphStyle attribute), 47  
padding (rinoh.structure.AdmonitionStyle attribute), 80  
padding (rinoh.structure.HeadingStyle attribute), 57  
padding (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding (rinoh.structure.ListItemLabelStyle attribute), 65  
padding (rinoh.structure.ListStyle attribute), 62  
padding (rinoh.structure.SectionStyle attribute), 54  
padding (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
padding (rinoh.structure.TableOfContentsStyle attribute), 70  
padding (rinoh.table.TableCellStyle attribute), 87  
padding (rinoh.table.TableStyle attribute), 84  
padding\_bottom (rinoh.flowable.FloatStyle attribute), 26  
padding\_bottom (rinoh.flowable.FlowableStyle attribute), 19  
padding\_bottom (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_bottom (rinoh.flowable.LabeledFlowableStyle attribute), 22  
padding\_bottom (rinoh.image.CaptionStyle attribute), 29  
padding\_bottom (rinoh.image.FigureStyle attribute), 33  
padding\_bottom (rinoh.index.IndexStyle attribute), 36  
padding\_bottom (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_bottom (rinoh.paragraph.ParagraphStyle attribute), 39  
padding\_bottom (rinoh.reference.ReferencingParagraphStyle attribute), 48  
padding\_bottom (rinoh.structure.AdmonitionStyle attribute), 80  
padding\_bottom (rinoh.structure.HeadingStyle attribute), 58  
padding\_bottom (rinoh.structure.HorizontalRuleStyle attribute), 82

padding\_bottom (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_bottom (rinoh.structure.ListStyle attribute), 62  
padding\_bottom (rinoh.structure.SectionStyle attribute), 55  
padding\_bottom (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
padding\_bottom (rinoh.structure.TableOfContentsStyle attribute), 70  
padding\_bottom (rinoh.table.TableCellStyle attribute), 87  
padding\_bottom (rinoh.table.TableStyle attribute), 85  
padding\_left (rinoh.flowable.FloatStyle attribute), 26  
padding\_left (rinoh.flowable.FlowableStyle attribute), 19  
padding\_left (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_left (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_left (rinoh.image.CaptionStyle attribute), 29  
padding\_left (rinoh.image.FigureStyle attribute), 33  
padding\_left (rinoh.index.IndexStyle attribute), 35  
padding\_left (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_left (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_left (rinoh.reference.ReferencingParagraphStyle attribute), 47  
padding\_left (rinoh.structure.AdmonitionStyle attribute), 80  
padding\_left (rinoh.structure.HeadingStyle attribute), 57  
padding\_left (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding\_left (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_left (rinoh.structure.ListStyle attribute), 62  
padding\_left (rinoh.structure.SectionStyle attribute), 54  
padding\_left (rinoh.structure.TableOfContentsEntryStyle attribute), 75  
padding\_left (rinoh.structure.TableOfContentsStyle attribute), 70  
padding\_left (rinoh.table.TableCellStyle attribute), 87  
padding\_left (rinoh.table.TableStyle attribute), 84  
padding\_right (rinoh.flowable.FloatStyle attribute), 26  
padding\_right (rinoh.flowable.FlowableStyle attribute), 19  
padding\_right (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_right (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_right (rinoh.image.CaptionStyle attribute), 29  
padding\_right (rinoh.image.FigureStyle attribute), 33  
padding\_right (rinoh.index.IndexStyle attribute), 36  
padding\_right (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_right (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_right (rinoh.reference.ReferencingParagraphStyle attribute), 48  
padding\_right (rinoh.structure.AdmonitionStyle attribute), 80  
padding\_right (rinoh.structure.HeadingStyle attribute), 58  
padding\_right (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding\_right (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_right (rinoh.structure.ListStyle attribute), 62  
padding\_right (rinoh.structure.SectionStyle attribute), 55  
padding\_right (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
padding\_right (rinoh.structure.TableOfContentsStyle attribute), 70  
padding\_right (rinoh.table.TableCellStyle attribute), 87  
padding\_right (rinoh.table.TableStyle attribute), 84  
padding\_top (rinoh.flowable.FloatStyle attribute), 26  
padding\_top (rinoh.flowable.FlowableStyle attribute), 19  
padding\_top (rinoh.flowable.GroupedFlowablesStyle attribute), 24  
padding\_top (rinoh.flowable.LabeledFlowableStyle attribute), 21  
padding\_top (rinoh.image.CaptionStyle attribute), 29  
padding\_top (rinoh.image.FigureStyle attribute), 33  
padding\_top (rinoh.index.IndexStyle attribute), 36  
padding\_top (rinoh.inline.InlineFlowableStyle attribute), 44  
padding\_top (rinoh.paragraph.ParagraphStyle attribute), 38  
padding\_top (rinoh.reference.ReferencingParagraphStyle attribute), 48  
padding\_top (rinoh.structure.AdmonitionStyle attribute), 80

padding\_top (rinoh.structure.HeadingStyle attribute), 58  
padding\_top (rinoh.structure.HorizontalRuleStyle attribute), 82  
padding\_top (rinoh.structure.ListItemLabelStyle attribute), 65  
padding\_top (rinoh.structure.ListStyle attribute), 62  
padding\_top (rinoh.structure.SectionStyle attribute), 55  
padding\_top (rinoh.structure.TableOfContentsEntryStyle attribute), 76  
padding\_top (rinoh.structure.TableOfContentsStyle attribute), 70  
padding\_top (rinoh.table.TableCellStyle attribute), 87  
padding\_top (rinoh.table.TableStyle attribute), 85  
Page (class in rinoh.document), 102  
page (rinoh.document.Page property), 102  
page (rinoh.templates.article.Article attribute), 92  
page (rinoh.templates.book.Book attribute), 94  
page\_break (rinoh.flowable.FloatStyle attribute), 27  
page\_break (rinoh.flowable.FlowableStyle attribute), 20  
page\_break (rinoh.flowable.GroupedFlowablesStyle attribute), 25  
page\_break (rinoh.flowable.LabeledFlowableStyle attribute), 22  
page\_break (rinoh.image.CaptionStyle attribute), 30  
page\_break (rinoh.image.FigureStyle attribute), 34  
page\_break (rinoh.index.IndexStyle attribute), 37  
page\_break (rinoh.inline.InlineFlowableStyle attribute), 45  
page\_break (rinoh.paragraph.ParagraphStyle attribute), 39  
page\_break (rinoh.reference.ReferencingParagraphStyle attribute), 49  
page\_break (rinoh.structure.AdmonitionStyle attribute), 81  
page\_break (rinoh.structure.HeadingStyle attribute), 58  
page\_break (rinoh.structure.HorizontalRuleStyle attribute), 83  
page\_break (rinoh.structure.ListItemLabelStyle attribute), 66  
page\_break (rinoh.structure.ListStyle attribute), 63  
page\_break (rinoh.structure.SectionStyle attribute), 56  
page\_break (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
page\_break (rinoh.structure.TableOfContentsStyle attribute), 71  
page\_break (rinoh.table.TableCellStyle attribute), 88  
page\_break (rinoh.table.TableStyle attribute), 85  
page\_number\_format (rinoh.template.ContentsPartTemplate attribute), 131  
page\_number\_format (rinoh.template.DocumentPartTemplate attribute), 130  
page\_number\_format (rinoh.template.FixedDocumentPartTemplate attribute), 132  
page\_number\_format (rinoh.template.TitlePartTemplate attribute), 131  
page\_number\_prefix (rinoh.template.ContentsPartTemplate attribute), 131  
page\_number\_prefix (rinoh.template.DocumentPartTemplate attribute), 130  
page\_number\_prefix (rinoh.template.FixedDocumentPartTemplate attribute), 132  
page\_number\_prefix (rinoh.template.TitlePartTemplate attribute), 131  
page\_orientation (rinoh.template.BodyPageTemplate attribute), 133  
page\_orientation (rinoh.template.PageTemplateBase attribute), 135  
page\_orientation (rinoh.template.TitlePageTemplate attribute), 134  
page\_size (rinoh.template.BodyPageTemplate attribute), 133  
page\_size (rinoh.template.PageTemplateBase attribute), 135  
page\_size (rinoh.template.TitlePageTemplate attribute), 134  
PageBreak (class in rinoh.flowable), 104  
PageNumberFormat (class in rinoh.document), 102  
PageOrientation (class in rinoh.document), 102  
PageTemplateBase (class in rinoh.template), 135  
PageType (class in rinoh.document), 102  
Paper (class in rinoh.paper), 116  
Paragraph (class in rinoh.paragraph), 117  
ParagraphBase (class in rinoh.paragraph), 117  
ParagraphState (class in rinoh.paragraph), 117  
ParagraphStyle (class in rinoh.paragraph), 37  
parse\_string() (rinoh.color.Color class method), 100

ParseError, 99  
parts (rinoh.template.DocumentTemplate attribute), 129  
parts (rinoh.templates.article.Article attribute), 91  
parts (rinoh.templates.book.Book attribute), 93  
PartsList (class in rinoh.template), 129  
PERCENT (in module rinoh.dimension), 101  
PICA (in module rinoh.dimension), 101  
PL (in module rinoh.language), 114  
place() (rinoh.document.Page method), 102  
Polygon (class in rinoh.draw), 103  
position (rinoh.image.CaptionStyle attribute), 31  
position (rinoh.paragraph.ParagraphStyle attribute), 41  
position (rinoh.reference.NoteMarkerStyle attribute), 52  
position (rinoh.reference.ReferencingParagraphStyle attribute), 50  
position (rinoh.structure.HeadingStyle attribute), 60  
position (rinoh.structure.ListItemLabelStyle attribute), 67  
position (rinoh.structure.TableOfContentsEntryStyle attribute), 78  
position (rinoh.structure.TableOfContentsStyle attribute), 73  
position (rinoh.text.TextStyle attribute), 42  
prepare() (rinoh.flowable.LabeledFlowable method), 104  
prepare() (rinoh.flowable.StaticGroupedFlowables method), 105  
prepare() (rinoh.paragraph.ParagraphBase method), 117  
prepare() (rinoh.reference.NoteMarkerBase method), 121  
prepare() (rinoh.reference.NoteMarkerWithNote method), 121  
prepare() (rinoh.structure.Heading method), 122  
prepare() (rinoh.table.Table method), 127  
prepare() (rinoh.table.TableRow method), 127  
prepare() (rinoh.table.TableSection method), 127  
prepare() (rinoh.text.MixedStyledText method), 118  
ProportionalSpacing (class in rinoh.paragraph), 119  
PT (in module rinoh.dimension), 101

## Q

QUARTERS (in module rinoh.dimension), 101  
quiet (rinoh.reference.NoteMarkerStyle attribute), 51

## R

Rectangle (class in rinoh.draw), 103  
Reference (class in rinoh.reference), 120  
ReferenceField (class in rinoh.reference), 120  
ReferenceText (class in rinoh.reference), 121  
ReferenceType (class in rinoh.reference), 121  
ReferencingParagraph (class in rinoh.reference), 121  
ReferencingParagraphStyle (class in rinoh.reference), 46  
render() (rinoh.document.Document method), 101  
render() (rinoh.document.Page method), 102  
render() (rinoh.flowable.GroupedFlowables method), 104  
render() (rinoh.flowable.GroupedLabeledFlowables method), 105  
render() (rinoh.flowable.LabeledFlowable method), 104  
render() (rinoh.paragraph.ParagraphBase method), 117  
render() (rinoh.structure.HorizontalRule method), 125  
render() (rinoh.table.Table method), 127  
repeat\_head (rinoh.table.TableStyle attribute), 84  
rgba (rinoh.color.Color property), 100  
right\_margin (rinoh.template.BodyPageTemplate attribute), 133  
right\_margin (rinoh.template.PageTemplateBase attribute), 136  
right\_margin (rinoh.template.TitlePageTemplate attribute), 135

rinoh command line option  
  --docs, 6  
  --format, 5  
  --help, 5  
  --install-resources, 5  
  --list-fonts, 6  
  --list-formats, 6  
  --list-options, 6  
  --list-stylesheets, 5  
  --list-templates, 5  
  --option, 5  
  --output, 5  
  --paper, 5  
  --stylesheet, 5  
  --template, 5  
  --version, 6  
  --versions, 6  
  -f, 5  
  -h, 5  
  -i, 5  
  -O, 5  
  -o, 5  
  -p, 5  
  -s, 5  
  -t, 5  
    input, 5  
rinoh.attribute  
  module, 99  
rinoh.color  
  module, 100  
rinoh.dimension  
  module, 100  
rinoh.document  
  module, 101  
rinoh.draw  
  module, 102  
rinoh.flowable  
  module, 103  
rinoh.font  
  module, 105  
rinoh.font.style  
  module, 107  
rinoh.image  
  module, 107  
rinoh.index  
  module, 109  
rinoh.inline  
  module, 118  
rinoh.language  
  module, 109  
rinoh.number  
  module, 115  
rinoh.paper  
  module, 116  
rinoh.paragraph  
  module, 117  
rinoh.reference  
  module, 120

```
rinoh.strings
    module, 125
rinoh.structure
    module, 122
rinoh.style
    module, 125
rinoh.stylesheets
    module, 11
rinoh.table
    module, 127
rinoh.template
    module, 128
rinoh.templates.article
    module, 91
rinoh.templates.book
    module, 93
rinoh.text
    module, 117
rinoh_documents
    Sphinx builder configuration value, 7
rinoh_domain_indices
    Sphinx builder configuration value, 9
rinoh_logo
    Sphinx builder configuration value, 9
rinoh_metadata
    Sphinx builder configuration value, 9
rinoh_paper_size
    Sphinx builder configuration value, 8
rinoh_stylesheet
    Sphinx builder configuration value, 8
rinoh_targets
    Sphinx builder configuration value, 8
rinoh_template
    Sphinx builder configuration value, 8
root (rinoh.attribute.RuleSetFile property), 99
rotate (rinoh.image.ImageArgs attribute), 108
RuleSet (class in rinoh.attribute), 99
RuleSetFile (class in rinoh.attribute), 99
```

## S

```
same_page (rinoh.flowable.GroupedFlowablesStyle attribute), 23
same_page (rinoh.image.FigureStyle attribute), 34
same_page (rinoh.index.IndexStyle attribute), 35
same_page (rinoh.structure.AdmonitionStyle attribute), 79
same_page (rinoh.structure.ListStyle attribute), 61
same_page (rinoh.structure.SectionStyle attribute), 54
same_page (rinoh.structure.TableOfContentsStyle attribute), 69
same_page (rinoh.table.TableCellStyle attribute), 86
Scale (class in rinoh.image), 108
scale (rinoh.image.ImageArgs attribute), 108
script_level() (rinoh.text.StyledText method), 117
Section (class in rinoh.structure), 122
SectionStyle (class in rinoh.structure), 53
SectionTitles (class in rinoh.structure), 122
seealso (rinoh.structure.AdmonitionTitles attribute), 124
SetMetadataFlowable (class in rinoh.flowable), 103
Shape (class in rinoh.draw), 103
```

ShapeStyle (class in `rinoh.draw`), 18  
show\_author (`rinoh.template.TitlePageTemplate` attribute), 134  
show\_date (`rinoh.template.TitlePageTemplate` attribute), 134  
show\_in\_toc (`rinoh.structure.SectionStyle` attribute), 53  
sideways (`rinoh.template.BodyPageTemplate` attribute), 134  
sideways (`rinoh.template.PageTemplateBase` attribute), 136  
sideways (`rinoh.template.TitlePageTemplate` attribute), 135  
SINGLE (in module `rinoh.paragraph`), 120  
SingleStyledText (class in `rinoh.text`), 118  
space\_above (`rinoh.flowable.FloatStyle` attribute), 25  
space\_above (`rinoh.flowable.FlowableStyle` attribute), 18  
space\_above (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
space\_above (`rinoh.flowable.LabeledFlowableStyle` attribute), 21  
space\_above (`rinoh.image.CaptionStyle` attribute), 28  
space\_above (`rinoh.image.FigureStyle` attribute), 32  
space\_above (`rinoh.index.IndexStyle` attribute), 35  
space\_above (`rinoh.inline.InlineFlowableStyle` attribute), 44  
space\_above (`rinoh.paragraph.ParagraphStyle` attribute), 38  
space\_above (`rinoh.reference.ReferencingParagraphStyle` attribute), 47  
space\_above (`rinoh.structure.AdmonitionStyle` attribute), 79  
space\_above (`rinoh.structure.HeadingStyle` attribute), 57  
space\_above (`rinoh.structure.HorizontalRuleStyle` attribute), 81  
space\_above (`rinoh.structure.ListItemLabelStyle` attribute), 65  
space\_above (`rinoh.structure.ListStyle` attribute), 61  
space\_above (`rinoh.structure.SectionStyle` attribute), 54  
space\_above (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75  
space\_above (`rinoh.structure.TableOfContentsStyle` attribute), 69  
space\_above (`rinoh.table.TableCellStyle` attribute), 86  
space\_above (`rinoh.table.TableStyle` attribute), 84  
space\_below (`rinoh.flowable.FloatStyle` attribute), 25  
space\_below (`rinoh.flowable.FlowableStyle` attribute), 18  
space\_below (`rinoh.flowable.GroupedFlowablesStyle` attribute), 23  
space\_below (`rinoh.flowable.LabeledFlowableStyle` attribute), 21  
space\_below (`rinoh.image.CaptionStyle` attribute), 28  
space\_below (`rinoh.image.FigureStyle` attribute), 32  
space\_below (`rinoh.index.IndexStyle` attribute), 35  
space\_below (`rinoh.inline.InlineFlowableStyle` attribute), 44  
space\_below (`rinoh.paragraph.ParagraphStyle` attribute), 38  
space\_below (`rinoh.reference.ReferencingParagraphStyle` attribute), 47  
space\_below (`rinoh.structure.AdmonitionStyle` attribute), 80  
space\_below (`rinoh.structure.HeadingStyle` attribute), 57  
space\_below (`rinoh.structure.HorizontalRuleStyle` attribute), 82  
space\_below (`rinoh.structure.ListItemLabelStyle` attribute), 65  
space\_below (`rinoh.structure.ListStyle` attribute), 62  
space\_below (`rinoh.structure.SectionStyle` attribute), 54  
space\_below (`rinoh.structure.TableOfContentsEntryStyle` attribute), 75  
space\_below (`rinoh.structure.TableOfContentsStyle` attribute), 69  
space\_below (`rinoh.table.TableCellStyle` attribute), 86  
space\_below (`rinoh.table.TableStyle` attribute), 84  
sphinx (in module `rinoh.stylesheets`), 11  
Sphinx builder configuration value  
    `rinoh_documents`, 7  
    `rinoh_domain_indices`, 9  
    `rinoh_logo`, 9  
    `rinoh_metadata`, 9  
    `rinoh_paper_size`, 8  
    `rinoh_stylesheet`, 8  
    `rinoh_targets`, 8

rinoh\_template, 8  
sphinx\_article (in module rinoh.stylesheets), 11  
sphinx\_base14 (in module rinoh.stylesheets), 11  
split\_minimum\_rows (rinoh.table.TableStyle attribute), 84  
STANDARD (in module rinoh.paragraph), 120  
StaticGroupedFlowables (class in rinoh.flowable), 104  
String (class in rinoh.strings), 125  
StringCollection (class in rinoh.strings), 125  
StringField (class in rinoh.strings), 125  
Strings (class in rinoh.strings), 125  
strings (rinoh.template.DocumentTemplate attribute), 128  
strings (rinoh.templates.article.Article attribute), 91  
strings (rinoh.templates.book.Book attribute), 93  
Stroke (class in rinoh.draw), 102  
stroke (rinoh.draw.LineStyle attribute), 17  
stroke (rinoh.draw.ShapeStyle attribute), 18  
stroke (rinoh.structure.HorizontalRuleStyle attribute), 83  
stroke (rinoh.table.TableCellBackgroundColor attribute), 89  
stroke (rinoh.table.TableCellBorderStyle attribute), 88  
Style (class in rinoh.style), 126  
style\_class (rinoh.draw.Line attribute), 103  
style\_class (rinoh.draw.Shape attribute), 103  
style\_class (rinoh.flowable.Float attribute), 105  
style\_class (rinoh.flowable.GroupedFlowables attribute), 104  
style\_class (rinoh.flowable.LabeledFlowable attribute), 104  
style\_class (rinoh.image.Caption attribute), 108  
style\_class (rinoh.image.Figure attribute), 109  
style\_class (rinoh.index.Index attribute), 109  
style\_class (rinoh.inline.InlineFlowable attribute), 118  
style\_class (rinoh.paragraph.ParagraphBase attribute), 117  
style\_class (rinoh.reference.Note attribute), 121  
style\_class (rinoh.reference.NoteMarkerBase attribute), 121  
style\_class (rinoh.reference.ReferencingParagraph attribute), 121  
style\_class (rinoh.structure.Admonition attribute), 123  
style\_class (rinoh.structure.Heading attribute), 122  
style\_class (rinoh.structure.HorizontalRule attribute), 125  
style\_class (rinoh.structure.List attribute), 123  
style\_class (rinoh.structure.TableOfContents attribute), 123  
style\_class (rinoh.structure.TableOfContentsEntry attribute), 123  
style\_class (rinoh.style.Styled attribute), 126  
style\_class (rinoh.table.Table attribute), 127  
style\_class (rinoh.table.TableCell attribute), 128  
style\_class (rinoh.table.TableCellBackgroundColor attribute), 128  
style\_class (rinoh.table.TableCellBorderStyle attribute), 128  
style\_class (rinoh.table.TableWithCaption attribute), 127  
style\_class (rinoh.text.StyledText attribute), 118  
Styled (class in rinoh.style), 125  
StyledMatcher (class in rinoh.style), 127  
StyledText (class in rinoh.text), 117  
StyleSheet (class in rinoh.style), 126  
stylesheet (rinoh.template.DocumentTemplate attribute), 128  
stylesheet (rinoh.templates.article.Article attribute), 91  
stylesheet (rinoh.templates.book.Book attribute), 93  
StyleSheetFile (class in rinoh.style), 126

## T

tab\_stops (rinoh.image.CaptionStyle attribute), 28

tab\_stops (rinoh.paragraph.ParagraphStyle attribute), 37  
tab\_stops (rinoh.reference.ReferencingParagraphStyle attribute), 46  
tab\_stops (rinoh.structure.HeadingStyle attribute), 56  
tab\_stops (rinoh.structure.ListItemLabelStyle attribute), 64  
tab\_stops (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
tab\_stops (rinoh.structure.TableOfContentsStyle attribute), 71  
TabAlign (class in rinoh.paragraph), 120  
Table (class in rinoh.table), 127  
table\_of\_contents (rinoh.templates.article.Article attribute), 91  
TableBody (class in rinoh.table), 127  
TableCell (class in rinoh.table), 128  
TableCellBackground (class in rinoh.table), 128  
TableCellBackgroundColor (class in rinoh.table), 88  
TableCellBorder (class in rinoh.table), 128  
TableCellBorderStyle (class in rinoh.table), 88  
TableCellStyle (class in rinoh.table), 86  
TableHead (class in rinoh.table), 127  
TableOfContents (class in rinoh.structure), 123  
TableOfContentsEntry (class in rinoh.structure), 123  
TableOfContentsEntryStyle (class in rinoh.structure), 74  
TableOfContentsSection (class in rinoh.structure), 123  
TableOfContentsStyle (class in rinoh.structure), 69  
TableRow (class in rinoh.table), 127  
TableSection (class in rinoh.table), 127  
TableStyle (class in rinoh.table), 83  
TableWithCaption (class in rinoh.table), 127  
TABLOID (in module rinoh.paper), 117  
TabStop (class in rinoh.paragraph), 120  
TabStopList (class in rinoh.paragraph), 120  
target\_has\_class() (rinoh.reference.ReferencingParagraph method), 121  
target\_has\_classes() (rinoh.reference.ReferencingParagraph method), 121  
target\_is\_of\_type() (rinoh.reference.ReferencingParagraph method), 121  
target\_style() (rinoh.reference.ReferencingParagraph method), 121  
template (rinoh.template.TemplateConfiguration attribute), 129  
TemplateConfiguration (class in rinoh.template), 129  
text (rinoh.reference.ReferencingParagraphStyle attribute), 46  
text (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
text\_align (rinoh.image.CaptionStyle attribute), 28  
text\_align (rinoh.paragraph.ParagraphStyle attribute), 37  
text\_align (rinoh.reference.ReferencingParagraphStyle attribute), 46  
text\_align (rinoh.structure.HeadingStyle attribute), 56  
text\_align (rinoh.structure.ListItemLabelStyle attribute), 64  
text\_align (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
text\_align (rinoh.structure.TableOfContentsStyle attribute), 71  
TextAlign (class in rinoh.paragraph), 119  
TextPosition (class in rinoh.font.style), 107  
TextStyle (class in rinoh.text), 42  
tip (rinoh.structure.AdmonitionTitles attribute), 124  
title (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
title (rinoh.image.FigureStyle attribute), 34  
title (rinoh.index.IndexStyle attribute), 35  
title (rinoh.structure.AdmonitionStyle attribute), 79  
title (rinoh.structure.ListStyle attribute), 61  
title (rinoh.structure.SectionStyle attribute), 54  
title (rinoh.structure.TableOfContentsStyle attribute), 69  
title (rinoh.table.TableCellStyle attribute), 86  
title (rinoh.templates.article.Article attribute), 92  
title (rinoh.templates.book.Book attribute), 93

title\_page (rinoh.templates.article.Article attribute), 92  
title\_page (rinoh.templates.book.Book attribute), 94  
TitlePageTemplate (class in rinoh.template), 134  
TitlePartTemplate (class in rinoh.template), 130  
to\_string() (rinoh.index.InlineIndexTarget method), 109  
to\_string() (rinoh.text.StyledText method), 117  
top\_margin (rinoh.template.BodyPageTemplate attribute), 133  
top\_margin (rinoh.template.PageTemplateBase attribute), 136  
top\_margin (rinoh.template.TitlePageTemplate attribute), 135  
type (rinoh.reference.NoteMarkerStyle attribute), 51  
Typeface (class in rinoh.font), 106  
typeface (rinoh.image.CaptionStyle attribute), 30  
typeface (rinoh.paragraph.ParagraphStyle attribute), 40  
typeface (rinoh.reference.NoteMarkerStyle attribute), 51  
typeface (rinoh.reference.ReferencingParagraphStyle attribute), 49  
typeface (rinoh.structure.HeadingStyle attribute), 59  
typeface (rinoh.structure.ListItemLabelStyle attribute), 67  
typeface (rinoh.structure.TableOfContentsEntryStyle attribute), 77  
typeface (rinoh.structure.TableOfContentsStyle attribute), 72  
typeface (rinoh.text.TextStyle attribute), 42

## U

update() (rinoh.style.StyledMatcher method), 127  
UserStrings (class in rinoh.strings), 125

## V

vertical\_align (rinoh.table.TableCellStyle attribute), 86  
VerticalAlign (class in rinoh.table), 128

## W

WarnFlowable (class in rinoh.flowable), 103  
warning (rinoh.structure.AdmonitionTitles attribute), 124  
width (rinoh.flowable.FloatStyle attribute), 25  
width (rinoh.flowable.FlowableStyle attribute), 18  
width (rinoh.flowable.GroupedFlowablesStyle attribute), 23  
width (rinoh.flowable.LabeledFlowableStyle attribute), 21  
width (rinoh.image.CaptionStyle attribute), 27  
width (rinoh.image.FigureStyle attribute), 32  
width (rinoh.image.ImageArgs attribute), 108  
width (rinoh.index.IndexStyle attribute), 35  
width (rinoh.inline.InlineFlowableStyle attribute), 44  
width (rinoh.paragraph.ParagraphStyle attribute), 37  
width (rinoh.reference.ReferencingParagraphStyle attribute), 46  
width (rinoh.structure.AdmonitionStyle attribute), 79  
width (rinoh.structure.HeadingStyle attribute), 56  
width (rinoh.structure.HorizontalRuleStyle attribute), 81  
width (rinoh.structure.ListItemLabelStyle attribute), 64  
width (rinoh.structure.ListStyle attribute), 61  
width (rinoh.structure.SectionStyle attribute), 54  
width (rinoh.structure.TableOfContentsEntryStyle attribute), 74  
width (rinoh.structure.TableOfContentsStyle attribute), 69  
width (rinoh.table.TableCellStyle attribute), 86  
width (rinoh.table.TableStyle attribute), 84  
wrap\_label (rinoh.flowable.LabeledFlowableStyle attribute), 21

Y

y\_offset() (rinoh.text.StyledText method), 118